

Eduardo Mazzucchi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3031444/eduardo-mazzucchi-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

80
papers

1,376
citations

21
h-index

34
g-index

90
ext. papers

1,678
ext. citations

2.2
avg. IF

4.2
L-index

#	Paper	IF	Citations
80	Percutaneous nephrolithotomy in patients with spinal cord injury: should all these patients be automatically assigned a Guy's stone score of 4?. <i>World Journal of Urology</i> , 2021 , 39, 2129-2134	4	4
79	Understanding urologic scientific publication patterns and general public interests on stone disease: lessons learned from big data platforms. <i>World Journal of Urology</i> , 2021 , 39, 2767-2773	4	2
78	The impact of COVID-19 in medical practice. A review focused on Urology. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2021 , 47, 251-262	2	5
77	Response to Giusti et al. re "Prospective Evaluation of Bilateral Retrograde Intrarenal Surgery: Is It Really Safe?". <i>Journal of Endourology</i> , 2021 , 35, 561-562	2.7	
76	Prone split-leg endoscopic-guided percutaneous nephrolithotomy: the surgeons perspective with a Gopro [®] view. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2021 , 47, 680-681	2	0
75	Percutaneous Nephrolithotomy in Horseshoe Kidneys: Results of a Multicentric Study. <i>Journal of Endourology</i> , 2021 , 35, 979-984	2.7	7
74	Prospective Evaluation of Bilateral Retrograde Intrarenal Surgery: Is It Really Safe?. <i>Journal of Endourology</i> , 2021 , 35, 14-20	2.7	5
73	Residual Stone Fragments After Percutaneous Nephrolithotomy: Shockwave Lithotripsy Retrograde Intrarenal Surgery. <i>Journal of Endourology</i> , 2021 , 35, 609-614	2.7	0
72	Metabolic assessment in pure struvite stones formers: is it necessary?. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , 2021 , 43, 200-206	1.5	1
71	Comparing public interest on stone disease between developed and underdeveloped nations: are search patterns on google trends similar?. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2021 , 47, 989-996	2	1
70	Does previous standard percutaneous nephrolithotomy impair retrograde intrarenal surgery outcomes?. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2021 , 47, 1198-1206	2	1
69	Effect of a low-calorie diet on 24-hour urinary parameters of obese adults with idiopathic calcium oxalate kidney stones. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2021 , 47, 1136-1147	2	0
68	Renal manifestations of sarcoidosis: from accurate diagnosis to specific treatment. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2020 , 46, 15-25	2	8
67	Retroperitoneoscopic ureterolithotomy to treat large ureteral stones in the proximal ureter. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2020 , 46, 1106	2	
66	Bilateral simultaneous percutaneous nephrolithotomy versus staged approach: a critical analysis of complications and renal function. <i>Revista Da Associação Médica Brasileira</i> , 2020 , 66, 1696-1701	1.4	1
65	Renal Stone Features Are More Important Than Renal Anatomy to Predict Shock Wave Lithotripsy Outcomes: Results from a Prospective Study with CT Follow-Up. <i>Journal of Endourology</i> , 2020 , 34, 63-67	2.7	5
64	A comprehensive literature-based equation to compare cost-effectiveness of a flexible ureteroscopy program with single-use versus reusable devices. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2019 , 45, 658-670	2	14

63	Predictors of surgical complications of nephrectomy for urolithiasis. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2019 , 45, 100-107	2	3
62	Low Dose Fluoroscopy During Ureteroscopy Does Not Compromise Surgical Outcomes. <i>Journal of Endourology</i> , 2019 , 33, 527-532	2.7	3
61	Size is Not Everything That Matters: Preoperative CT Predictors of Stone Free After RIRS. <i>Urology</i> , 2019 , 132, 63-68	1.6	8
60	Computed tomography window affects kidney stones measurements. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2019 , 45, 948-955	2	6
59	Polymorphism in the PBX1 gene is related to cystinuria in Brazilian families. <i>Journal of Cellular and Molecular Medicine</i> , 2019 , 23, 1593-1597	5.6	2
58	Septic Shock Following Surgical Decompression of Obstructing Ureteral Stones: A Prospective Analysis. <i>Journal of Endourology</i> , 2018 , 32, 446-450	2.7	2
57	In Vitro Evaluation of Single-Use Digital Flexible Ureteroscopes: A Practical Comparison for a Patient-Centered Approach. <i>Journal of Endourology</i> , 2018 , 32, 184-191	2.7	33
56	Effect of phyllanthus niruri on metabolic parameters of patients with kidney stone: a perspective for disease prevention. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2018 , 44, 758-764	2	19
55	Sporadic primary hyperparathyroidism and stone disease: a comprehensive metabolic evaluation before and after parathyroidectomy. <i>BJU International</i> , 2018 , 121, 281-288	5.6	8
54	Complete supine percutaneous nephrolithotomy with GoPro . Ten steps for success. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2018 , 44, 1046	2	1
53	Assessment of Residual Stone Fragments After Retrograde Intrarenal Surgery. <i>Journal of Endourology</i> , 2018 , 32, 1108-1113	2.7	12
52	Single-use versus reusable flexible ureteroscopes: a comprehensive cost-analysis decision model 2018 , 97, 323-333	0.1	0
51	Current trends of percutaneous nephrolithotomy in a developing country. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2018 , 44, 304-313	2	3
50	Complete Calcified Ureteral Stent: A Combined 1-Session Approach. <i>Urology</i> , 2017 , 110, 259-261	1.6	2
49	What is the quickest scoring system to predict percutaneous nephrolithotomy outcomes? A comparative study among S.T.O.N.E score, guy's stone score and croes nomogram. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2017 , 43, 1102-1109	2	11
48	Percutaneous Nephrolithotomy in Immunocompromised Patients: Outcomes from a Matched Case-Control Study. <i>Journal of Endourology</i> , 2016 , 30, 1326-1331	2.7	
47	The challenge of cystine and struvite stone formers: clinical, metabolic and surgical assessment. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2016 , 42, 977-985	2	3
46	A large 15 - year database analysis on the influence of age, gender, race, obesity and income on hospitalization rates due to stone disease. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2016 , 42, 1150-1159	2	4

45	Semi-rigid ureteroscopic lithotripsy versus laparoscopic ureterolithotomy for large upper ureteral stones: a meta - analysis of randomized controlled trials. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2016 , 42, 645-54	2	23
44	Irreversible Renal Function Impairment Due to Silent Ureteral Stones. <i>Urology</i> , 2016 , 93, 33-9	1.6	7
43	Contemporary Trends of Inpatient Surgical Management of Stone Disease: National Analysis in an Economic Growth Scenario. <i>Journal of Endourology</i> , 2015 , 29, 956-62	2.7	25
42	Preoperative planning with noncontrast computed tomography in the prone and supine position for percutaneous nephrolithotomy: a practical overview. <i>Journal of Endourology</i> , 2015 , 29, 6-12	2.7	13
41	Percutaneous nephrolithotomy in patients with solitary kidney: a critical outcome analysis. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2015 , 41, 496-502	2	6
40	Prone split-leg position to manage encrusted ureteral stents in a single-stage procedure in women: Step-by-step surgical technique. <i>Canadian Urological Association Journal</i> , 2015 , 9, E494-9	1.2	2
39	Nomogram to predict uric acid kidney stones based on patient's age, BMI and 24-hour urine profiles: A multicentre validation. <i>Canadian Urological Association Journal</i> , 2015 , 9, E178-82	1.2	4
38	Extracorporeal shock wave lithotripsy in the treatment of renal and ureteral stones. <i>Revista Da Associação Médica Brasileira</i> , 2015 , 61, 65-71	1.4	24
37	Impact of renal anatomy on shock wave lithotripsy outcomes for lower pole kidney stones: results of a prospective multifactorial analysis controlled by computerized tomography. <i>Journal of Urology</i> , 2015 , 193, 2002-7	2.5	18
36	Peripyelitis: A risk factor for urinary fistula after tubeless PCNL. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2015 , 41, 177-8	2	
35	The skin-to-calyx distance measured by renal ct scan and ultrasound. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2014 , 40, 212-9	2	1
34	Utility of the Guy's stone score based on computed tomographic scan findings for predicting percutaneous nephrolithotomy outcomes. <i>Urology</i> , 2014 , 83, 1248-53	1.6	259
33	Predicting urinary stone composition based on single-energy noncontrast computed tomography: the challenge of cystine. <i>Urology</i> , 2014 , 83, 1258-63	1.6	19
32	Modified complete supine percutaneous nephrolithotomy: solving some problems. <i>Journal of Endourology</i> , 2013 , 27, 845-9	2.7	26
31	Surgical management of bladder stones: literature review. <i>Revista Do Colegio Brasileiro De Cirurgioes</i> , 2013 , 40, 227-33	0.5	21
30	Predicting calyceal access for percutaneous nephrolithotomy with computed tomography multiplanar reconstruction. <i>Clinics</i> , 2013 , 68, 892-5	2.3	7
29	Silent ureteral stones: impact on kidney function--can treatment of silent ureteral stones preserve kidney function?. <i>Urology</i> , 2012 , 79, 304-8	1.6	10
28	Metabolic assessment of elderly men with urolithiasis. <i>Clinics</i> , 2012 , 67, 457-61	2.3	8

27	Percutaneous nephrolithotomy in obese patients: comparison between the prone and total supine position. <i>Journal of Endourology</i> , 2012 , 26, 1437-42	2.7	30
26	Adjuvant tamsulosin or nifedipine after extracorporeal shock wave lithotripsy for renal stones: a double blind, randomized, placebo-controlled trial. <i>Urology</i> , 2011 , 78, 1016-21	1.6	27
25	Infundibular stenosis in Bardet-Biedl syndrome. <i>Kidney International</i> , 2011 , 80, 322	9.9	
24	Comparison between two shock wave regimens using frequencies of 60 and 90 impulses per minute for urinary stones. <i>Clinics</i> , 2010 , 65, 961-5	2.3	14
23	Management of chronic unilateral hematuria by ureterorenoscopy. <i>Journal of Endourology</i> , 2009 , 23, 1273-6	2.7	12
22	Combined retrograde flexible ureteroscopic lithotripsy with holmium YAG laser for renal calculi associated with ipsilateral ureteral stones. <i>Journal of Endourology</i> , 2009 , 23, 253-7	2.7	21
21	Intravenous misplacement of the nephrostomy catheter following percutaneous nephrostolithotomy: two case reports. <i>Clinics</i> , 2009 , 64, 69-70	2.3	15
20	Percutaneous nephrolithotomy: Current concepts. <i>Indian Journal of Urology</i> , 2009 , 25, 4-10	0.8	23
19	Outcomes of flexible ureteroscopic lithotripsy with holmium laser for upper urinary tract calculi. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2008 , 34, 143-9; discussion 149-50	2	19
18	Renal and perinephric abscesses: analysis of 65 consecutive cases. <i>World Journal of Surgery</i> , 2007 , 31, 431-6	3.3	95
17	Primary reconstruction is a good option in the treatment of urinary fistula after kidney transplantation. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2006 , 32, 398-403; discussion 403-4	2	12
16	Measurement of plasma levels of vascular endothelial growth factor in prostate cancer patients: relationship with clinical stage, Gleason score, prostate volume, and serum prostate-specific antigen. <i>Clinics</i> , 2006 , 61, 401-8	2.3	30
15	Surgical aspects of third and subsequent renal transplants performed by the extraperitoneal access. <i>Transplantation</i> , 2006 , 81, 840-4	1.8	37
14	Is polypropylene mesh safe and effective for repairing infected incisional hernia in renal transplant recipients?. <i>Urology</i> , 2005 , 66, 874-7	1.6	39
13	Surgical complications after renal transplantation in grafts with multiple arteries. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2005 , 31, 125-30	2	31
12	Clinical and urodynamic evaluation after ureterocystoplasty and kidney transplantation. <i>Journal of Urology</i> , 2004 , 171, 1428-31	2.5	29
11	Surgical complications of graft nephrectomy in the modern transplant era. <i>Journal of Urology</i> , 2003 , 170, 734-7	2.5	46
10	Augmentation cystoplasty in renal transplantation: a good and safe option--experience with 25 cases. <i>Urology</i> , 2002 , 60, 770-4	1.6	57

9	Comparison of palpation-guided and ultrasound-guided biopsies in transplanted kidneys. <i>Clinical Transplantation</i> , 2001 , 15, 393-6	3.8	2
8	Introduction of mycophenolate mofetil and cyclosporin reduction in children with chronic transplant nephropathy. <i>Pediatric Transplantation</i> , 2001 , 5, 302-9	1.8	26
7	INCISIONAL HERNIA AND ITS REPAIR WITH POLYPROPYLENE MESH IN RENAL TRANSPLANT RECIPIENTS. <i>Journal of Urology</i> , 2001 , 166, 816-819	2.5	45
6	EXTRAPERITONEAL ACCESS FOR KIDNEY TRANSPLANTATION IN CHILDREN WEIGHING 20 KG. OR LESS. <i>Journal of Urology</i> , 2000 , 164, 475-478	2.5	18
5	ADENOCARCINOMA OF AN AUGMENTED BLADDER 25 YEARS AFTER ILEOCECOCYSTOPLASTY AND 6 YEARS AFTER RENAL TRANSPLANTATION. <i>Journal of Urology</i> , 1999 , 162, 490-491	2.5	10
4	Histological outcome of acute cellular rejection in kidney transplantation after treatment with methylprednisolone. <i>Transplantation</i> , 1999 , 67, 430-4	1.8	17
3	Kidney transplantation: the use of living donors with renal artery lesions. <i>Journal of Urology</i> , 1998 , 160, 1244-7	2.5	35
2	Percutaneous needle biopsy of the renal allograft using the automated needle system: evaluation of 87 procedures. <i>Journal of Urology</i> , 1993 , 150, 313-5	2.5	14
1	Urethral prolapse in girls: familial case. <i>Journal of Urology</i> , 1987 , 137, 115	2.5	16