Kari A O Tikkinen

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3060858/kari-a-o-tikkinen-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

3,461 30 94 57 h-index g-index citations papers 4,385 4.96 104 7.7 L-index avg, IF ext. citations ext. papers

| # | Paper | IF | Citations |
|----|--|----------------------|--------------|
| 94 | Benefits and harms of direct oral anticoagulation and low molecular weight heparin for thromboprophylaxis in patients undergoing non-cardiac surgery: systematic review and network meta-analysis of randomised trials <i>BMJ, The</i> , 2022 , 376, e066785 | 5.9 | 1 |
| 93 | Ten papers for teachers of evidence-based medicine and health care: Sicily workshop 2019. <i>BMJ Evidence-Based Medicine</i> , 2021 , 26, 224-227 | 2.7 | O |
| 92 | An International Survey on the Use of Thromboprophylaxis in Urological Surgery. <i>European Urology Focus</i> , 2021 , 7, 653-658 | 5.1 | 3 |
| 91 | Evidence-based Urology: Subgroup Analysis in Randomized Controlled Trials. <i>European Urology Focus</i> , 2021 , 7, 1237-1239 | 5.1 | 2 |
| 90 | The effectiveness of parasympathomimetics for treating underactive bladder: A systematic review and meta-analysis. <i>Neurourology and Urodynamics</i> , 2021 , | 2.3 | 1 |
| 89 | Evidence-based urology: importance of relative vs absolute effect. European Urology Focus, 2021 , 7, 17 | 22 6-1 22 | 2 9 0 |
| 88 | Systematic reviews of observational studies of Risk of Thrombosis and Bleeding in General and Gynecologic Surgery (ROTBIGGS): introduction and methodology. <i>Systematic Reviews</i> , 2021 , 10, 264 | 3 | 2 |
| 87 | Evidence-based Urology: Understanding Heterogeneity in Systematic Reviews. <i>European Urology Focus</i> , 2021 , 7, 1234-1236 | 5.1 | O |
| 86 | Does Protocol Make a Difference? Comparison of Two Prostate Cancer Active Surveillance Cohorts: A Non-protocol-based Follow-up and a Protocol-based Contemporary Follow-up <i>European Urology Open Science</i> , 2021 , 34, 33-40 | 0.9 | O |
| 85 | Understanding of research results, evidence summaries and their applicability-not critical appraisal-are core skills of medical curriculum. <i>BMJ Evidence-Based Medicine</i> , 2021 , 26, 231-233 | 2.7 | 6 |
| 84 | Delayed surgery for localised and metastatic renal cell carcinoma: a systematic review and meta-analysis for the COVID-19 pandemic. <i>World Journal of Urology</i> , 2021 , 39, 4295-4303 | 4 | 4 |
| 83 | A Systematic Review of Patients Walues, Preferences, and Expectations for the Diagnosis and Treatment of Male Lower Urinary Tract Symptoms. <i>European Urology</i> , 2021 , 79, 796-809 | 10.2 | 12 |
| 82 | Self-Management for Men With Lower Urinary Tract Symptoms: A Systematic Review and Meta-Analysis. <i>Annals of Family Medicine</i> , 2021 , 19, 157-167 | 2.9 | 3 |
| 81 | ARTS: A Large, International Trial of Thromboprophylaxis in Intra-abdominal, Gynecologic, and Urologic Surgery. <i>European Urology Focus</i> , 2021 , 7, 1222-1225 | 5.1 | 2 |
| 80 | Genome-Wide Association Study Identifies Two Novel Loci Associated with Female Stress and Urgency Urinary Incontinence. <i>Journal of Urology</i> , 2021 , 206, 679-687 | 2.5 | 3 |
| 79 | A modeling approach to derive baseline risk estimates for GRADE recommendations: Concepts, development, and results of its application to the American Society of Hematology 2019 guidelines on prevention of venous thromboembolism in surgical hospitalized patients. <i>Journal of Clinical</i> | 5.7 | |
| 78 | Epidemiology, 2021, 140, 69-78 Editorial Comment. Journal of Urology, 2020, 204, 1001 | 2.5 | |

(2018-2020)

| 77 | The Impact of Nocturia on Falls and Fractures: A Systematic Review and Meta-Analysis. <i>Journal of Urology</i> , 2020 , 203, 674-683 | 2.5 | 23 |
|----|--|------------------|-----|
| 76 | The Impact of Nocturia on Mortality: A Systematic Review and Meta-Analysis. <i>Journal of Urology</i> , 2020 , 203, 486-495 | 2.5 | 22 |
| 75 | COVID-19 clinical trials: learning from exceptions in the research chaos. <i>Nature Medicine</i> , 2020 , 26, 1671 | - 96 .752 | 21 |
| 74 | Decision Aids for Prostate Cancer Screening Choice: A Systematic Review and Meta-analysis. <i>JAMA Internal Medicine</i> , 2019 , 179, 1072-1082 | 11.5 | 24 |
| 73 | Public, health professional and legislator perspectives on the concept of psychiatric disease: a population-based survey. <i>BMJ Open</i> , 2019 , 9, e024265 | 3 | 6 |
| 72 | The impact of bariatric surgery on urinary incontinence: a systematic review and meta-analysis. <i>BJU International</i> , 2019 , 124, 917-934 | 5.6 | 10 |
| 71 | What Is the Required Certainty of Evidence for the Implementation of Novel Techniques for the Treatment of Benign Prostatic Obstruction?. <i>European Urology Focus</i> , 2019 , 5, 351-356 | 5.1 | 13 |
| 70 | Management of Urinary Retention in Patients with Benign Prostatic Obstruction: A Systematic Review and Meta-analysis. <i>European Urology</i> , 2019 , 75, 788-798 | 10.2 | 26 |
| 69 | American Society of Hematology 2019 guidelines for management of venous thromboembolism: prevention of venous thromboembolism in surgical hospitalized patients. <i>Blood Advances</i> , 2019 , 3, 3898 | 3-3844 | 130 |
| 68 | Efficacy and safety of artificial urinary sphincter (AUS): Results of a large multi-institutional cohort of patients with mid-term follow-up. <i>Neurourology and Urodynamics</i> , 2019 , 38, 710-718 | 2.3 | 26 |
| 67 | Long-term risks of stress and urgency urinary incontinence after different vaginal delivery modes. <i>American Journal of Obstetrics and Gynecology</i> , 2019 , 220, 181.e1-181.e8 | 6.4 | 14 |
| 66 | Guideline of guidelines: primary monotherapies for localised or locally advanced prostate cancer. <i>BJU International</i> , 2018 , 122, 535-548 | 5.6 | 7 |
| 65 | What's New in Epidemiology?. European Urology Focus, 2018, 4, 11-13 | 5.1 | |
| 64 | Clinical course of untreated cervical intraepithelial neoplasia grade 2 under active surveillance: systematic review and meta-analysis. <i>BMJ, The</i> , 2018 , 360, k499 | 5.9 | 118 |
| 63 | Procedure-specific Risks of Thrombosis and Bleeding in Urological Non-cancer Surgery: Systematic Review and Meta-analysis. <i>European Urology</i> , 2018 , 73, 236-241 | 10.2 | 30 |
| 62 | Procedure-specific Risks of Thrombosis and Bleeding in Urological Cancer Surgery: Systematic Review and Meta-analysis. <i>European Urology</i> , 2018 , 73, 242-251 | 10.2 | 55 |
| 61 | Eblockers for uncomplicated ureteric stones: a clinical practice guideline. <i>BJU International</i> , 2018 , 122, 924-931 | 5.6 | 5 |
| 60 | Certainty ranges facilitated explicit and transparent judgments regarding evidence credibility. Journal of Clinical Epidemiology, 2018, 104, 46-51 | 5.7 | 2 |

| 59 | Prostate cancer screening with prostate-specific antigen (PSA) test: a clinical practice guideline. <i>BMJ, The</i> , 2018 , 362, k3581 | 5.9 | 49 |
|----|--|------|----|
| 58 | Systematic survey of randomized trials evaluating the impact of alternative diagnostic strategies on patient-important outcomes. <i>Journal of Clinical Epidemiology</i> , 2017 , 84, 61-69 | 5.7 | 17 |
| 57 | Premature Discontinuation of Pediatric Randomized Controlled Trials: A Retrospective Cohort Study. <i>Journal of Pediatrics</i> , 2017 , 184, 209-214.e1 | 3.6 | 17 |
| 56 | Medical Treatment of Nocturia in Men with Lower Urinary Tract Symptoms: Systematic Review by the European Association of Urology Guidelines Panel for Male Lower Urinary Tract Symptoms. <i>European Urology</i> , 2017 , 72, 757-769 | 10.2 | 42 |
| 55 | Authors seldom report the most patient-important outcomes and absolute leffect measures in systematic review abstracts. <i>Journal of Clinical Epidemiology</i> , 2017 , 81, 3-12 | 5.7 | 21 |
| 54 | Systematic Review of the Performance of Noninvasive Tests in Diagnosing Bladder Outlet Obstruction in Men with Lower Urinary Tract Symptoms. <i>European Urology</i> , 2017 , 71, 391-402 | 10.2 | 43 |
| 53 | In localized prostate cancer, radical prostatectomy and observation did not differ for mortality at 13 years. <i>Annals of Internal Medicine</i> , 2017 , 167, JC53 | 8 | 3 |
| 52 | An analysis of protocols and publications suggested that most discontinuations of clinical trials were not based on preplanned interim analyses or stopping rules. <i>Journal of Clinical Epidemiology</i> , 2016 , 69, 152-60 | 5.7 | 14 |
| 51 | Incidence and Remission of Nocturia: A Systematic Review and Meta-analysis. <i>European Urology</i> , 2016 , 70, 372-81 | 10.2 | 17 |
| 50 | Systematic reviews experience major limitations in reporting absolute effects. <i>Journal of Clinical Epidemiology</i> , 2016 , 72, 16-26 | 5.7 | 31 |
| 49 | Do clinicians understand the size of treatment effects? A randomized survey across 8 countries. <i>Cmaj</i> , 2016 , 188, 25-32 | 3.5 | 48 |
| 48 | Long-term Impact of Mode of Delivery on Stress Urinary Incontinence and Urgency Urinary Incontinence: A Systematic Review and Meta-analysis. <i>European Urology</i> , 2016 , 70, 148-158 | 10.2 | 77 |
| 47 | Women's values and preferences and health state valuations for thromboprophylaxis during pregnancy: A cross-sectional interview. <i>Thrombosis Research</i> , 2016 , 140, 22-9 | 8.2 | 14 |
| 46 | Agreements between Industry and Academia on Publication Rights: A Retrospective Study of Protocols and Publications of Randomized Clinical Trials. <i>PLoS Medicine</i> , 2016 , 13, e1002046 | 11.6 | 17 |
| 45 | Requirements of Clinical Journals for Authors Disclosure of Financial and Non-Financial Conflicts of Interest: A Cross Sectional Study. <i>PLoS ONE</i> , 2016 , 11, e0152301 | 3.7 | 45 |
| 44 | Premature Discontinuation of Randomized Trials in Critical and Emergency Care: A Retrospective Cohort Study. <i>Critical Care Medicine</i> , 2016 , 44, 130-7 | 1.4 | 26 |
| 43 | Guideline of guidelines: thromboprophylaxis for urological surgery. <i>BJU International</i> , 2016 , 118, 351-8 | 5.6 | 51 |
| 42 | How to Use a Randomized Clinical Trial Addressing a Surgical Procedure: UserstGuide to the Medical Literature. <i>JAMA Surgery</i> , 2016 , 151, 657-62 | 5.4 | 15 |

(2014-2015)

| 41 | Adherence to mechanical thromboprophylaxis after surgery: A systematic review and meta-analysis. <i>Thrombosis Research</i> , 2015 , 136, 723-6 | 8.2 | 15 |
|----|--|--------------|-----|
| 40 | Nocturia: Current Levels of Evidence and Recommendations From the International Consultation on Male Lower Urinary Tract Symptoms. <i>Urology</i> , 2015 , 85, 1291-9 | 1.6 | 36 |
| 39 | Decision aids for localized prostate cancer treatment choice: Systematic review and meta-analysis. <i>Ca-A Cancer Journal for Clinicians</i> , 2015 , 65, 239-51 | 220.7 | 89 |
| 38 | Reporting, handling and assessing the risk of bias associated with missing participant data in systematic reviews: a methodological survey. <i>BMJ Open</i> , 2015 , 5, e009368 | 3 | 17 |
| 37 | Systematic review and metaanalysis of genetic association studies of urinary symptoms and prolapse in women. <i>American Journal of Obstetrics and Gynecology</i> , 2015 , 212, 199.e1-24 | 6.4 | 55 |
| 36 | Completion and Publication Rates of Randomized Controlled Trials in Surgery: An Empirical Study. <i>Annals of Surgery</i> , 2015 , 262, 68-73 | 7.8 | 31 |
| 35 | Decision aids that really promote shared decision making: the pace quickens. <i>BMJ, The</i> , 2015 , 350, g762 | 45 .9 | 144 |
| 34 | Women's values and preferences for thromboprophylaxis during pregnancy: a comparison of direct-choice and decision analysis using patient specific utilities. <i>Thrombosis Research</i> , 2015 , 136, 341-7 | , 8.2 | 15 |
| 33 | What was hot at the ICS meeting 2014?. Neurourology and Urodynamics, 2015, 34, 206-12 | 2.3 | 1 |
| 32 | EAU Guidelines on the Assessment of Non-neurogenic Male Lower Urinary Tract Symptoms including Benign Prostatic Obstruction. <i>European Urology</i> , 2015 , 67, 1099-1109 | 10.2 | 541 |
| 31 | Systematic review and meta-analysis of candidate gene association studies of lower urinary tract symptoms in men. <i>European Urology</i> , 2014 , 66, 752-68 | 10.2 | 21 |
| 30 | The fluctuation of nocturia in men with lower urinary tract symptoms allocated to placebo during a 12-month randomized, controlled trial. <i>Journal of Urology</i> , 2014 , 191, 1040-4 | 2.5 | 10 |
| 29 | Relationship between voided volume and the urge to void among patients with lower urinary tract symptoms. <i>Scandinavian Journal of Urology</i> , 2014 , 48, 554-8 | 1.6 | 4 |
| 28 | Patients Walues and preferences of the expected efficacy of hip arthroscopy for osteoarthritis: a protocol for a multinational structured interview-based study combined with a randomised survey on the optimal amount of information to elicit preferences. <i>BMJ Open</i> , 2014 , 4, e005536 | 3 | 4 |
| 27 | Subgroup analyses in randomised controlled trials: cohort study on trial protocols and journal publications. <i>BMJ, The</i> , 2014 , 349, g4539 | 5.9 | 60 |
| 26 | Prevalence, characteristics, and publication of discontinued randomized trials. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 311, 1045-51 | 27.4 | 189 |
| 25 | Impact of missing participant data for dichotomous outcomes on pooled effect estimates in systematic reviews: a protocol for a methodological study. <i>Systematic Reviews</i> , 2014 , 3, 137 | 3 | 12 |
| 24 | Systematic reviews of observational studies of risk of thrombosis and bleeding in urological surgery (ROTBUS): introduction and methodology. <i>Systematic Reviews</i> , 2014 , 3, 150 | 3 | 37 |

| 23 | What is the most bothersome lower urinary tract symptom? Individual- and population-level perspectives for both men and women. <i>European Urology</i> , 2014 , 65, 1211-7 | 10.2 | 132 |
|----|--|-------|-----|
| 22 | Nocturia 2014 , 223-250 | | |
| 21 | Clinical experience may affect clinician compliance with assigned treatment in randomized trials. <i>Journal of Clinical Epidemiology</i> , 2013 , 66, 768-74 | 5.7 | 3 |
| 20 | Impact of obesity on urinary storage symptoms: results from the FINNO study. <i>Journal of Urology</i> , 2013 , 189, 1377-82 | 2.5 | 28 |
| 19 | A methodological survey of the analysis, reporting and interpretation of Absolute Risk ReductiOn in systematic revieWs (ARROW): a study protocol. <i>Systematic Reviews</i> , 2013 , 2, 113 | 3 | 12 |
| 18 | Epidemiology of male urinary incontinence. <i>Current Opinion in Urology</i> , 2013 , 23, 502-8 | 2.8 | 10 |
| 17 | What was hot at the ICS meeting Glasgow, Scotland, 2011. Neurourology and Urodynamics, 2012, 31, 2-6 | 5 2.3 | |
| 16 | Evaluating patient values and preferences for thromboprophylaxis decision making during pregnancy: a study protocol. <i>BMC Pregnancy and Childbirth</i> , 2012 , 12, 40 | 3.2 | 8 |
| 15 | Learning from failurerationale and design for a study about discontinuation of randomized trials (DISCO study). <i>BMC Medical Research Methodology</i> , 2012 , 12, 131 | 4.7 | 31 |
| 14 | Nocturia Think Tank: focus on nocturnal polyuria: ICI-RS 2011. <i>Neurourology and Urodynamics</i> , 2012 , 31, 330-9 | 2.3 | 39 |
| 13 | What is a disease? Perspectives of the public, health professionals and legislators. <i>BMJ Open</i> , 2012 , 2, | 3 | 30 |
| 12 | Epidemiology of Nocturia: Evaluation of Prevalence, Incidence, Impact and Risk Factors 2012 , 77-107 | | 2 |
| 11 | Lower urinary tract symptoms in adults treated for posterior urethral valves in childhood: matched cohort study. <i>Journal of Urology</i> , 2011 , 186, 660-6 | 2.5 | 20 |
| 10 | Smoking and bladder symptoms in women. Obstetrics and Gynecology, 2011, 118, 643-648 | 4.9 | 36 |
| 9 | The prevalence of clinically meaningful overactive bladder: bother and quality of life results from the population-based FINNO study. <i>European Urology</i> , 2011 , 59, 629-36 | 10.2 | 62 |
| 8 | Nocturia: new directions. <i>Neurourology and Urodynamics</i> , 2011 , 30, 700-3 | 2.3 | 22 |
| 7 | How to write an ICS/IUGA conference abstract. International Urogynecology Journal, 2010, 21, 509-13 | 2 | 3 |
| 6 | Nocturia frequency, bother, and quality of life: how often is too often? A population-based study in Finland. <i>European Urology</i> , 2010 , 57, 488-96 | 10.2 | 240 |

LIST OF PUBLICATIONS

| 5 | A systematic evaluation of factors associated with nocturiathe population-based FINNO study. American Journal of Epidemiology, 2009 , 170, 361-8 | 3.8 | 123 |
|---|--|-----|-----|
| 4 | Reproductive factors associated with nocturia and urinary urgency in women: a population-based study in Finland. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 199, 153.e1-12 | 6.4 | 28 |
| 3 | Is the prevalence of overactive bladder overestimated? A population-based study in Finland. <i>PLoS ONE</i> , 2007 , 2, e195 | 3.7 | 51 |
| 2 | Nocturia and obesity: a population-based study in Finland. <i>American Journal of Epidemiology</i> , 2006 , 163, 1003-11 | 3.8 | 49 |
| 1 | Is nocturia equally common among men and women? A population based study in Finland. <i>Journal of Urology</i> , 2006 , 175, 596-600 | 2.5 | 107 |