Woo-Seok Gwak

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3189299/publications.pdf

Version: 2024-02-01

10 papers	35 citations	3 h-index	1872680 6 g-index
10	10	10	20
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Genetic diversity and population structure of Pacific herring Clupea pallasii in the Northeast Asia inferred from mtDNA marker. Ecological Genetics and Genomics, 2021, 18, 100076.	0.5	2
2	Development of a quantitative PCR primers and probe for environmental DNA detection of Pacific herring Clupea pallasii. Conservation Genetics Resources, 2021, 13, 337-339.	0.8	0
3	Genetic Diversity and Population Genetic Structure of Korean Black Scraper Thamnaconus modestus in Korea and Japan Based on the mtDNA Marker. Ocean Science Journal, 2021, 56, 266-274.	1.3	2
4	Contrasting Genetic Structures Among Populations of Two Hexagrammid Fish Species in the Northwestern Pacific. Ocean Science Journal, 2021, 56, 275-286.	1.3	1
5	Genetic Diversity and Variation in Mitochondrial COI Gene in Wild and Hatchery Populations of Saxidomus purpuratus. Biochemical Genetics, 2021, , 1.	1.7	0
6	Spawning characteristics of Clupea pallasii in the coastal waters off Gyeongnam, Korea, during spawning season. Ocean Science Journal, 2017, 52, 581-586.	1.3	3
7	Population structure and sequence divergence in the mitochondrial DNA control region of gizzard shad Konosirus punctatus in Korea and Japan. Ichthyological Research, 2015, 62, 379-385.	0.8	16
8	Direct Observations of Spawning Characteristics on the Hexagrammidae Fishes in Korean Coastal Waters Using SCUBA Diving. Pada (Han'guk Haeyang Hakhoe), 2013, 18, 104-109.	0.3	1
9	Population genetic structure and genetic variability of the marbled sole <i>Pleuronectes yokohamae</i> on the coast of Gyeongsangnam-do, Korea. Animal Cells and Systems, 2012, 16, 498-505.	2.2	1
10	Instability of the turbidity maximum in the macrotidal Geum River estuary, western Korea. Limnology, 2010, 11, 197-205.	1.5	9