

Louise McCombie

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3326506/publications.pdf>

Version: 2024-02-01

19
papers

2,343
citations

758635

12
h-index

794141

19
g-index

19
all docs

19
docs citations

19
times ranked

2543
citing authors

#	ARTICLE	IF	CITATIONS
1	Primary care-led weight management for remission of type 2 diabetes (DiRECT): an open-label, cluster-randomised trial. <i>Lancet, The</i> , 2018, 391, 541-551.	6.3	1,282
2	Durability of a primary care-led weight-management intervention for remission of type 2 diabetes: 2-year results of the DiRECT open-label, cluster-randomised trial. <i>Lancet Diabetes and Endocrinology,the</i> , 2019, 7, 344-355.	5.5	569
3	The Diabetes Remission Clinical Trial (DiRECT): protocol for a cluster randomised trial. <i>BMC Family Practice</i> , 2016, 17, 20.	2.9	86
4	Feasibility and indicative results from a 12-month low-energy liquid diet treatment and maintenance programme for severe obesity. <i>British Journal of General Practice</i> , 2013, 63, e115-e124.	0.7	79
5	Predictors of type 2 diabetes remission in the Diabetes Remission Clinical Trial (DiRECT). <i>Diabetic Medicine</i> , 2021, 38, e14395.	1.2	53
6	Beating type 2 diabetes into remission. <i>BMJ: British Medical Journal</i> , 2017, 358, j4030.	2.4	51
7	Clinical and metabolic features of the randomised controlled Diabetes Remission Clinical Trial (DiRECT) cohort. <i>Diabetologia</i> , 2018, 61, 589-598.	2.9	46
8	Filling the intervention gap: service evaluation of an intensive nonsurgical weight management programme for severe and complex obesity. <i>Journal of Human Nutrition and Dietetics</i> , 2019, 32, 329-337.	1.3	34
9	Type 2 diabetes remission: 2-year within-trial and lifetime-horizon cost-effectiveness of the Diabetes Remission Clinical Trial (DiRECT)/Counterweight-Plus weight management programme. <i>Diabetologia</i> , 2020, 63, 2112-2122.	2.9	26
10	Within-trial cost and 1-year cost-effectiveness of the DiRECT/Counterweight-Plus weight-management programme to achieve remission of type 2 diabetes. <i>Lancet Diabetes and Endocrinology,the</i> , 2019, 7, 169-172.	5.5	22
11	Antihypertensive medication needs and blood pressure control with weight loss in the Diabetes Remission Clinical Trial (DiRECT). <i>Diabetologia</i> , 2021, 64, 1927-1938.	2.9	20
12	Type 2 diabetes remission: economic evaluation of the DiRECT/Counterweight-Plus weight management programme within a primary care randomized controlled trial. <i>Diabetic Medicine</i> , 2019, 36, 1003-1012.	1.2	18
13	Participant experiences in the Diabetes REmission Clinical Trial (DiRECT). <i>Diabetic Medicine</i> , 2022, 39, e14689.	1.2	14
14	Trends in type 2 diabetes. <i>BMJ: British Medical Journal</i> , 2019, 366, l5407.	2.4	12
15	Weight loss-induced increase in fasting ghrelin concentration is a predictor of weight regain: Evidence from the Diabetes Remission Clinical Trial (DiRECT). <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 711-719.	2.2	11
16	Brief formula low-energy diet for relapse management during weight loss maintenance in the Diabetes Remission Clinical Trial (DiRECT). <i>Journal of Human Nutrition and Dietetics</i> , 2021, 34, 472-479.	1.3	10
17	Delivering the Diabetes Remission Clinical Trial (DiRECT) in primary care: Experiences of healthcare professionals. <i>Diabetic Medicine</i> , 2022, 39, e14752.	1.2	8
18	Diabetes and travel insurance costs: let's talk about remission. <i>Practical Diabetes</i> , 2019, 36, 20-21.	0.1	1

#	ARTICLE	IF	CITATIONS
19	Forget polypharmacy for type 2 diabetes! Weight management is a better investment. Nephrology Dialysis Transplantation, 2022, 37, 844-846.	0.4	1