

Ulrike Ravens-Sieberer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3368114/publications.pdf>

Version: 2024-02-01

116
papers

11,630
citations

31902

53
h-index

30010

103
g-index

134
all docs

134
docs citations

134
times ranked

10265
citing authors

#	ARTICLE	IF	CITATIONS
1	The KIDSCREEN-52 Quality of Life Measure for Children and Adolescents: Psychometric Results from a Cross-Cultural Survey in 13 European Countries. <i>Value in Health</i> , 2008, 11, 645-658.	0.1	636
2	Development of the EQ-5D-Y: a child-friendly version of the EQ-5D. <i>Quality of Life Research</i> , 2010, 19, 875-886.	1.5	574
3	Impact of the COVID-19 pandemic on quality of life and mental health in children and adolescents in Germany. <i>European Child and Adolescent Psychiatry</i> , 2022, 31, 879-889.	2.8	558
4	KIDSCREEN-52 quality-of-life measure for children and adolescents. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2005, 5, 353-364.	0.7	551
5	The KIDSCREEN-27 quality of life measure for children and adolescents: psychometric results from a cross-cultural survey in 13 European countries. <i>Quality of Life Research</i> , 2007, 16, 1347-1356.	1.5	489
6	Reliability, construct and criterion validity of the KIDSCREEN-10 score: a short measure for children and adolescents' well-being and health-related quality of life. <i>Quality of Life Research</i> , 2010, 19, 1487-1500.	1.5	455
7	Self-reported quality of life of 8-12-year-old children with cerebral palsy: a cross-sectional European study. <i>Lancet, The</i> , 2007, 369, 2171-2178.	6.3	398
8	The European KIDSCREEN approach to measure quality of life and well-being in children: development, current application, and future advances. <i>Quality of Life Research</i> , 2014, 23, 791-803.	1.5	384
9	Socioeconomic determinants of health related quality of life in childhood and adolescence: results from a European study. <i>Journal of Epidemiology and Community Health</i> , 2006, 60, 130-135.	2.0	347
10	Feasibility, reliability, and validity of the EQ-5D-Y: results from a multinational study. <i>Quality of Life Research</i> , 2010, 19, 887-897.	1.5	325
11	Generic Health-Related Quality-of-Life Assessment in Children and Adolescents. <i>Pharmacoeconomics</i> , 2006, 24, 1199-1220.	1.7	284
12	Prevalence of mental health problems among children and adolescents in Germany: results of the BELLA study within the National Health Interview and Examination Survey. <i>European Child and Adolescent Psychiatry</i> , 2008, 17, 22-33.	2.8	243
13	Socioeconomic status, stressful life situations and mental health problems in children and adolescents: Results of the German BELLA cohort-study. <i>PLoS ONE</i> , 2019, 14, e0213700.	1.1	242
14	Quality of life in children and adolescents: a European public health perspective. <i>International Journal of Public Health</i> , 2001, 46, 294-302.	2.7	220
15	Parent-proxy and child self-reported health-related quality of life: using qualitative methods to explain the discordance. <i>Quality of Life Research</i> , 2007, 16, 863-871.	1.5	201
16	Risk and protective factors for children's and adolescents' mental health: results of the BELLA study. <i>European Child and Adolescent Psychiatry</i> , 2008, 17, 133-147.	2.8	196
17	Being Bullied: Associated Factors in Children and Adolescents 8 to 18 Years Old in 11 European Countries. <i>Pediatrics</i> , 2009, 123, 569-577.	1.0	186
18	Cross-national variation of gender differences in adolescent subjective health in Europe and North America. <i>Social Science and Medicine</i> , 2006, 62, 815-827.	1.8	174

#	ARTICLE	IF	CITATIONS
19	Quality of life and mental health in children and adolescents during the first year of the COVID-19 pandemic: results of a two-wave nationwide population-based study. <i>European Child and Adolescent Psychiatry</i> , 2023, 32, 575-588.	2.8	164
20	Testing the structural and cross-cultural validity of the KIDSCREEN-27 quality of life questionnaire. <i>Quality of Life Research</i> , 2007, 16, 1335-1345.	1.5	163
21	Generic health-related quality of life instruments in children and adolescents: a qualitative analysis of content. <i>Journal of Adolescent Health</i> , 2004, 34, 37-45.	1.2	162
22	Psychometric properties of the quality of life questionnaire for children with CP. <i>Developmental Medicine and Child Neurology</i> , 2007, 49, 49-55.	1.1	162
23	Subjective health, symptom load and quality of life of children and adolescents in Europe. <i>International Journal of Public Health</i> , 2009, 54, 151-159.	1.0	159
24	Health-related quality of life in children and adolescents in Germany: results of the BELLA study. <i>European Child and Adolescent Psychiatry</i> , 2008, 17, 148-156.	2.8	149
25	An international scoring system for self-reported health complaints in adolescents. <i>European Journal of Public Health</i> , 2008, 18, 294-299.	0.1	140
26	Measuring mental health and well-being of school-children in 15 European countries using the KIDSCREEN-10 Index. <i>International Journal of Public Health</i> , 2009, 54, 160-166.	1.0	133
27	Mental health of children and adolescents in 12 European countries—results from the European KIDSCREEN study. <i>Clinical Psychology and Psychotherapy</i> , 2008, 15, 154-163.	1.4	120
28	Measuring adolescents' HRQoL via self reports and parent proxy reports: an evaluation of the psychometric properties of both versions of the KINDL-R instrument. <i>Health and Quality of Life Outcomes</i> , 2009, 7, 77.	1.0	115
29	Examining the relationship between Attention-Deficit/Hyperactivity Disorder and overweight in children and adolescents. <i>European Child and Adolescent Psychiatry</i> , 2012, 21, 39-49.	2.8	113
30	Overweight and its impact on the health-related quality of life in children and adolescents: results from the European KIDSCREEN survey. <i>Quality of Life Research</i> , 2012, 21, 59-69.	1.5	112
31	Prevalence of Adolescent Gender Experiences and Gender Expression in Germany. <i>Journal of Adolescent Health</i> , 2017, 61, 83-90.	1.2	103
32	Mental Health and Quality of Life in Children and Adolescents During the COVID-19 Pandemic. <i>Deutsches &#x0308;rzteblatt International</i> , 2020, 117, 828-829.	0.6	103
33	Eating disorder symptoms do not just disappear: the implications of adolescent eating-disordered behaviour for body weight and mental health in young adulthood. <i>European Child and Adolescent Psychiatry</i> , 2015, 24, 675-684.	2.8	100
34	The longitudinal BELLA study: design, methods and first results on the course of mental health problems. <i>European Child and Adolescent Psychiatry</i> , 2015, 24, 651-663.	2.8	97
35	Commentary: The Patient-Reported Outcome Measurement Information System (PROMIS(R)) for Children and Youth: Application to Pediatric Psychology. <i>Journal of Pediatric Psychology</i> , 2012, 37, 614-621.	1.1	93
36	Subjective well-being measures for children were developed within the PROMIS project: presentation of first results. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 207-218.	2.4	88

#	ARTICLE	IF	CITATIONS
37	Socioeconomic inequalities in mental health and health-related quality of life (HRQOL) in children and adolescents from 11 European countries. <i>International Journal of Public Health</i> , 2014, 59, 95-105.	1.0	82
38	Mental health and well-being from childhood to adulthood: design, methods and results of the 11-year follow-up of the BELLA study. <i>European Child and Adolescent Psychiatry</i> , 2021, 30, 1559-1577.	2.8	82
39	Risk and protective factors for the development of depressive symptoms in children and adolescents: results of the longitudinal BELLA study. <i>European Child and Adolescent Psychiatry</i> , 2015, 24, 695-703.	2.8	81
40	Psychometric properties of two ADHD questionnaires: comparing the Connersâ€™ scale and the FBB-HKS in the general population of German children and adolescents â€“ results of the BELLA study. <i>European Child and Adolescent Psychiatry</i> , 2008, 17, 106-115.	2.8	80
41	Long-term course of ADHD symptoms from childhood to early adulthood in a community sample. <i>European Child and Adolescent Psychiatry</i> , 2015, 24, 665-673.	2.8	78
42	International consensus on a standard set of outcome measures for child and youth anxiety, depression, obsessive-compulsive disorder, and post-traumatic stress disorder. <i>Lancet Psychiatry</i> , 2021, 8, 76-86.	3.7	77
43	Methods and representativeness of a European survey in children and adolescents: the KIDSCREEN study. <i>BMC Public Health</i> , 2007, 7, 182.	1.2	75
44	Risk and protective factors for the development of ADHD symptoms in children and adolescents: Results of the longitudinal BELLA study. <i>PLoS ONE</i> , 2019, 14, e0214412.	1.1	72
45	Risk and protective factors of health-related quality of life in children and adolescents: Results of the longitudinal BELLA study. <i>PLoS ONE</i> , 2017, 12, e0190363.	1.1	71
46	How impaired are children and adolescents by mental health problems? Results of the BELLA study. <i>European Child and Adolescent Psychiatry</i> , 2008, 17, 42-51.	2.8	70
47	How to assess quality of life in child and adolescent psychiatry. <i>Dialogues in Clinical Neuroscience</i> , 2014, 16, 147-158.	1.8	69
48	Determinants of agreement between self-reported and parent-assessed quality of life for children in Germany-results of the German Health Interview and Examination Survey for Children and Adolescents (KiGGS). <i>Health and Quality of Life Outcomes</i> , 2011, 9, 102.	1.0	68
49	Health related quality of life in immigrants and native school aged adolescents in Spain. <i>Journal of Epidemiology and Community Health</i> , 2006, 60, 694-698.	2.0	58
50	The mental health module (BELLA study) within the German Health Interview and Examination Survey of Children and Adolescents (KiGGS): study design and methods. <i>European Child and Adolescent Psychiatry</i> , 2008, 17, 10-21.	2.8	58
51	Six years ahead: a longitudinal analysis regarding course and predictive value of the Strengths and Difficulties Questionnaire (SDQ) in children and adolescents. <i>European Child and Adolescent Psychiatry</i> , 2015, 24, 715-725.	2.8	56
52	Health-related quality of life (HRQOL) and its associated factors in children with Type 1 Diabetes Mellitus (T1DM). <i>BMC Pediatrics</i> , 2017, 17, 16.	0.7	55
53	Trends in health complaints from 2002 to 2010 in 34 countries and their association with health behaviours and social context factors at individual and macro-level. <i>European Journal of Public Health</i> , 2015, 25, 83-89.	0.1	54
54	Trends in social inequalities in adolescent health complaints from 1994 to 2010 in Europe, North America and Israel: The HBSC study. <i>European Journal of Public Health</i> , 2015, 25, 57-60.	0.1	51

#	ARTICLE	IF	CITATIONS
55	Normative Data of the Self-Report Version of the German Strengths and Difficulties Questionnaire in an Epidemiological Setting. <i>Zeitschrift Für Kinder- Und Jugendpsychiatrie Und Psychotherapie</i> , 2018, 46, 523-533.	0.4	51
56	Quality of life evaluation criteria for children with chronic conditions in medical care. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2006, 14, 343-355.	0.8	49
57	Concurrent validity of the PROMIS® pediatric global health measure. <i>Quality of Life Research</i> , 2016, 25, 739-751.	1.5	49
58	Parents with mental health problems and their children in a German population based sample: Results of the BELLA study. <i>PLoS ONE</i> , 2017, 12, e0180410.	1.1	49
59	Use of a children questionnaire of health-related quality of life (KIDSCREEN) as a measure of needs for health care services. <i>Journal of Adolescent Health</i> , 2006, 38, 511-518.	1.2	47
60	Mental health care use among children and adolescents in Germany: results of the longitudinal BELLA study. <i>European Child and Adolescent Psychiatry</i> , 2015, 24, 705-713.	2.8	47
61	Do 8- to 18-year-old children/adolescents with chronic physical health conditions have worse health-related quality of life than their healthy peers? a meta-analysis of studies using the KIDSCREEN questionnaires. <i>Quality of Life Research</i> , 2019, 28, 1725-1750.	1.5	47
62	The Role of Individual- and Macro-Level Social Determinants on Young Adolescents'™ Psychosomatic Complaints. <i>Journal of Early Adolescence</i> , 2012, 32, 126-158.	1.1	43
63	Benefits of maternal education for mental health trajectories across childhood and adolescence. <i>Social Science and Medicine</i> , 2018, 202, 170-178.	1.8	43
64	Development and Evaluation of the PROMIS® Pediatric Positive Affect Item Bank, Child-Report and Parent-Proxy Editions. <i>Journal of Happiness Studies</i> , 2018, 19, 699-718.	1.9	38
65	Rasch Measurement Properties of the KIDSCREEN Quality of Life Instrument in Children with Cerebral Palsy and Differential Item Functioning between Children with and without Cerebral Palsy. <i>Value in Health</i> , 2009, 12, 782-792.	0.1	37
66	Trends in multiple recurrent health complaints in 15-year-olds in 35 countries in Europe, North America and Israel from 1994 to 2010. <i>European Journal of Public Health</i> , 2015, 25, 24-27.	0.1	36
67	Impact of the COVID-19 Pandemic on Quality of Life and Mental Health in Children and Adolescents. <i>SSRN Electronic Journal</i> , 0, , .	0.4	34
68	Adolescents'™ psychological health complaints and the economic recession in late 2007: a multilevel study in 31 countries. <i>European Journal of Public Health</i> , 2014, 24, 961-967.	0.1	30
69	Health-related quality of life in transgender adolescents: Associations with body image and emotional and behavioral problems. <i>International Journal of Transgenderism</i> , 2018, 19, 78-91.	3.5	30
70	Development and psychometric evaluation of the PROMIS Pediatric Life Satisfaction item banks, child-report, and parent-proxy editions. <i>Quality of Life Research</i> , 2018, 27, 217-234.	1.5	30
71	Quality of Life and Mental Health in Children and Adolescents after the First Year of the COVID-19 Pandemic: A Large Population-Based Survey in South Tyrol, Italy. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 5220.	1.2	28
72	Impact of monitoring health-related quality of life in clinical practice in children with type 1 diabetes mellitus. <i>Quality of Life Research</i> , 2017, 26, 3267-3277.	1.5	27

#	ARTICLE	IF	CITATIONS
73	Psychological problems, protective factors and health-related quality of life in youth affected by violence: The burden of the multiply victimised. <i>Journal of Adolescence</i> , 2013, 36, 587-601.	1.2	25
74	Predictors of Health-Related Quality of Life in boys with Duchenne muscular dystrophy from six European countries. <i>Journal of Neurology</i> , 2017, 264, 709-723.	1.8	25
75	Quality of Life and Mental Health in Children and Adolescents during the First Year of the COVID-19 Pandemic in Germany: Results of a Two-Wave Nationally Representative Study. <i>SSRN Electronic Journal</i> , 0, , .	0.4	25
76	Monitoring adolescent health behaviours and social determinants cross-nationally over more than a decade: introducing the Health Behaviour in School-aged Children (HBSC) study supplement on trends. <i>European Journal of Public Health</i> , 2015, 25, 1-3.	0.1	24
77	Development of the web-based Spanish and Catalan versions of the Euroqol 5D-Y (EQ-5D-Y) and comparison of results with the paper version. <i>Health and Quality of Life Outcomes</i> , 2015, 13, 72.	1.0	22
78	Predictors of self-reported health-related quality of life according to the EQ-5D-Y in chronically ill children and adolescents with asthma, diabetes, and juvenile arthritis: longitudinal results. <i>Quality of Life Research</i> , 2018, 27, 879-890.	1.5	22
79	Evaluating the Serbian version of the KIDSCREEN quality-of-life questionnaires: reliability, validity, and agreement between children's and parents' ratings. <i>Quality of Life Research</i> , 2013, 22, 1729-1737.	1.5	21
80	Measurement Properties of the Online EuroQol-5D-Youth Instrument in Children and Adolescents With Type 1 Diabetes Mellitus: Questionnaire Study. <i>Journal of Medical Internet Research</i> , 2019, 21, e14947.	2.1	19
81	Assessing Children's Eudaimonic Well-Being: The PROMIS Pediatric Meaning and Purpose Item Banks. <i>Journal of Pediatric Psychology</i> , 2019, 44, 1074-1082.	1.1	18
82	Health-related quality of life in children with and without physical and mental multimorbidity. <i>Quality of Life Research</i> , 2021, 30, 3449-3461.	1.5	18
83	Children's Quality of Life in Europe: National Wealth and Familial Socioeconomic Position Explain Variations in Mental Health and Wellbeing? A Multilevel Analysis in 27 EU Countries. , 2013, 2013, 1-9.		17
84	Affective dysregulation in childhood - optimizing prevention and treatment: protocol of three randomized controlled trials in the ADOPT study. <i>BMC Psychiatry</i> , 2019, 19, 264.	1.1	16
85	Risk and resource factors for depressive symptoms during adolescence and emerging adulthood - A 5-year follow-up using population-based data of the BELLA study. <i>Journal of Affective Disorders</i> , 2021, 280, 258-266.	2.0	16
86	Understanding the impact of statural height on health-related quality of life in German adolescents: a population-based analysis. <i>European Journal of Pediatrics</i> , 2015, 174, 875-882.	1.3	15
87	Trajectories of mental health problems in children of parents with mental health problems: results of the BELLA study. <i>European Child and Adolescent Psychiatry</i> , 2018, 27, 867-876.	2.8	14
88	The 2017/18 Health Behaviour in School-aged Children (HBSC) study - Methodology of the World Health Organization's child and adolescent health study.. , 2020, 5, 88-102.		14
89	Phone respondents reported less mental health problems whereas mail interviewee gave higher physical health ratings. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 1056-1060.	2.4	13
90	Modelling trajectories of psychosomatic health complaints in children and adolescents: results of the BELLA study. <i>European Child and Adolescent Psychiatry</i> , 2015, 24, 685-694.	2.8	13

#	ARTICLE	IF	CITATIONS
91	The mental health and health-related behavior of children and parents during the COVID-19 pandemic. Deutsches Ärztblatt International, 0, , .	0.6	12
92	Quality of life of children with mitral valve prolapse. Quality of Life Research, 2011, 20, 537-541.	1.5	11
93	The Hyperactivity/Inattention Subscale of the Strengths and Difficulties Questionnaire Predicts Short- and Long-Term Weight Loss in Overweight Children and Adolescents Treated as Outpatients. Obesity Facts, 2012, 5, 856-868.	1.6	11
94	Physical Activity Improves Mental Health in Children and Adolescents Irrespective of the Diagnosis of Attention Deficit Hyperactivity Disorder (ADHD)â€™A Multi-Wave Analysis Using Data from the KiGGS Study. International Journal of Environmental Research and Public Health, 2021, 18, 2207.	1.2	11
95	Risk and resource factors of antisocial behaviourâ€™in children and adolescents: results of the longitudinal BELLA study. Child and Adolescent Psychiatry and Mental Health, 2021, 15, 61.	1.2	10
96	Impact of the COVID-19 pandemic and the related containment measures on the mental health of children and adolescents.. , 2020, 5, 21-31.		9
97	Peer Relationships and Depressive Symptoms Among Adolescents: Results From the German BELLA Study. Frontiers in Psychology, 2021, 12, 767922.	1.1	9
98	Measuring health-related quality of life in young children with physical illness: psychometric properties of the parent-reported KIDSCREEN-27. Quality of Life Research, 2021, , 1.	1.5	7
99	Assessing health-related quality of life in young Japanese children with chronic conditions: Preliminary validation of the DISABKIDS smiley measure. BMC Pediatrics, 2017, 17, 100.	0.7	6
100	Pathways of Parental Education on Children's and Adolescent's Body Mass Index: The Mediating Roles of Behavioral and Psychological Factors. Frontiers in Public Health, 2022, 10, 763789.	1.3	6
101	Comparison of the Web-Based and Digital Questionnaires of the Spanish and Catalan Versions of the KIDSCREEN-52. PLoS ONE, 2014, 9, e114527.	1.1	5
102	Validation of the Arabic and Tunisian Arabic version of the KINDL questionnaires for children with diabetes type 1. Libyan Journal of Medicine, 2019, 14, 1537457.	0.8	5
103	Trajectories of Health-Related Quality of Life and HbA1c Values of Children and Adolescents With Diabetes Mellitus Type 1 Over 6 Months: A Longitudinal Observational Study. Frontiers in Pediatrics, 2019, 7, 566.	0.9	5
104	Irritability and Emotional Impulsivity as Core Feature of ADHD and ODD in Children. Journal of Psychopathology and Behavioral Assessment, 2022, 44, 679-697.	0.7	5
105	Trajectories of health-related quality of life in children of parents with mental health problems: results of the BELLA study. Quality of Life Research, 2021, 30, 1841-1852.	1.5	4
106	Associations Between Mental Health Problems in Adolescence and Educational Attainment in Early Adulthood: Results of the German Longitudinal BELLA Study. Frontiers in Pediatrics, 2022, 10, 828085.	0.9	4
107	Alcohol, tobacco and cannabis use in adolescence - Cross-sectional results of the 2017/18 HBSC study.. , 2020, 5, 69-87.		4
108	Minimal Associations Between Clinical Data and Children's Self-Reported Health-Related Quality of Life in Children With Chronic Conditionsâ€™A Cross-Sectional Study. Frontiers in Pediatrics, 2019, 7, 17.	0.9	3

#	ARTICLE	IF	CITATIONS
109	The Association between Low Blood Pressure and Attention-Deficit Hyperactivity Disorder (ADHD) Observed in Children/Adolescents Does Not Persist into Young Adulthood. A Population-Based Ten-Year Follow-Up Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1864.	1.2	3
110	Assessing anger and irritability in children: psychometric evaluation and normative data for the German version of the PROMIS [®] Parent Proxy Anger Scale. <i>Quality of Life Research</i> , 2022, 31, 831-839.	1.5	3
111	How to Assess Resilience: Reflections on a Measurement Model. , 2010, , 117-143.		3
112	The DADYS-Screen: Development and Evaluation of a Screening Tool for Affective Dysregulation in Children. <i>Assessment</i> , 2023, 30, 1080-1094.	1.9	3
113	Messung gesundheitsbezogener Lebensqualität im Kindes- und Jugendalter. <i>Public Health Forum</i> , 2019, 27, 177-182.	0.1	2
114	The KIDSCREEN-27 scale: translation and validation study of the Slovenian version. <i>Health and Quality of Life Outcomes</i> , 2022, 20, 67.	1.0	2
115	Risks and Resources for Depressive Symptoms and Anxiety in Children and Adolescents During the COVID-19 Pandemic – Results of the Longitudinal COPSYP Study. <i>Frontiers in Psychiatry</i> , 0, 13, .	1.3	2
116	Assessing health-related quality of life in Japanese children with a chronic condition: validation of the DISABKIDS chronic generic module. <i>Health and Quality of Life Outcomes</i> , 2018, 16, 85.	1.0	1