

Patricia Kissinger

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3371909/publications.pdf>

Version: 2024-02-01

85
papers

3,342
citations

147726

31
h-index

149623

56
g-index

85
all docs

85
docs citations

85
times ranked

2700
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Patterns and correlates of substance use among young adult African American women. <i>Journal of Ethnicity in Substance Abuse</i> , 2022, 21, 197-215. | 0.6 | 0 |
| 2 | Detection and kinetics of subgenomic SARS-CoV-2 RNA viral load in longitudinal diagnostic RNA positive samples. <i>Journal of Infectious Diseases</i> , 2022, , . | 1.9 | 4 |
| 3 | Comparison of Racial, Ethnic, and Geographic Location Diversity of Participants Enrolled in Clinic-Based vs 2 Remote COVID-19 Clinical Trials. <i>JAMA Network Open</i> , 2022, 5, e2148325. | 2.8 | 24 |
| 4 | Taking a stand against the politicization of medical research: how "swinging the pendulum" poses a hazard to clinical trials, study participants, and the progress of science. <i>Expert Review of Clinical Immunology</i> , 2021, 17, 101-103. | 1.3 | 1 |
| 5 | Sex education and STI fatalism, testing and infection among young African American men who have sex with women. <i>Sex Education</i> , 2021, 21, 404-416. | 1.5 | 5 |
| 6 | Effect of screening young men for <i>Chlamydia trachomatis</i> on the rates among women: a network modelling study for high-prevalence communities. <i>BMJ Open</i> , 2021, 11, e040789. | 0.8 | 8 |
| 7 | A Comparison of Single versus Multi-Dose Metronidazole by Select Clinical Factors for the Treatment of <i>Trichomonas vaginalis</i> in Women. <i>Sexually Transmitted Diseases</i> , 2021, Publish Ahead of Print, . | 0.8 | 1 |
| 8 | Updates in trichomonas treatment including persistent infection and 5-nitroimidazole hypersensitivity. <i>Current Opinion in Infectious Diseases</i> , 2020, 33, 73-77. | 1.3 | 17 |
| 9 | Is It Time to Stop Using Single-dose Oral Metronidazole for the Treatment of Trichomoniasis in Women?. <i>Sexually Transmitted Diseases</i> , 2019, 46, e57-e59. | 0.8 | 9 |
| 10 | O12.6...Contact tracing vs patient-delivered partner treatment for african american heterosexual men with chlamydia. , 2019, , . | | 0 |
| 11 | O14.2...Can communitychlamydia trachomatisscreening of young heterosexual men help identify infected networks?. , 2019, , . | | 0 |
| 12 | P790...Determining the origins of repeattrichomonas vaginalisinfections using clinical versus genotype-informed criteria. , 2019, , . | | 0 |
| 13 | Optimal Timing for <i>Trichomonas vaginalis</i> Test of Cure Using Nucleic Acid Amplification Testing. <i>Sexually Transmitted Diseases</i> , 2019, 46, 312-316. | 0.8 | 12 |
| 14 | Pharmacokinetic and Pharmacodynamic Effects of Metronidazole May Account for the Superior Efficacy of Multidose Therapy Among Women With Trichomoniasis. <i>Sexually Transmitted Diseases</i> , 2019, 46, 751-752. | 0.8 | 3 |
| 15 | Treatment recommendations for trichomoniasis in women. <i>Lancet Infectious Diseases</i> , The, 2019, 19, 20-21. | 4.6 | 2 |
| 16 | Single-dose versus 7-day-dose metronidazole for the treatment of trichomoniasis in women: an open-label, randomised controlled trial. <i>Lancet Infectious Diseases</i> , The, 2018, 18, 1251-1259. | 4.6 | 61 |
| 17 | Social Support Networks and HIV/STI Risk Behaviors Among Latino Immigrants in a New Receiving Environment. <i>AIDS and Behavior</i> , 2017, 21, 3607-3617. | 1.4 | 17 |
| 18 | O01.5...Origin and predictors of early repeat infections among hiv negative women with <i>trichomonas vaginalis</i> receiving a 2 g dose of metronidazole. , 2017, , . | | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Trichomonas vaginalis Infections. , 2017, , 125-140. | | 0 |
| 20 | A Meta-Analysis of the Efficacy of Behavioral Interventions to Reduce Risky Sexual Behavior and Decrease Sexually Transmitted Infections in Latinas Living in the United States. Health Education and Behavior, 2015, 42, 709-718. | 1.3 | 12 |
| 21 | Epidemiology and Treatment of Trichomoniasis. Current Infectious Disease Reports, 2015, 17, 484. | 1.3 | 70 |
| 22 | Trichomonas vaginalis: a review of epidemiologic, clinical and treatment issues. BMC Infectious Diseases, 2015, 15, 307. | 1.3 | 262 |
| 23 | A Review of Evidence-Based Care of Symptomatic Trichomoniasis and Asymptomatic Trichomonas vaginalis Infections. Clinical Infectious Diseases, 2015, 61, S837-S848. | 2.9 | 121 |
| 24 | Trichomonas vaginalis. , 2014, , 692-697.e2. | | 1 |
| 25 | The Influence of ART on the Treatment of Trichomonas vaginalis Among HIV-Infected Women. Clinical Infectious Diseases, 2014, 59, 883-887. | 2.9 | 9 |
| 26 | Co-occurrence of Trichomonas vaginalis and Bacterial Vaginosis and Vaginal Shedding of HIV-1 RNA. Sexually Transmitted Diseases, 2014, 41, 173-179. | 0.8 | 31 |
| 27 | Sex and Drug Risk Behavior Pre- and Post-Emigration Among Latino Migrant Men in Post-Hurricane Katrina New Orleans. Journal of Immigrant and Minority Health, 2013, 15, 606-613. | 0.8 | 13 |
| 28 | The Association Between Short Interpregnancy Interval and Preterm Birth in Louisiana: A Comparison of Methods. Maternal and Child Health Journal, 2013, 17, 933-939. | 0.7 | 18 |
| 29 | Trichomoniasis and HIV interactions: a review. Sexually Transmitted Infections, 2013, 89, 426-433. | 0.8 | 174 |
| 30 | Patterns and Predictors of Multiple Sexual Partnerships Among Newly Arrived Latino Migrant Men. AIDS and Behavior, 2013, 17, 2416-2425. | 1.4 | 16 |
| 31 | Prevalence, patterns and predictors of substance use among Latino migrant men in a new receiving community. Drug and Alcohol Dependence, 2013, 133, 814-824. | 1.6 | 25 |
| 32 | Chlamydia and Gonorrhea Screening in United States Emergency Departments. Journal of Emergency Medicine, 2013, 44, 558-567. | 0.3 | 43 |
| 33 | Genetic diversity of Trichomonas vaginalis reinfection in HIV-positive women. Sexually Transmitted Infections, 2013, 89, 473-478. | 0.8 | 5 |
| 34 | Issues in Men's Reproductive Health. , 2013, , 165-188. | | 2 |
| 35 | Does Antiretroviral Therapy Interfere With the Treatment of Trichomonas vaginalis Among HIV+ Women?. Sexually Transmitted Diseases, 2013, 40, 506-507. | 0.8 | 3 |
| 36 | HIV and Associated Risk Factors Among Male Clients of Female Sex Workers in a Chinese Border Region. Sexually Transmitted Diseases, 2012, 39, 750-755. | 0.8 | 28 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Patterns and Predictors of HIV/STI Risk Among Latino Migrant Men in a New Receiving Community. <i>AIDS and Behavior</i> , 2012, 16, 199-213. | 1.4 | 45 |
| 38 | Factors Associated with Declining a Rapid Human Immunodeficiency Virus Test in Labor and Delivery. <i>Maternal and Child Health Journal</i> , 2011, 15, 115-121. | 0.7 | 8 |
| 39 | Expedited Partner Treatment for Sexually Transmitted Infections: An Update. <i>Current Infectious Disease Reports</i> , 2011, 13, 188-195. | 1.3 | 21 |
| 40 | A longitudinal assessment of occupation, respiratory symptoms, and blood lead levels among latino day laborers in a nonâ€œagricultural setting. <i>American Journal of Industrial Medicine</i> , 2011, 54, 366-374. | 1.0 | 12 |
| 41 | The Cost and Cost-Effectiveness of Expedited Partner Therapy Compared With Standard Partner Referral for the Treatment of Chlamydia or Gonorrhea. <i>Sexually Transmitted Diseases</i> , 2011, 38, 1067-1073. | 0.8 | 39 |
| 42 | Co-Occurrence of <i>Trichomonas vaginalis</i> and Bacterial Vaginosis Among HIV-Positive Women. <i>Sexually Transmitted Diseases</i> , 2011, 38, 163-166. | 0.8 | 28 |
| 43 | The influence of bacterial vaginosis on the response to <i>Trichomonas vaginalis</i> treatment among HIV-infected women. <i>Sexually Transmitted Infections</i> , 2011, 87, 205-208. | 0.8 | 31 |
| 44 | Observation of Probable Persistent, Undetected <i>Trichomonas vaginalis</i> Infection among HIV-Positive Women. <i>Clinical Infectious Diseases</i> , 2010, 51, 114-115. | 2.9 | 32 |
| 45 | A Randomized Treatment Trial: Single Versus 7-Day Dose of Metronidazole for The Treatment of <i>Trichomonas Vaginalis</i> Among HIV-Infected Women. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2010, 55, 565-571. | 0.9 | 75 |
| 46 | Does Patient-Delivered Partner Treatment Improve Disclosure for Treatable Sexually Transmitted Diseases?. <i>AIDS Patient Care and STDs</i> , 2010, 24, 183-188. | 1.1 | 22 |
| 47 | Patient-Delivered Partner Treatment and <i>Trichomonas vaginalis</i> Repeat Infection Among Human Immunodeficiency Virus-Infected Women. <i>Sexually Transmitted Diseases</i> , 2010, 37, 502-505. | 0.8 | 18 |
| 48 | Should Expedited Partner Treatment for Women With <i>Trichomonas vaginalis</i> be Recommended?. <i>Sexually Transmitted Diseases</i> , 2010, 37, 397-398. | 0.8 | 4 |
| 49 | <i>Trichomonas Vaginalis</i> Treatment Reduces Vaginal HIV-1 Shedding. <i>Sexually Transmitted Diseases</i> , 2009, 36, 11-16. | 0.8 | 141 |
| 50 | The effect of post-traumatic stress disorder on HIV disease progression following hurricane Katrina. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2009, 21, 1298-1305. | 0.6 | 28 |
| 51 | Early Repeat <i>Chlamydia trachomatis</i> and <i>Neisseria gonorrhoeae</i> Infections Among Heterosexual Men. <i>Sexually Transmitted Diseases</i> , 2009, 36, 498-500. | 0.8 | 26 |
| 52 | Early Repeated Infections with <i>Trichomonas vaginalis</i> among HIV-Positive and HIV-Negative Women. <i>Clinical Infectious Diseases</i> , 2008, 46, 994-999. | 2.9 | 76 |
| 53 | Considering the patient in patient-delivered partner therapy. <i>Sexually Transmitted Infections</i> , 2008, 85, 80-81. | 0.8 | 1 |
| 54 | A Review of Partner Notification for Sex Partners of Men Infected With Chlamydia. <i>Sexually Transmitted Diseases</i> , 2008, 35, S34-S39. | 0.8 | 27 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | HIV/STI Risk Behaviors Among Latino Migrant Workers in New Orleans Post-Hurricane Katrina Disaster. Sexually Transmitted Diseases, 2008, 35, 924-929. | 0.8 | 46 |
| 56 | The Effect of the Hurricane Katrina Disaster on Sexual Behavior and Access to Reproductive Care for Young Women in New Orleans. Sexually Transmitted Diseases, 2007, 34, 883-886. | 0.8 | 54 |
| 57 | Partner Notification. American Journal of Preventive Medicine, 2007, 33, S86-S87. | 1.6 | 7 |
| 58 | Alcohol Consumption, Art Usage and High-Risk Sex Among Women Infected with HIV. AIDS and Behavior, 2007, 11, 205-215. | 1.4 | 38 |
| 59 | Improved Recovery of Mycobacterium tuberculosis From Children Using the Microscopic Observation Drug Susceptibility Method. Pediatrics, 2006, 118, e100-e106. | 1.0 | 72 |
| 60 | Disclosure of HIV Serostatus to Sex Partners in Rural Louisiana. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2006, 18, 62-69. | 0.6 | 16 |
| 61 | Partner Age Not Associated with Recurrent Chlamydia trachomatis Infection, Condom Use, or Partner Treatment and Referral among Adolescent Women. Journal of Adolescent Health, 2006, 39, 396-403. | 1.2 | 15 |
| 62 | Patient-Delivered Partner Treatment for Trichomonas vaginalis Infection: A Randomized Controlled Trial. Sexually Transmitted Diseases, 2006, 33, 445-450. | 0.8 | 75 |
| 63 | Patient-Delivered Partner Treatment for Male Urethritis: A Randomized, Controlled Trial. Clinical Infectious Diseases, 2005, 41, 623-629. | 2.9 | 158 |
| 64 | Vaginal Swabs Versus Lavage for Detection of Trichomonas vaginalis and Bacterial Vaginosis Among HIV-Positive Women. Sexually Transmitted Diseases, 2005, 32, 227-230. | 0.8 | 20 |
| 65 | Reproductive decision-making among HIV-Infected women. Journal of the National Medical Association, 2005, 97, 1403-10. | 0.6 | 18 |
| 66 | Evaluation of the Epidemiologic Utility of Secondary Typing Methods for Differentiation of Mycobacterium tuberculosis Isolates. Journal of Clinical Microbiology, 2003, 41, 2683-2685. | 1.8 | 78 |
| 67 | Prevalence and Correlates of HIV Serostatus Disclosure. Sexually Transmitted Diseases, 2003, 30, 731-735. | 0.8 | 69 |
| 68 | Patient-Delivered Partner Treatment With Azithromycin to Prevent Repeated Chlamydia trachomatis Infection Among Women. Sexually Transmitted Diseases, 2003, 30, 49-56. | 0.8 | 222 |
| 69 | Older Partners Not Associated With Recurrence Among Female Teenagers Infected With Chlamydia trachomatis. Sexually Transmitted Diseases, 2002, 29, 144-149. | 0.8 | 19 |
| 70 | The association of serum lactate dehydrogenase level with selected opportunistic infections and HIV progression. International Journal of Infectious Diseases, 2002, 6, 178-181. | 1.5 | 49 |
| 71 | Serum LDH level as a clue to the diagnosis of histoplasmosis. Aids Reader, 2002, 12, 317-21. | 0.3 | 30 |
| 72 | Determinants of Persistent and Recurrent Chlamydia trachomatis Infection in Young Women. Sexually Transmitted Diseases, 2001, 28, 117-123. | 0.8 | 170 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Effect of excisional therapy and highly active antiretroviral therapy on cervical intraepithelial neoplasia in women infected with human immunodeficiency virus. <i>American Journal of Obstetrics and Gynecology</i> , 2001, 184, 538-543. | 0.7 | 54 |
| 74 | Seroepidemiology of low and high oncogenic risk types of human papillomavirus in a predominantly male cohort of STD clinic patients. <i>International Journal of STD and AIDS</i> , 2001, 12, 516-523. | 0.5 | 47 |
| 75 | Incidence and Predictors of Reinfection with <i>Trichomonas vaginalis</i> in HIV-infected Women. <i>Sexually Transmitted Diseases</i> , 2000, 27, 284-288. | 0.8 | 57 |
| 76 | Comparison of Three Assays for Cytomegalovirus Detection in AIDS Patients at Risk for Retinitis. <i>Journal of Clinical Microbiology</i> , 2000, 38, 727-732. | 1.8 | 21 |
| 77 | Seroprevalence of human papillomavirus type 16 in pregnant women*1. <i>Obstetrics and Gynecology</i> , 1999, 94, 653-658. | 1.2 | 29 |
| 78 | Natural History of Intestinal Microsporidiosis among Patients Infected with Human Immunodeficiency Virus. <i>Journal of Clinical Microbiology</i> , 1999, 37, 3421-3422. | 1.8 | 26 |
| 79 | Understanding barriers to condom usage among HIV-infected African American women. <i>Journal of the Association of Nurses in AIDS Care</i> , 1998, 9, 48-58. | 0.4 | 44 |
| 80 | Declining Morbidity and Mortality among Patients with Advanced Human Immunodeficiency Virus Infection. <i>New England Journal of Medicine</i> , 1998, 339, 405-406. | 13.9 | 120 |
| 81 | Pregnancy is Not Associated with the Progression of HIV Disease in Women Attending an HIV Outpatient Program. <i>American Journal of Epidemiology</i> , 1998, 147, 434-440. | 1.6 | 40 |
| 82 | Determination of factors associated with condom use among women infected with human immunodeficiency virus. <i>International Journal of STD and AIDS</i> , 1997, 8, 229-233. | 0.5 | 51 |
| 83 | History of sexual abuse among HIV- infected women. <i>International Journal of STD and AIDS</i> , 1997, 8, 332-335. | 0.5 | 30 |
| 84 | Incidence of three sexually transmitted diseases during a safer sex promotion program for HIV-infected women. <i>Journal of General Internal Medicine</i> , 1996, 11, 750-752. | 1.3 | 19 |
| 85 | Evaluation of a Program to Remove Barriers to Public Health Care for Women With HIV Infection. <i>Southern Medical Journal</i> , 1995, 88, 1121-1125. | 0.3 | 17 |