Tracey E Wilson

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3395266/publications.pdf

Version: 2024-02-01

92 papers

3,382 citations

147801 31 h-index 55 g-index

93 all docs 93 docs citations 93 times ranked 3557 citing authors

#	Article	IF	Citations
1	Depressive Symptoms and AIDS-Related Mortality Among a Multisite Cohort of HIV-Positive Women. American Journal of Public Health, 2004, 94, 1133-1140.	2.7	298
2	Measuring Retention in HIV Care. Journal of Acquired Immune Deficiency Syndromes (1999), 2012, 61, 574-580.	2.1	230
3	Crack cocaine, disease progression, and mortality in a multicenter cohort of HIV-1 positive women. Aids, 2008, 22, 1355-1363.	2.2	190
4	Effects of Depressive Symptoms and Mental Health Quality of Life on Use of Highly Active Antiretroviral Therapy Among HIV-Seropositive Women. Journal of Acquired Immune Deficiency Syndromes (1999), 2002, 30, 401-409.	2.1	178
5	Patterns and Predictors of Changes in Adherence to Highly Active Antiretroviral Therapy: Longitudinal Study of Men and Women. Clinical Infectious Diseases, 2007, 45, 1377-1385.	5.8	123
6	Illicit drug use, depression and their association with highly active antiretroviral therapy in HIV-positive women. Drug and Alcohol Dependence, 2007, 89, 74-81.	3.2	117
7	Perceptions of intersectional stigma among diverse women living with HIV in the United States. Social Science and Medicine, 2018, 208, 9-17.	3.8	109
8	Adherence to Antiretroviral Therapy and Its Association with Sexual Behavior in a National Sample of Women with Human Immunodeficiency Virus. Clinical Infectious Diseases, 2002, 34, 529-534.	5.8	96
9	Sexual, contraceptive, and drug use behaviors of women with HIV and those at high risk for infection: results from the Women's Interagency HIV Study. Aids, 1999, 13, 591-598.	2.2	81
10	Impact of Drug Abuse Treatment Modalities on Adherence to ART/HAART Among a Cohort of HIV Seropositive Women. American Journal of Drug and Alcohol Abuse, 2008, 34, 161-170.	2.1	81
11	Effectiveness of interventions targeting self-regulation to improve adherence to chronic disease medications: a meta-review of meta-analyses. Health Psychology Review, 2020, 14, 66-85.	8.6	80
12	Changes in Sexual Behavior Among HIV-Infected Women After Initiation of HAART. American Journal of Public Health, 2004, 94, 1141-1146.	2.7	71
13	Use of Highly Active Antiretroviral Therapy in a Cohort of HIV-Seropositive Women. American Journal of Public Health, 2002, 92, 82-87.	2.7	69
14	Hair Salon Stylists as Breast Cancer Prevention Lay Health Advisors for African American and Afro-Caribbean Women. Journal of Health Care for the Poor and Underserved, 2008, 19, 216-226.	0.8	63
15	Association between Perceived Discrimination in Healthcare Settings and HIV Medication Adherence: Mediating Psychosocial Mechanisms. AIDS and Behavior, 2017, 21, 3431-3439.	2.7	63
16	The Impact of Substance Use on Adherence to Antiretroviral Therapy Among HIV-Infected Women in the United States. AIDS and Behavior, 2018, 22, 896-908.	2.7	60
17	HIV Infection and Women's Sexual Functioning. Journal of Acquired Immune Deficiency Syndromes (1999), 2010, 54, 360-367.	2.1	55
18	Food insecurity is associated with anxiety, stress, and symptoms of posttraumatic stress disorder in a cohort of women with or at risk of HIV in the United States. Journal of Nutrition, 2019, 149, 1393-1403.	2.9	54

#	Article	IF	Citations
19	A Mixed Methods Study of Anticipated and Experienced Stigma in Health Care Settings Among Women Living with HIV in the United States. AIDS Patient Care and STDs, 2019, 33, 184-195.	2.5	51
20	Longitudinal associations between food insecurity and substance use in a cohort of women with or at risk for HIV in the United States. Addiction, 2019, 114, 127-136.	3.3	50
21	Identifying human papillomavirus vaccination practices among primary care providers of minority, low-income and immigrant patient populations. Vaccine, 2014, 32, 4149-4154.	3.8	49
22	Food Insecurity, Internalized Stigma, and Depressive Symptoms Among Women Living with HIV in the United States. AIDS and Behavior, 2018, 22, 3869-3878.	2.7	47
23	A Randomized Controlled Trial for Reducing Risks for Sexually Transmitted Infections Through Enhanced Patient-Based Partner Notification. American Journal of Public Health, 2009, 99, S104-S110.	2.7	46
24	The Contribution of Missed Clinic Visits to Disparities in HIV Viral Load Outcomes. American Journal of Public Health, 2015, 105, 2068-2075.	2.7	46
25	Understanding the Disparity. Journal of Acquired Immune Deficiency Syndromes (1999), 2013, 64, 289-298.	2.1	45
26	"The Pleasure Is Better as I've Gotten Older― Sexual Health, Sexuality, and Sexual Risk Behaviors Among Older Women Living With HIV. Archives of Sexual Behavior, 2017, 46, 1137-1150.	1.9	38
27	Positive affect and its association with viral control among women with HIV infection Health Psychology, 2017, 36, 91-100.	1.6	38
28	Physical and Sexual Violence Predictors. American Journal of Preventive Medicine, 2016, 51, 731-742.	3.0	36
29	Buffering Internalization of HIV Stigma: Implications for Treatment Adherence and Depression. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 80, 284-291.	2.1	35
30	Impact of Health Insurance, ADAP, and Income on HIV Viral Suppression Among US Women in the Women's Interagency HIV Study, 2006–2009. Journal of Acquired Immune Deficiency Syndromes (1999), 2016, 73, 307-312.	2.1	34
31	Resilience and HIV Treatment Outcomes Among Women Living with HIV in the United States: A Mixed-Methods Analysis. AIDS Patient Care and STDs, 2020, 34, 356-366.	2.5	34
32	Violence During Pregnancy Among Women With or at Risk for HIV Infection. American Journal of Public Health, 2002, 92, 367-370.	2.7	33
33	Dual Contraceptive Method Use for Pregnancy and Disease Prevention Among HIV-Infected and HIV-Uninfected Women. Sexually Transmitted Diseases, 2003, 30, 809-812.	1.7	33
34	Self-reported zidovudine adherence among pregnant women with human immunodeficiency virus infection in four US states. American Journal of Obstetrics and Gynecology, 2001, 184, 1235-1240.	1.3	32
35	Food Insecurity is Associated with Poor HIV Outcomes Among Women in the United States. AIDS and Behavior, 2017, 21, 3473-3477.	2.7	32
36	Food insecurity and violence in a prospective cohort of women at risk for or living with HIV in the U.S PLoS ONE, 2019, 14, e0213365.	2.5	32

#	Article	IF	CITATIONS
37	Barbershop Talk With Brothers: Using Community-Based Participatory Research to Develop and Pilot Test a Program to Reduce HIV Risk Among Black Heterosexual Men. AIDS Education and Prevention, 2014, 26, 383-397.	1.1	31
38	Sexual Serosorting among Women with or at Risk of HIV Infection. AIDS and Behavior, 2011, 15, 9-15.	2.7	30
39	Acquisition of New Sexual Partners Among Women With HIV Infection: Patterns of Disclosure and Sexual Behavior within New Partnerships. AIDS Education and Prevention, 2007, 19, 151-159.	1.1	29
40	Poverty stigma is associated with suboptimal HIV care and treatment outcomes among women living with HIV in the United States. Aids, 2019, 33, 1379-1384.	2.2	28
41	The HIV prevention needs of injection drug users in Estonia. International Journal of STD and AIDS, 2007, 18, 389-391.	1.1	27
42	Persistent Food Insecurity Is Associated with Adverse Mental Health among Women Living with or at Risk of HIV in the United States. Journal of Nutrition, 2019, 149, 240-248.	2.9	27
43	The Longitudinal Association between Social Support on HIV Medication Adherence and Healthcare Utilization in the Women's Interagency HIV Study. AIDS and Behavior, 2019, 23, 2014-2024.	2.7	27
44	Food Insecurity Is Associated With Inflammation Among Women Living With HIV. Journal of Infectious Diseases, 2019, 219, 429-436.	4.0	23
45	Contraception Use, Family Planning, and Unprotected Sex: Few Differences Among HIV-Infected and Uninfected Postpartum Women in Four US States. Journal of Acquired Immune Deficiency Syndromes (1999), 2003, 33, 608-613.	2.1	21
46	Infant birth weight among women with or at high risk for HIV infection: The impact of clinical, behavioral, psychosocial, and demographic factors Health Psychology, 2000, 19, 515-523.	1.6	20
47	Health Disparities and the Digital Divide: The Relationship between Communication Inequalities and Quality of Life among Women in a Nationwide Prospective Cohort Study in the United States. Journal of Health Communication, 2019, 24, 405-412.	2.4	19
48	Mechanisms from Food Insecurity to Worse HIV Treatment Outcomes in US Women Living with HIV. AIDS Patient Care and STDs, 2020, 34, 425-435.	2.5	19
49	The perinatal guidelines evaluation project HIV and pregnancy study: overview and cohort description. Public Health Reports, 2002, 117, 137-147.	2.5	19
50	Longitudinal Trends in Sexual Behaviors with Advancing Age and Menopause Among Women With and Without HIV-1 Infection. AIDS and Behavior, 2015, 19, 931-940.	2.7	18
51	Healthcare Empowerment and HIV Viral Control: Mediating Roles of Adherence and Retention in Care. American Journal of Preventive Medicine, 2018, 54, 756-764.	3.0	17
52	Condom Use Consistency Associated With Beliefs Regarding HIV Disease Transmission Among Women Receiving HIV Antiretroviral Therapy. Journal of Acquired Immune Deficiency Syndromes (1999), 2001, 27, 289-291.	2.1	16
53	Neighborhood Racial Diversity, Socioeconomic Status, and Perceptions of HIV-Related Discrimination and Internalized HIV Stigma Among Women Living with HIV in the United States. AIDS Patient Care and STDs, 2019, 33, 270-281.	2.5	16
54	Brief Report: Linking Depressive Symptoms to Viral Nonsuppression Among Women With HIV Through Adherence Self-Efficacy and ART Adherence. Journal of Acquired Immune Deficiency Syndromes (1999), 2020, 83, 340-344.	2.1	16

#	Article	IF	CITATIONS
55	Quality of care for Black and Latina women living with HIV in the U.S.: a qualitative study. International Journal for Equity in Health, 2020, 19, 115.	3.5	16
56	Trends in Nonlipid Cardiovascular Disease Risk Factor Management in the Women's Interagency HIV Study and Association with Adherence to Antiretroviral Therapy. AIDS Patient Care and STDs, 2016, 30, 445-454.	2.5	15
57	Longitudinal Associations Between Neighborhood Factors and HIV Care Outcomes in the WIHS. AIDS and Behavior, 2020, 24, 2811-2818.	2.7	15
58	Viremia Trajectories of HIV in HIV-Positive Women in the United States, 1994-2017. JAMA Network Open, 2019, 2, e193822.	5.9	13
59	Prenatal Care Utilization and the Implementation of Prophylaxis to Prevent Perinatal HIV-1 Transmission. Maternal and Child Health Journal, 2004, 8, 13-18.	1.5	12
60	The Perinatal Guidelines Evaluation Project HIV and Pregnancy Study: Overview and Cohort Description. Public Health Reports, 2002, 117, 137-147.	2.5	12
61	Examining the Relationships Between Experienced and Anticipated Stigma in Health Care Settings, Patient–Provider Race Concordance, and Trust in Providers Among Women Living with HIV. AIDS Patient Care and STDs, 2021, 35, 441-448.	2.5	12
62	Impact of Menopause on Condom Use by HIV-Seropositive and Comparison Seronegative Women. Journal of Acquired Immune Deficiency Syndromes (1999), 2008, 47, 401-402.	2.1	10
63	Short-term binge drinking, marijuana, and recreational drug use trajectories in a prospective cohort of people living with HIV at the start of COVID-19 mitigation efforts in the United States. Drug and Alcohol Dependence, 2022, 231, 109233.	3.2	10
64	Changes in knowledge of cervical cancer following introduction of human papillomavirus vaccine among women at high risk for cervical cancer. Gynecologic Oncology Reports, 2015, 12, 37-40.	0.6	9
65	Internalized HIV Stigma and Pain among Women with HIV in the United States: The Mediating Role of Depressive Symptoms. AIDS and Behavior, 2020, 24, 3482-3490.	2.7	9
66	Perceptions of HIV Risk and Explanations of Sexual Risk Behavior Offered by Heterosexual Black Male Barbershop Patrons in Brooklyn, NY. Journal of Health Disparities Research and Practice, 2014, 7, 1-25.	1.1	9
67	Sexual and Reproductive Behavior of Women With HIV Infection. Clinical Obstetrics and Gynecology, 2001, 44, 289-299.	1.1	8
68	Patient Health Literacy and Communication with Providers Among Women Living with HIV: A Mixed Methods Study. AIDS and Behavior, 2022, 26, 1422-1430.	2.7	8
69	Perceived Financial Need and Sexual Risk Behavior Among Urban, Minority Patients Following Sexually Transmitted Infection Diagnosis. Sexually Transmitted Diseases, 2011, 38, 230-234.	1.7	7
70	Physician morality and perinatal decisions. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2016, 206, 36-40.	1.1	7
71	Associations Between Medicare Part D and Out-of-Pocket Spending, HIV Viral Load, Adherence, and ADAP Use in Dual Eligibles With HIV. Medical Care, 2018, 56, 47-53.	2.4	7
72	Internal Working Models of Attachment Relationships and HIV Outcomes Among Women Living With HIV. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 80, e1-e8.	2.1	7

#	Article	IF	Citations
73	The Relationship Between Discrimination and Missed HIV Care Appointments Among Women Living with HIV. AIDS and Behavior, 2020, 24, 151-164.	2.7	7
74	Are missed- and kept-visit measures capturing different aspects of retention in HIV primary care?. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2020, 32, 98-103.	1.2	7
75	Food Insecurity and T-cell Dysregulation in Women Living With Human Immunodeficiency Virus on Antiretroviral Therapy. Clinical Infectious Diseases, 2021, 72, e112-e119.	5.8	7
76	Neighborhood Poverty and Control of HIV, Hypertension, and Diabetes in the Women's Interagency HIV Study. AIDS and Behavior, 2020, 24, 2033-2044.	2.7	6
77	Health insurance and AIDS Drug Assistance Program (ADAP) increases retention in care among women living with HIV in the United States. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2021, 33, 1044-1051.	1.2	6
78	Associations between food insecurity and psychotropic medication use among women living with HIV in the United States. Epidemiology and Psychiatric Sciences, 2020, 29, e113.	3.9	5
79	The positive affect, promoting Positive Engagement, and Adherence for Life (APPEAL) feasibility trial: Design and rationale Health Psychology, 2020, 39, 767-775.	1.6	5
80	Relationship between food insecurity and smoking status among women living with and at risk for HIV in the USA: a cohort study. BMJ Open, 2021, 11, e054903.	1.9	4
81	Integrating HIV Prevention Activities into the HIV Medical Care Setting: A Report from the NYC HIV Centers Consortium. Journal of Urban Health, 2006, 83, 18-30.	3.6	3
82	Gaps Up To 9 Months Between HIV Primary Care Visits Do Not Worsen Viral Load. AIDS Patient Care and STDs, 2018, 32, 157-164.	2.5	3
83	Impact of Medicare Part D on mental health treatment and outcomes for dual eligible beneficiaries with HIV. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2019, 31, 505-512.	1.2	2
84	Associations between population density and clinical and sociodemographic factors in women living with HIV in the Southern United States. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2021, 33, 229-238.	1.2	2
85	Socioeconomic, Psychosocial, and Clinical Factors Associated With Employment in Women With HIV in the United States. Journal of the Association of Nurses in AIDS Care, 2021, Publish Ahead of Print, 33-44.	1.0	2
86	Lessons learned from building an infrastructure for community-engaged research. International Public Health Journal, 2013, 5, 7-16.	1.0	2
87	Intensity of Social Support Matters: A Latent Class Analysis to Identify Levels of Social Support Associated with Optimal Health Outcomes Among Women Living with HIV. AIDS and Behavior, 2022, 26, 243-251.	2.7	1
88	The positive affect, promoting Positive Engagement, and Adherence for Life (APPEAL) feasibility trial: Design and rationale. Health Psychology, 2020, 39, 767-775.	1.6	1
89	Impacts of Medicaid Expansion on Health Insurance and Coverage Transitions among Women with or at Risk for HIV in the United States. Women's Health Issues, 2022, 32, 450-460.	2.0	1
90	Wilson and Fraser Respond. American Journal of Public Health, 2020, 110, e1-e2.	2.7	O

#	Article	IF	CITATIONS
91	Reducing sexual risk behavior among men and women with HIV infection. , 2009, , 281-304.		O
92	Predictors and Consequences of Prescription Opioid Use in Women Living With and Without HIV: 20-Year Follow-Up. Journal of Women's Health, 2022, , .	3.3	0