

Pythia T Nieuwkerk

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3648420/publications.pdf>

Version: 2024-02-01

115
papers

4,317
citations

147801

31
h-index

118850

62
g-index

120
all docs

120
docs citations

120
times ranked

6216
citing authors

#	ARTICLE	IF	CITATIONS
1	Response shift after coronary revascularization. <i>Quality of Life Research</i> , 2022, 31, 437-450.	3.1	8
2	A single mRNA vaccine dose in COVID-19 patients boosts neutralizing antibodies against SARS-CoV-2 and variants of concern. <i>Cell Reports Medicine</i> , 2022, 3, 100486.	6.5	16
3	A research agenda for post-COVID-19 fatigue. <i>Journal of Psychosomatic Research</i> , 2022, 154, 110726.	2.6	16
4	Severe Fatigue in the First Year Following SARS-CoV-2 Infection: A Prospective Cohort Study.. <i>Open Forum Infectious Diseases</i> , 2022, 9, ofac127.	0.9	3
5	Perceptions of HIV cure and willingness to participate in HIV cure-related trials among people enrolled in the Netherlands cohort study on acute HIV infection. <i>Journal of Virus Eradication</i> , 2022, 8, 100072.	0.5	2
6	Determinants of suboptimal blood pressure control in a multi-ethnic population: The Healthy Life in an Urban Setting (HELIUS) study. <i>Journal of Clinical Hypertension</i> , 2021, 23, 1068-1076.	2.0	4
7	Comparing quality of life and postoperative pain after limited access and conventional aortic valve replacement: Design and rationale of the Limited access aortic valve replacement (LIAR) trial. <i>Contemporary Clinical Trials Communications</i> , 2021, 21, 100700.	1.1	3
8	Wish to Continue Receiving the Reminder Short Messaging Service: A Mixed Methods Study on the Acceptability of Digital Adherence Tools Among Adults Living with HIV on Antiretroviral Treatment in Tanzania. <i>Patient Preference and Adherence</i> , 2021, Volume 15, 559-568.	1.8	13
9	Comparing Quality of Life and Postoperative Pain After Limited Access and Conventional Aortic Valve Replacement: A Randomized Clinical Trial. <i>Structural Heart</i> , 2021, 5, 3-3.	0.6	0
10	Effect of Digital Adherence Tools on Adherence to Antiretroviral Treatment Among Adults Living With HIV in Kilimanjaro, Tanzania: A Randomized Controlled Trial. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2021, 87, 1136-1144.	2.1	13
11	Condition or cognition? Mechanism of change in fatigue in a randomized controlled trial of graded exercise therapy or cognitive behavior therapy for severe fatigue in patients with advanced cancer.. <i>Journal of Consulting and Clinical Psychology</i> , 2021, 89, 731-741.	2.0	8
12	Evaluating Patients' Preferences Regarding Treatment Options for Waldenström's Macroglobulinemia, a Discrete-Choice-Experiment. <i>Blood</i> , 2021, 138, 835-835.	1.4	2
13	Narrative meaning making and integration: Toward a better understanding of the way falling ill influences quality of life. <i>Journal of Health Psychology</i> , 2020, 25, 738-754.	2.3	34
14	Patients knowledge and experience with urinary and peripheral intravenous catheters. <i>World Journal of Urology</i> , 2020, 38, 57-62.	2.2	10
15	Cognitive behavioral therapy or graded exercise therapy compared with usual care for severe fatigue in patients with advanced cancer during treatment: a randomized controlled trial. <i>Annals of Oncology</i> , 2020, 31, 115-122.	1.2	56
16	Short-term outcome of the intuity rapid deployment prosthesis: a systematic review and meta-analysis. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2020, 31, 427-436.	1.1	4
17	Carotid Intima-Media Thickness Progression as Surrogate Marker for Cardiovascular Risk. <i>Circulation</i> , 2020, 142, 621-642.	1.6	232
18	Gender differences in quality of life in coronary artery disease patients with comorbidities undergoing coronary revascularization. <i>PLoS ONE</i> , 2020, 15, e0234543.	2.5	12

#	ARTICLE	IF	CITATIONS
19	The Prospective Studies of Atherosclerosis (Proof-ATHERO) Consortium: Design and Rationale. <i>Gerontology</i> , 2020, 66, 447-459.	2.8	4
20	Improving disease knowledge of primary sclerosing cholangitis patients and their relatives with a 3-dimensional education video. <i>Patient Education and Counseling</i> , 2020, 103, 960-964.	2.2	3
21	Technical and Psychosocial Challenges of mHealth Usage for Antiretroviral Therapy Adherence Among People Living With HIV in a Resource-Limited Setting: Case Series. <i>JMIR Formative Research</i> , 2020, 4, e14649.	1.4	15
22	Body location of "New World" cutaneous leishmaniasis lesions and its impact on the quality of life of patients in Suriname. <i>PLoS Neglected Tropical Diseases</i> , 2020, 14, e0008759.	3.0	9
23	Ecological momentary assessment versus retrospective assessment for measuring change in health-related quality of life following cardiac intervention. <i>Journal of Patient-Reported Outcomes</i> , 2020, 4, 98.	1.9	5
24	Feasibility of SMS to remind pregnant and breastfeeding women living with HIV to take antiretroviral treatment in Kilimanjaro region, Tanzania: a pilot study. <i>The East African Health Research Journal</i> , 2020, 4, 140-148.	0.4	0
25	Feasibility of SMS to remind pregnant and breastfeeding women living with HIV to take antiretroviral treatment in Kilimanjaro region, Tanzania: a pilot study. <i>The East African Health Research Journal</i> , 2020, 4, 140-148.	0.4	3
26	Implementation and effectiveness of evriMED with short messages service (SMS) reminders and tailored feedback compared to standard care on adherence to treatment among tuberculosis patients in Kilimanjaro, Tanzania: proposal for a cluster randomized controlled trial. <i>Trials</i> , 2019, 20, 426.	1.6	16
27	Mediation analysis shows that a decline in self-efficacy mediates the increase in fatigue severity following an initial positive response to cognitive behavioural therapy in Q fever fatigue syndrome. <i>Journal of Psychosomatic Research</i> , 2019, 127, 109841.	2.6	6
28	Influence of response shift and disposition on patient-reported outcomes may lead to suboptimal medical decisions: a medical ethics perspective. <i>BMC Medical Ethics</i> , 2019, 20, 61.	2.4	10
29	Testosterone Insufficiency in Human Immunodeficiency Virus "Infected Women: A Cross-Sectional Study. <i>Sexual Medicine</i> , 2019, 7, 72-79.	1.6	12
30	The dynamics in health-related quality of life of patients with stable coronary artery disease were revealed: a network analysis. <i>Journal of Clinical Epidemiology</i> , 2019, 107, 116-123.	5.0	11
31	Reconstructing Disruptive Life Events Using the RE-LIFE Questionnaire: Further Validation of the "Narrative Meaning Making of Life Events" Model Using Multiple Mediation Analysis. <i>Journal of Empirical Theology</i> , 2019, 32, 251-280.	0.8	1
32	Medication non-adherence and blood pressure control among hypertensive migrant and non-migrant populations of sub-Saharan African origin: the RODAM study. <i>Journal of Human Hypertension</i> , 2019, 33, 131-148.	2.2	4
33	First-degree relatives of axial spondyloarthritis patients of the pre-SpA cohort would consider using medication in a preventive setting. <i>Clinical Rheumatology</i> , 2019, 38, 755-759.	2.2	5
34	Health-related quality of life of people with HIV. <i>Aids</i> , 2018, 32, 103-112.	2.2	59
35	Patient-Reported Outcomes in First-Line Antiretroviral Therapy: Results From NEAT001/ANRS143 Trial Comparing Darunavir/Ritonavir in Combination With Tenofovir/Emtricitabine or Raltegravir. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018, 79, 519-526.	2.1	5
36	TIREd: A randomised controlled trial evaluating efficacy of cognitive behavior therapy and graded exercise therapy in severely fatigue patients with advanced cancer.. <i>Journal of Clinical Oncology</i> , 2018, 36, 183-183.	1.6	1

#	ARTICLE	IF	CITATIONS
37	Objective and subjective outcomes of strabismus surgery in Graves' orbitopathy: a prospective multicentre study. <i>Acta Ophthalmologica</i> , 2017, 95, 386-391.	1.1	19
38	Impact of comorbidity and ageing on health-related quality of life in HIV-positive and HIV-negative individuals. <i>Aids</i> , 2017, 31, 1471-1481.	2.2	63
39	A Survey of Patients' Perspectives on Outpatient HIV Care in the Netherlands. <i>Infectious Diseases and Therapy</i> , 2017, 6, 443-452.	4.0	5
40	Sub-optimal adherence to combination anti-retroviral therapy and its associated factors according to self-report, clinician-recorded and pharmacy-refill assessment methods among HIV-infected adults in Addis Ababa. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2017, 29, 428-435.	1.2	12
41	Self-reported adherence and pharmacy refill adherence are both predictive for an undetectable viral load among HIV-infected migrants receiving cART. <i>PLoS ONE</i> , 2017, 12, e0186912.	2.5	9
42	Risk Factors for Non-Adherence to cART in Immigrants with HIV Living in the Netherlands: Results from the ROTterdam ADherence (ROAD) Project. <i>PLoS ONE</i> , 2016, 11, e0162800.	2.5	14
43	Health-Related Quality of Life and Sexual Functioning of HIV-Positive Men Who Have Sex With Men Who Are Treated for Anal Intraepithelial Neoplasia. <i>Diseases of the Colon and Rectum</i> , 2016, 59, 42-47.	1.3	9
44	Impact of HIV care facility characteristics on the cascade of care in HIV-infected patients in the Netherlands. <i>Aids</i> , 2016, 30, 301-310.	2.2	10
45	Quality of life and fear of cancer recurrence after endoscopic treatment for early Barrett's neoplasia: a prospective study. <i>Ecological Management and Restoration</i> , 2016, 30, 1-9.	0.4	9
46	High Level of Virological Suppression among HIV-Infected Adults Receiving Combination Antiretroviral Therapy in Addis Ababa, Ethiopia. <i>Antiviral Therapy</i> , 2016, 21, 385-396.	1.0	21
47	Which adherence measure – self-report, clinician recorded or pharmacy refill – is best able to predict detectable viral load in a public ART programme without routine plasma viral load monitoring?. <i>Tropical Medicine and International Health</i> , 2016, 21, 856-869.	2.3	28
48	Patients' Willingness to Take Multiple-Tablet Antiretroviral Therapy Regimens for Treatment of HIV. <i>Drugs - Real World Outcomes</i> , 2016, 3, 223-230.	1.6	10
49	Feasibility of Real Time Medication Monitoring Among HIV Infected and TB Patients in a Resource-Limited Setting. <i>AIDS and Behavior</i> , 2016, 20, 1097-1107.	2.7	33
50	Host and disease factors are associated with cognitive function in European HIV-infected adults prior to initiation of antiretroviral therapy. <i>HIV Medicine</i> , 2016, 17, 471-478.	2.2	7
51	Structure and quality of outpatient care for people living with an HIV infection. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2016, 28, 1062-1072.	1.2	12
52	Antiretroviral resistance at virological failure in the NEAT 001/ANRS 143 trial: raltegravir plus darunavir/ritonavir or tenofovir/emtricitabine plus darunavir/ritonavir as first-line ART. <i>Journal of Antimicrobial Chemotherapy</i> , 2016, 71, 1056-1062.	3.0	22
53	Quality of Life in Young Adult Patients with a Cardiogenetic Condition Receiving an ICD for Primary Prevention of Sudden Cardiac Death. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2015, 38, 870-877.	1.2	10
54	Retention in HIV Care and Predictors of Attrition from Care among HIV-Infected Adults Receiving Combination Anti-Retroviral Therapy in Addis Ababa. <i>PLoS ONE</i> , 2015, 10, e0130649.	2.5	33

#	ARTICLE	IF	CITATIONS
55	Electronic Medication Monitoring-Informed Counseling to Improve Adherence to Combination Anti-Retroviral Therapy and Virologic Treatment Outcomes: A Meta-Analysis. <i>Frontiers in Public Health</i> , 2015, 3, 139.	2.7	4
56	Health-related quality of life of HIV-infected adults receiving combination antiretroviral therapy in Addis Ababa. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2015, 27, 934-945.	1.2	44
57	Quality of life after surgical decompression for a space-occupying middle cerebral artery infarct: A cohort study. <i>BMC Neurology</i> , 2015, 15, 156.	1.8	21
58	Disease understanding in patients with intermittent claudication: A qualitative study. <i>Journal of Vascular Nursing</i> , 2015, 33, 112-118.	0.7	10
59	Bone mineral density and inflammatory and bone biomarkers after darunavir+ritonavir combined with either raltegravir or tenofovir+emtricitabine in antiretroviral-naïve adults with HIV-1: a substudy of the NEAT001/ANRS143 randomised trial. <i>Lancet HIV</i> , 2015, 2, e464-e473.	4.7	69
60	Patients' willingness to take separate component antiretroviral therapy regimens for HIV in the Netherlands. <i>Journal of the International AIDS Society</i> , 2014, 17, 19536.	3.0	6
61	The Effect on Treatment Adherence of Administering Drugs as Fixed-Dose Combinations versus as Separate Pills: Systematic Review and Meta-Analysis. <i>AIDS Research and Treatment</i> , 2014, 2014, 1-6.	0.7	31
62	Impact of genital warts on emotional and sexual well-being differs by gender. <i>International Journal of STD and AIDS</i> , 2014, 25, 949-955.	1.1	25
63	Cross-sectional Comparison of the Prevalence of Age-Associated Comorbidities and Their Risk Factors Between HIV-Infected and Uninfected Individuals: The AGEHIV Cohort Study. <i>Clinical Infectious Diseases</i> , 2014, 59, 1787-1797.	5.8	617
64	A simplified combination antiretroviral therapy regimen enhances adherence, treatment satisfaction and quality of life: results of a randomized clinical trial. <i>HIV Medicine</i> , 2014, 15, 286-290.	2.2	16
65	Predictors and correlates of adherence to combination antiretroviral therapy (ART) for chronic HIV infection: a meta-analysis. <i>BMC Medicine</i> , 2014, 12, 142.	5.5	350
66	Semipermanent Filler Treatment of HIV-Positive Patients With Facial Lipoatrophy. <i>Aesthetic Surgery Journal</i> , 2014, 34, 118-132.	1.6	22
67	Statistical or Clinical Improvement? Determining the Minimally Important Difference for the Vascular Quality of Life Questionnaire in Patients with Critical Limb Ischemia. <i>European Journal of Vascular and Endovascular Surgery</i> , 2014, 47, 180-186.	1.5	22
68	The Patient Simple Clinical Colitis Activity Index (P-SCCAI) can detect ulcerative colitis (UC) disease activity in remission: A comparison of the P-SCCAI with clinician-based SCCAI and biological markers. <i>Journal of Crohn's and Colitis</i> , 2013, 7, 890-900.	1.3	94
69	Reply to Drs. Walmsley and Casey letter. <i>Journal of Crohn's and Colitis</i> , 2013, 7, 932.	1.3	0
70	Supportive care for women with recurrent miscarriage: a survey to quantify women's preferences. <i>Human Reproduction</i> , 2013, 28, 398-405.	0.9	52
71	Development of the Patient Harvey Bradshaw Index and a Comparison With a Clinician-based Harvey Bradshaw Index Assessment of Crohn's Disease Activity. <i>Journal of Clinical Gastroenterology</i> , 2013, 47, 850-856.	2.2	66
72	Patient Preferences in Screening for Recurrent Disease after Potentially Curative Esophagectomy. <i>Digestive Surgery</i> , 2012, 29, 206-212.	1.2	11

#	ARTICLE	IF	CITATIONS
73	Personalized Stigma and Disclosure Concerns Among HIV-Infected Immigrant and Indigenous HIV-Infected Persons in the Netherlands. <i>Journal of HIV/AIDS and Social Services</i> , 2012, 11, 42-56.	0.7	7
74	Intervention to Improve Adherence to Lipid-Lowering Medication and Lipid-Levels in Patients With an Increased Cardiovascular Risk. <i>American Journal of Cardiology</i> , 2012, 110, 666-672.	1.6	57
75	Do Inflammatory Bowel Disease patients with anxiety and depressive symptoms receive the care they need?. <i>Journal of Crohn's and Colitis</i> , 2012, 6, 68-76.	1.3	105
76	HIV Stigma and Depressive Symptoms are Related to Adherence and Virological Response to Antiretroviral Treatment Among Immigrant and Indigenous HIV Infected Patients. <i>AIDS and Behavior</i> , 2012, 16, 1681-1689.	2.7	99
77	Temporary antiretroviral treatment during primary HIV-1 infection has a positive impact on health-related quality of life: data from the Primo-SHM cohort study. <i>HIV Medicine</i> , 2012, 13, 630-635.	2.2	10
78	Self-Reported Symptoms Among HIV-Infected Patients on Highly Active Antiretroviral Therapy in the ATHENA Cohort in The Netherlands. <i>HIV Clinical Trials</i> , 2011, 12, 161-170.	2.0	11
79	Patient preferences for clean intermittent catheterisation and transurethral indwelling catheterisation for treatment of abnormal post-void residual bladder volume after vaginal prolapse surgery. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2011, 118, 1324-1328.	2.3	23
80	Long-term MRA follow-up after coiling of intracranial aneurysms: impact on mood and anxiety. <i>Neuroradiology</i> , 2011, 53, 343-348.	2.2	13
81	Self-reported adherence is more predictive of virological treatment response among patients with a lower tendency towards socially desirable responding. <i>Antiviral Therapy</i> , 2010, 15, 913-916.	1.0	42
82	Health-Related Quality of Life and Survival among HIV-Infected Patients Receiving Highly Active Antiretroviral Therapy: A Study of Patients in the AIDS Therapy Evaluation in the Netherlands (ATHENA) Cohort. <i>Clinical Infectious Diseases</i> , 2010, 50, 255-263.	5.8	45
83	Using Different Calculations of Pharmacy Refill Adherence to Predict Virological Failure Among HIV-Infected Patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2010, 55, 635-640.	2.1	27
84	Which method of adherence measurement is most suitable for daily use to predict virological failure among immigrant and non-immigrant HIV-1 infected patients?. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2009, 21, 842-850.	1.2	14
85	Effect of Bosentan on Exercise Capacity and Quality of Life in Adults With Pulmonary Arterial Hypertension Associated With Congenital Heart Disease With and Without Down's Syndrome. <i>American Journal of Cardiology</i> , 2009, 103, 1309-1315.	1.6	84
86	Each measure of patient-reported change provides useful information and is susceptible to bias: The need to combine methods to assess their relative validity. <i>Arthritis and Rheumatism</i> , 2009, 61, 1623-1625.	6.7	7
87	An assessment of factorial structure and health-related quality of life in problem drug users using the Short Form 36 Health Survey. <i>Quality of Life Research</i> , 2008, 17, 1021-1029.	3.1	6
88	Long-Term Effect of Polyalkylimide Gel Injections on Severity of Facial Lipoatrophy and Quality of Life of HIV-Positive Patients. <i>Aesthetic Plastic Surgery</i> , 2008, 32, 873-878.	0.9	27
89	Relation of Physical Activity, Cardiac Function, Exercise Capacity, and Quality of Life in Patients With a Systemic Right Ventricle. <i>American Journal of Cardiology</i> , 2008, 102, 1258-1262.	1.6	47
90	HIV couples' anxiety and risk taking during ART. <i>Fertility and Sterility</i> , 2008, 90, 456-458.	1.0	6

#	ARTICLE	IF	CITATIONS
91	Lower Perceived Necessity of HAART Predicts Lower Treatment Adherence and Worse Virological Response in the ATHENA Cohort. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2008, 49, 460-462.	2.1	9
92	Effects of Active Treatment Discontinuation in Patients With a CD4+ T-Cell Nadir Greater Than 350 Cells/mm ³ . <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2007, 44, 395-400.	2.1	46
93	Quality of Life After Starting Highly Active Antiretroviral Therapy for Chronic HIV-1 Infection at Different CD4 Cell Counts. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2007, 45, 600-601.	2.1	10
94	Are Retrospective Measures of Change in Quality of Life More Valid Than Prospective Measures?. <i>Medical Care</i> , 2007, 45, 199-205.	2.4	31
95	Patient-controlled analgesia versus continuous infusion of morphine during vaso-occlusive crisis in sickle cell disease, a randomized controlled trial. <i>American Journal of Hematology</i> , 2007, 82, 955-960.	4.1	105
96	Long-term Symptom Recovery and Health-Related Quality of Life in Patients With Mild-to-Moderate-Severe Community-Acquired Pneumonia. <i>Chest</i> , 2006, 130, 1165-1172.	0.8	75
97	A Randomized Controlled Trial of Patient Controlled Analgesia Versus Continuous Infusion of Morphine during Vaso-Occlusive Crisis in Sickle Cell Disease.. <i>Blood</i> , 2006, 108, 3805-3805.	1.4	0
98	Patients' Preferences regarding the Timing of Highly Active Antiretroviral Therapy Initiation for Chronic Asymptomatic HIV-1 Infection. <i>Antiviral Therapy</i> , 2006, 11, 335-341.	1.0	6
99	Self-Reported Adherence to Antiretroviral Therapy for HIV-1 Infection and Virologic Treatment Response. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2005, 38, 445-448.	2.1	216
100	Treatment preferences and trade-offs for ovulation induction in clomiphene citrate-resistant patients with polycystic ovary syndrome. <i>Fertility and Sterility</i> , 2005, 84, 420-425.	1.0	30
101	A Randomized Controlled Trial of Patient Controlled Analgesia Versus Continuous Infusion of Morphine during Vaso-Occlusive Crisis in Sickle Cell Disease.. <i>Blood</i> , 2005, 106, 3782-3782.	1.4	0
102	Does Electronic Monitoring of Adherence Reduce Social Desirability on Patients' Self-Reports of Adherence?. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2004, 36, 880.	2.1	12
103	Author! Author!. <i>JAMA - Journal of the American Medical Association</i> , 2004, 292, 1815.	7.4	5
104	Prevalence of Lipoatrophy and Mitochondrial DNA Content of Blood and Subcutaneous Fat in HIV-1-Infected Patients Randomly Allocated to Zidovudine- or Stavudine-Based Therapy. <i>Antiviral Therapy</i> , 2004, 9, 385-393.	1.0	59
105	Electronic monitoring of adherence to highly active antiretroviral therapy changes medication-taking behaviour?. <i>Aids</i> , 2003, 17, 1417-1418.	2.2	2
106	Treatment Failure of Nelfinavir-Containing Triple Therapy Can Largely Be Explained by Low Nelfinavir Plasma Concentrations. <i>Therapeutic Drug Monitoring</i> , 2003, 25, 73-80.	2.0	66
107	Health-Related Quality of Life and Posttraumatic Stress Disorder among Survivors of an Outbreak of Legionnaires Disease. <i>Clinical Infectious Diseases</i> , 2002, 35, 11-17.	5.8	62
108	Therapeutic Drug Monitoring of HIV-Protease Inhibitors to Assess Noncompliance. <i>Therapeutic Drug Monitoring</i> , 2002, 24, 579-587.	2.0	35

#	ARTICLE	IF	CITATIONS
109	Long-term quality of life outcomes in three antiretroviral treatment strategies for HIV-1 infection. <i>Aids</i> , 2001, 15, 1985-1991.	2.2	57
110	Limited Patient Adherence to Highly Active Antiretroviral Therapy for HIV-1 Infection in an Observational Cohort Study. <i>Archives of Internal Medicine</i> , 2001, 161, 1962.	3.8	215
111	Adherence over 48 Weeks in An Antiretroviral Clinical Trial: Variable within Patients, Affected by Toxicities and Independently Predictive of Virological Response. <i>Antiviral Therapy</i> , 2001, 6, 97-103.	1.0	27
112	Quality of life in asymptomatic- and symptomatic HIV infected patients in a trial of ritonavir/saquinavir therapy. <i>Aids</i> , 2000, 14, 181-187.	2.2	87
113	Quality of Life in Maintenance vs Prolonged Induction Therapy for HIV. <i>JAMA - Journal of the American Medical Association</i> , 2000, 284, 178-179.	7.4	7
114	Systemic methotrexate therapy versus laparoscopic salpingostomy in patients with tubal pregnancy. Part I. Impact on patients' health-related quality of life. <i>Fertility and Sterility</i> , 1998, 70, 511-517.	1.0	69
115	Systemic methotrexate therapy versus laparoscopic salpingostomy in tubal pregnancy. Part II. Patient preferences for systemic methotrexate. <i>Fertility and Sterility</i> , 1998, 70, 518-522.	1.0	65