## Matthew Leigh Stevens

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3650921/publications.pdf

Version: 2024-02-01

28 papers

690 citations

933447 10 h-index 25 g-index

28 all docs

28 docs citations

28 times ranked

1171 citing authors

#	Article	IF	CITATIONS
1	Prevention of Low Back Pain. JAMA Internal Medicine, 2016, 176, 199.	5.1	341
2	Comparison of physical behavior estimates from three different thigh-worn accelerometers brands: a proof-of-concept for the Prospective Physical Activity, Sitting, and Sleep consortium (ProPASS). International Journal of Behavioral Nutrition and Physical Activity, 2019, 16, 65.	4.6	53
3	Emerging collaborative research platforms for the next generation of physical activity, sleep and exercise medicine guidelines: the Prospective Physical Activity, Sitting, and Sleep consortium (ProPASS). British Journal of Sports Medicine, 2020, 54, 435-437.	6.7	51
4	The Roland Morris Disability Questionnaire. Journal of Physiotherapy, 2016, 62, 116.	1.7	49
5	Thigh-worn accelerometry for measuring movement and posture across the 24-hour cycle: a scoping review and expert statement. BMJ Open Sport and Exercise Medicine, 2020, 6, e000874.	2.9	39
6	Patients' and Physiotherapists' Views on Triggers for Low Back Pain. Spine, 2016, 41, E218-E224.	2.0	24
7	Mechanisms for reducing low back pain: a mediation analysis of a multifaceted intervention in workers in elderly care. International Archives of Occupational and Environmental Health, 2019, 92, 49-58.	2.3	21
8	Quality, language, subdiscipline and promotion were associated with article accesses on Physiotherapy Evidence Database (PEDro). Physiotherapy, 2018, 104, 122-128.	0.4	14
9	Advice for acute low back pain: a comparison of what research supports and what guidelines recommend. Spine Journal, 2017, 17, 1537-1546.	1.3	11
10	Accelerometer-Measured Physical Activity at Work and Need for Recovery: A Compositional Analysis of Cross-sectional Data. Annals of Work Exposures and Health, 2020, 64, 138-151.	1.4	11
11	What Searches Do Users Run on PEDro?. Methods of Information in Medicine, 2016, 55, 333-339.	1.2	10
12	Cardiorespiratory fitness, occupational aerobic workload and age: workplace measurements among blue-collar workers. International Archives of Occupational and Environmental Health, 2021, 94, 503-513.	2.3	8
13	Twin Peaks? No Evidence of Bimodal Distribution of Outcomes in Clinical Trials of Nonsurgical Interventions for Spinal Pain: An Exploratory Analysis. Journal of Pain, 2017, 18, 964-972.	1.4	7
14	A physiotherapist-led exercise and education program for preventing recurrence of low back pain: a randomised controlled pilot trial. Physiotherapy, 2018, 104, 217-223.	0.4	7
15	Validation of a Short-Form Version of the Danish Need for Recovery Scale against the Full Scale. International Journal of Environmental Research and Public Health, 2019, 16, 2334.	2.6	7
16	TOPS: Trial Of Prevention Strategies for low back pain in patients recently recovered from low back painâ€"study rationale and protocol. BMJ Open, 2016, 6, e011492.	1.9	6
17	Different forms of exercise for chronic low back pain (PEDro synthesis). British Journal of Sports Medicine, 2016, 50, 188-188.	6.7	6
18	Feasibility, Validity, and Responsiveness of Selfâ€Report and Objective Measures of Physical Activity in Patients With Chronic Pain. PM and R, 2019, 11, 858-867.	1.6	5

#	Article	IF	CITATIONS
19	Exercise Is Medicine, But Perhaps Not for Preventing Low Back Pain: A Randomized Trial of Exercise and Education to Prevent Low Back Pain Recurrence. Journal of Orthopaedic and Sports Physical Therapy, 2021, 51, 188-195.	3.5	5
20	Combined Effects of Physical Behavior Compositions and Psychosocial Resources on Perceived Exertion Among Eldercare Workers. Annals of Work Exposures and Health, 2020, 64, 923-935.	1.4	4
21	Resistance training for people with Parkinson's disease (PEDro synthesis). British Journal of Sports Medicine, 2016, 50, 1158-1158.	6.7	3
22	The Influence of Nursing Home, Ward, and Eldercare Workers on the Number of Resident Handlings Performed per Shift in Eldercare. International Journal of Environmental Research and Public Health, 2021, 18, 11040.	2.6	2
23	Associations between perceived quantitative work demands at different organisational levels and pain and sickness absence in eldercare workers: a multi-level longitudinal analysis. International Archives of Occupational and Environmental Health, 2022, 95, 993-1001.	2.3	2
24	Optimal types of exercise for lower limb osteoarthritis. British Journal of Sports Medicine, 2015, 49, 1219-1219.	6.7	1
25	Evidence-based physiotherapy and the use of PEDro. Physiotherapy, 2017, 103, 337-338.	0.4	1
26	TOPS – a randomized controlled trial of exercise and education to prevent recurrence of low back pain: statistical analysis plan. Brazilian Journal of Physical Therapy, 2020, 24, 373-380.	2.5	1
27	Nursing Home, Ward and Worker Level Determinants of Perceived Quantitative Work Demands: A Multi-Level Cross-Sectional Analysis in Eldercare. Annals of Work Exposures and Health, 2022, 66, 1033-1043.	1.4	1
28	What Determines Step-Rate at Work? An Investigation of Factors at the Shift, Worker, Ward, and Nursing Home Levels in Eldercare. Annals of Work Exposures and Health, 2021, 65, 919-927.	1.4	O