
Carolina Minguillon

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3727973/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The amphioxus Hox cluster: deuterostome posterior flexibility andHox14. Evolution & Development, 2000, 2, 284-293.	2.0	156
2	Tbx5 and Tbx4 Are Not Sufficient to Determine Limb-Specific Morphologies but Have Common Roles in Initiating Limb Outgrowth. Developmental Cell, 2005, 8, 75-84.	7.0	142
3	The ALFA project: A research platform to identify early pathophysiological features of Alzheimer's disease. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2016, 2, 82-92.	3.7	97
4	Hox genes regulate the onset of <i>Tbx5</i> expression in the forelimb. Development (Cambridge), 2012, 139, 3180-3188.	2.5	63
5	No more than 14: the end of the amphioxus Hox cluster. International Journal of Biological Sciences, 2005, 1, 19-23.	6.4	63
6	Tbx5a lineage tracing shows cardiomyocyte plasticity during zebrafish heart regeneration. Nature Communications, 2018, 9, 428.	12.8	62
7	Conservation of linkage and evolution of developmental function within the Tbx2/3/4/5 subfamily of T-box genes: implications for the origin of vertebrate limbs. Development Genes and Evolution, 2008, 218, 613-628.	0.9	60
8	Amphioxus Evx Genes: Implications for the Evolution of the Midbrain–Hindbrain Boundary and the Chordate Tailbud. Developmental Biology, 2001, 237, 270-281.	2.0	55
9	<i>Tbx4/5</i> gene duplication and the origin of vertebrate paired appendages. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 21726-21730.	7.1	55
10	Genesis and evolution of the Evx and Mox genes and the extended Hox and ParaHox gene clusters. Genome Biology, 2003, 4, R12.	9.6	51
11	The amphioxus Hairy family: differential fate after duplication. Development (Cambridge), 2003, 130, 5903-5914.	2.5	46
12	A Combination of Activation and Repression by a Colinear Hox Code Controls Forelimb-Restricted Expression of Tbx5 and Reveals Hox Protein Specificity. PLoS Genetics, 2014, 10, e1004245.	3.5	41
13	CSF Synaptic Biomarkers in the Preclinical Stage of Alzheimer Disease and Their Association With MRI and PET. Neurology, 2021, 97, e2065-e2078.	1.1	40
14	Associations between air pollution and biomarkers of Alzheimer's disease in cognitively unimpaired individuals. Environment International, 2021, 157, 106864.	10.0	40
15	Gene duplications in the prototypical cephalochordate amphioxus. Gene, 2002, 287, 121-128.	2.2	38
16	The Single Amphioxus Mox Gene: Insights into the Functional Evolution of Mox Genes, Somites, and the Asymmetry of Amphioxus Somitogenesis. Developmental Biology, 2002, 246, 455-465.	2.0	29
17	Identification and characterisation of the developmental expression pattern of tbx5b, a novel tbx5 gene in zebrafish. Gene Expression Patterns, 2010, 10, 24-30.	0.8	26
18	Distinct tissue-specific requirements for the zebrafish <i>tbx5</i> genes during heart, retina and pectoral fin development. Open Biology, 2014, 4, 140014.	3.6	22

#	Article	IF	CITATIONS
19	Amyloid-β positive individuals with subjective cognitive decline present increased CSF neurofilament light levels that relate to lower hippocampal volume. Neurobiology of Aging, 2021, 104, 24-31.	3.1	13
20	The protective gene dose effect of the <i>APOEε2</i> allele on gray matter volume in cognitively unimpaired individuals. Alzheimer's and Dementia, 2022, 18, 1383-1395.	0.8	13
21	The <i>Prx1</i> limb enhancers: Targeted gene expression in developing zebrafish pectoral fins. Developmental Dynamics, 2011, 240, 1977-1988.	1.8	12
22	From the American to the European amphioxus: towards experimental Evo-Devo at the origin of chordates. International Journal of Developmental Biology, 2009, 53, 1359-1366.	0.6	11
23	Association of years to parent's sporadic onset and risk factors with neural integrity and Alzheimer biomarkers. Neurology, 2020, 95, e2065-e2074.	1.1	3
24	Air pollution and biomarkers of Alzheimer's disease in cognitively unimpaired individuals. Alzheimer's and Dementia, 2020, 16, e044802.	0.8	3
25	Perivascular spaces are associated with tau pathophysiology and synaptic dysfunction in early Alzheimer's continuum. Alzheimer's and Dementia, 2021, 17, .	0.8	2
26	Distinctive effect of biological sex in ADâ€related CSF and plasma biomarkers. Alzheimer's and Dementia, 2021, 17, .	0.8	2
27	Impact of APOE â€îµ4 on cerebral amyloid deposition in participants with abnormal soluble amyloid levels. Alzheimer's and Dementia, 2020, 16, e045828.	0.8	1
28	Higher levels of the astrocytic marker CSF YKL40 are associated with better memory performance only in amyloidâ€positive individuals with subjective cognitive decline. Alzheimer's and Dementia, 2021, 17, .	0.8	1
29	Subjective cognitive decline is associated with higher anxiety and depression during the COVIDâ€19‒related confinement. Alzheimer's and Dementia, 2021, 17, .	0.8	1
30	15-P005 Ancestral Tbx4/5 gene duplication and the origin of vertebrate paired limbs. Mechanisms of Development, 2009, 126, S248.	1.7	0
31	Use of the Medtep digital health platform in the framework of a multimodal intervention in patients with subjective cognitive decline (PENSA Study). Alzheimer's and Dementia, 2020, 16, e040447.	0.8	0
32	Amyloidâ€Î², tau, synaptic dysfunction, neurodegeneration, glial and vascular biomarkers in the preclinical stage of the Alzheimer's continuum. Alzheimer's and Dementia, 2020, 16, e04444.	0.8	0
33	Genetically predicted telomere length and Alzheimer's disease endophenotypes: A Mendelian randomization study. Alzheimer's and Dementia, 2020, 16, e044720.	0.8	0
34	The effect of physical activity on CSF biomarkers of Alzheimer's disease differs between men and women. Alzheimer's and Dementia, 2020, 16, e044722.	0.8	0
35	Multiple biological pathways associate with cerebral amyloid load in the early Alzheimer's continuum. Alzheimer's and Dementia, 2020, 16, e044733.	0.8	0
36	Higher frontoâ€parietal metabolism parallels a greater impact of amyloid and anxiety on medial temporal areas in women versus men. Alzheimer's and Dementia, 2020, 16, e044780.	0.8	0

#	Article	IF	CITATIONS
37	Multiple pathophysiological biomarkers are associated with gray matter volume and cerebral glucose metabolism in the early preclinical Alzheimer's continuum. Alzheimer's and Dementia, 2020, 16, e044808.	0.8	0
38	PENSA study: Study design, recruitment profiles and participant inclusion in multimodal intervention studies. Alzheimer's and Dementia, 2020, 16, e045074.	0.8	0
39	APOE ―ε4 shapes temporoâ€parietal network properties in middleâ€aged, cognitively unimpaired individuals: A graph theory analysis. Alzheimer's and Dementia, 2020, 16, e045092.	0.8	0
40	Weight loss predicts Alzheimer's disease biomarker positivity in cognitively unimpaired middleâ€aged adults. Alzheimer's and Dementia, 2020, 16, e045137.	0.8	0
41	Proximity to parental age at onset exacerbates amyloid burden while mental conditions exacerbate neural loss during midlife. Alzheimer's and Dementia, 2020, 16, e045171.	0.8	0
42	Incidence of subjective cognitive decline is associated with amyloidâ€Î² pathology, whereas stability relates to neurodegeneration. Alzheimer's and Dementia, 2020, 16, e045293.	0.8	0
43	Amyloidâ€positive individuals with subjective cognitive decline present increased CSF neurofilament light levels that relate to hippocampal volume. Alzheimer's and Dementia, 2020, 16, e045715.	0.8	0
44	The Barcelonabeta dementia prevention research clinic: Study design, recruitment profiles and inclusion in prevention studies — An update. Alzheimer's and Dementia, 2020, 16, e045800.	0.8	0
45	ALFA+: A cohort study to understand and model the preclinical stage of Alzheimer's disease. Alzheimer's and Dementia, 2020, 16, e045935.	0.8	0
46	A co reation approach to design the implementation of a multimodal intervention in patients with subjective cognitive decline (PENSA study). Alzheimer's and Dementia, 2020, 16, e042998.	0.8	0
47	Association between telomere length and cognitive function among cognitively unimpaired individuals at risk of Alzheimer's disease. Alzheimer's and Dementia, 2021, 17, .	0.8	0
48	Brain structural alterations in cognitively unimpaired individuals with discordant amyloidâ€Ŷ PET and CSF Aβ42 status: Findings using machine learning. Alzheimer's and Dementia, 2021, 17, .	0.8	0
49	Sex differences in genetic susceptibility of hippocampal subfields: A polygenic association study. Alzheimer's and Dementia, 2021, 17, .	0.8	0
50	Imaging neurodegeneration markers are associated with multiple pathophysiological mechanisms in the early stages of the Alzheimer's continuum. Alzheimer's and Dementia, 2021, 17, .	0.8	0
51	Synergistic effects of CSF Aβ42 and pâ€Tau on functional restingâ€state connectivity in cognitively unimpaired individuals. Alzheimer's and Dementia, 2021, 17, .	0.8	0
52	Crossâ€sectional associations between sleep quality reports and core Alzheimer's disease biomarkers in cognitively unimpaired adults from the European Prevention of Alzheimer's Dementia Longitudinal Cohort Study (EPAD LCS). Alzheimer's and Dementia, 2021, 17, .	0.8	0
53	Structural, metabolic and cognitive characteristics of cognitively unimpaired subjects with mismatching $\hat{l}^2 \hat{a} \in a$ myloid biomarkers. Alzheimer's and Dementia, 2021, 17, .	0.8	0
54	Associations between iron deposition in the brain and grey matter volumes in cognitively unimpaired adults. Alzheimer's and Dementia, 2021, 17, .	0.8	0

#	Article	IF	CITATIONS
55	Association of body mass index with brain structure and biomarkers of inflammation in cognitively unimpaired middleâ€aged adults with and without evidence of βâ€amyloid pathology. Alzheimer's and Dementia, 2021, 17, .	0.8	0
56	Sex, caregiver status and amyloid positivity predict increased anxiety and depression during the COVIDâ€19‒related confinement. Alzheimer's and Dementia, 2021, 17, .	0.8	0
57	Impaired default mode network along with increased functional connectivity of the medial temporal lobe as a function of CSF pâ€Tau/Ab42 ratio in cognitively unimpaired individuals. Alzheimer's and Dementia, 2021, 17, .	0.8	0