Helena Linardou

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3787399/publications.pdf

Version: 2024-02-01

279487 197535 4,881 51 23 49 citations h-index g-index papers 51 51 51 8272 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Nivolumab plus Ipilimumab in Lung Cancer with a High Tumor Mutational Burden. New England Journal of Medicine, 2018, 378, 2093-2104.	13.9	2,469
2	Assessment of somatic k-RAS mutations as a mechanism associated with resistance to EGFR-targeted agents: a systematic review and meta-analysis of studies in advanced non-small-cell lung cancer and metastatic colorectal cancer. Lancet Oncology, The, 2008, 9, 962-972.	5.1	709
3	Somatic EGFR mutations and efficacy of tyrosine kinase inhibitors in NSCLC. Nature Reviews Clinical Oncology, 2009, 6, 352-366.	12.5	207
4	First-Line Nivolumab Plus Ipilimumab in Advanced NSCLC: 4-Year Outcomes From the Randomized, Open-Label, Phase 3 CheckMate 227 Part 1 Trial. Journal of Thoracic Oncology, 2022, 17, 289-308.	0.5	173
5	Somatic Mutations of the Tyrosine Kinase Domain of Epidermal Growth Factor Receptor and Tyrosine Kinase Inhibitor Response to TKIs in Non-small Cell Lung Cancer: An Analytical Database. Journal of Thoracic Oncology, 2008, 3, 832-839.	0.5	137
6	Somatic <i>EGFR</i> Mutation and Gene Copy Gain as Predictive Biomarkers for Response to Tyrosine Kinase Inhibitors in Non–Small Cell Lung Cancer. Clinical Cancer Research, 2010, 16, 291-303.	3.2	134
7	Gemcitabine and carboplatin combination as first-line treatment in elderly patients and those unfit for cisplatin-based chemotherapy with advanced bladder carcinoma: Phase II study of the Hellenic Co-operative Oncology Group. Urology, 2004, 64, 479-484.	0.5	108
8	Toxicity management of immunotherapy for patients with metastatic melanoma. Annals of Translational Medicine, 2016, 4, 272-272.	0.7	92
9	The combination of gemcitabine and carboplatin as first-line treatment in patients with advanced urothelial carcinoma. Cancer, 2006, 106, 297-303.	2.0	78
10	Gemcitabine Combined with Gefitinib in Patients with Inoperable or Metastatic Pancreatic Cancer: A Phase II Study of the Hellenic Cooperative Oncology Group with Biomarker Evaluation. Cancer Investigation, 2008, 26, 784-793.	0.6	66
11	All about KRAS for clinical oncology practice: Gene profile, clinical implications and laboratory recommendations for somatic mutational testing in colorectal cancer. Cancer Treatment Reviews, 2011, 37, 221-233.	3.4	45
12	Alveolar bone histological necrosis observed prior to extractions in patients, who received boneâ€targeting agents. Oral Diseases, 2020, 26, 955-966.	1.5	43
13	A randomized phase II study of carboplatin plus pegylated liposomal doxorubicin versus carboplatin plus paclitaxel in platinum sensitive ovarian cancer patients: a Hellenic Cooperative Oncology Group study. BMC Medicine, 2010, 8, 3.	2.3	42
14	Nivolumab + ipilimumab versus platinum-doublet chemotherapy as first-line treatment for advanced non-small cell lung cancer: Three-year update from CheckMate 227 Part 1 Journal of Clinical Oncology, 2020, 38, 9500-9500.	0.8	42
15	<i>TP53</i> Arg72Pro Polymorphism and Colorectal Cancer Risk: A Systematic Review and Meta-Analysis. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 1840-1847.	1.1	41
16	Outcomes from salvage chemotherapy or pembrolizumab beyond progression with or without local ablative therapies for advanced non-small cell lung cancers with PD-L1 am \$\infty\$50% who progress on first-line immunotherapy: real-world data from a European cohort. Journal of Thoracic Disease, 2019, 11, 4972-4981.	0.6	35
17	The prognostic and predictive value of mRNA expression of vascular endothelial growth factor family members in breast cancer: a study in primary tumors of high-risk early breast cancer patients participating in a randomized Hellenic Cooperative Oncology Group trial. Breast Cancer Research, 2012. 14. R145.	2.2	34
18	Impact of performance status on non-small-cell lung cancer patients with a PD-L1 tumour proportion score ≥50% treated with front-line pembrolizumab. Acta Oncológica, 2020, 59, 1058-1063.	0.8	31

#	Article	IF	CITATIONS
19	First-Line Nivolumab Plus Ipilimumab Versus Chemotherapy in Advanced NSCLC With 1% or Greater Tumor PD-L1 Expression: Patient-Reported Outcomes From CheckMate 227 Part 1. Journal of Thoracic Oncology, 2021, 16, 665-676.	0.5	30
20	The Role of CXCL13 and CXCL9 in Early Breast Cancer. Clinical Breast Cancer, 2020, 20, e36-e53.	1.1	29
21	Responses to SARS-CoV-2 Vaccination in Patients with Cancer (ReCOVer Study): A Prospective Cohort Study of the Hellenic Cooperative Oncology Group. Cancers, 2021, 13, 4621.	1.7	29
22	Evaluation of the prognostic role of centromere 17 gain and HER2/topoisomerase II alpha gene status and protein expression in patients with breast cancer treated with anthracycline-containing adjuvant chemotherapy: pooled analysis of two Hellenic Cooperative Oncology Group (HeCOG) phase III trials. BMC Cancer, 2013, 13, 163.	1.1	27
23	The androgen receptor as a surrogate marker for molecular apocrine breast cancer subtyping. Breast, 2014, 23, 234-243.	0.9	26
24	Can the response to a platinum-based therapy be predicted by the DNA repair status in non-small cell lung cancer?. Cancer Treatment Reviews, 2016, 48, 8-19.	3.4	26
25	Real-world clinical outcome and toxicity data and economic aspects in patients with advanced breast cancer treated with cyclin-dependent kinase 4/6 (CDK4/6) inhibitors combined with endocrine therapy: the experience of the Hellenic Cooperative Oncology Group. ESMO Open, 2020, 5, e000774.	2.0	20
26	Gemcitabine Combined with the mTOR Inhibitor Temsirolimus in Patients with Locally Advanced or Metastatic Pancreatic Cancer. A Hellenic Cooperative Oncology Group Phase I/II Study. Targeted Oncology, 2018, 13, 715-724.	1.7	19
27	Screening for EGFR Mutations in Patients with Head and Neck Cancer Treated with Gefitinib on a Compassionate-Use Program: A Hellenic Cooperative Oncology Group Study. Journal of Oncology, 2010, 2010, 1-10.	0.6	18
28	Efficacy of Pembrolizumab Monotherapy in Patients With or Without Brain Metastases From Advanced Non–Small Cell Lung Cancer With a PD-L1 Expression ≥50%. Journal of Immunotherapy, 2020, 43, 299-306.	1.2	18
29	Breast cancer in women with palpable breast cysts. Lancet, The, 1999, 354, 677.	6.3	16
30	Immunotherapy in non-small cell lung cancer: the clinical impact of immune response and targeting. Annals of Translational Medicine, 2016, 4, 268-268.	0.7	16
31	Real-world safety and efficacy data of immunotherapy in patients with cancer and autoimmune disease: the experience of the Hellenic Cooperative Oncology Group. Cancer Immunology, Immunotherapy, $2021, 1.$	2.0	16
32	A recombinant cytotoxic chimera based on mammalian deoxyribonuclease-I., 2000, 86, 561-569.		15
33	Steroid Use Independently Predicts for Poor Outcomes in Patients With Advanced NSCLC and High PD-L1 Expression Receiving First-Line Pembrolizumab Monotherapy. Clinical Lung Cancer, 2021, 22, e180-e192.	1.1	15
34	Prognostic Significance of ESR1 Gene Amplification, mRNA/Protein Expression and Functional Profiles in High-Risk Early Breast Cancer: A Translational Study of the Hellenic Cooperative Oncology Group (HeCOG). PLoS ONE, 2013, 8, e70634.	1.1	15
35	Genotyping <i>KRAS</i> and <i>EGFR</i> Mutations in Greek Patients With Non-small-cell Lung Cancer: Incidence, Significance and Implications for Treatment. Cancer Genomics and Proteomics, 2019, 16, 531-541.	1.0	8
36	Relapsed and De Novo Metastatic HER2-positive Breast Cancer Treated With Trastuzumab: Tumor Genotypes and Clinical Measures Associated With Patient Outcome. Clinical Breast Cancer, 2019, 19, 113-125.e4.	1.1	8

#	Article	IF	CITATIONS
37	Predictive biomarkers to chemotherapy in patients with advanced melanoma receiving the combination of cisplatin-vinblastine-temozolomide (PVT) as first-line treatment: a study of the Hellenic Cooperative Oncology Group (HECOG). Anticancer Research, 2015, 35, 1105-13.	0.5	8
38	Prognostic Significance of VEGFC and VEGFR1 mRNA Expression According to HER2 Status in Breast Cancer: A Study of Primary Tumors from Patients with High-risk Early Breast Cancer Participating in a Randomized Hellenic Cooperative Oncology Group Trial. Anticancer Research, 2015, 35, 4023-36.	0.5	8
39	A Real-World, Observational, Prospective Study to Assess the Molecular Epidemiology of Epidermal Growth Factor Receptor (EGFR) Mutations upon Progression on or after First-Line Therapy with a First- or Second-Generation EGFR Tyrosine Kinase Inhibitor in EGFR Mutation-Positive Locally Advanced or Metastatic Non-Small Cell Lung Cancer: The †LUNGFUL' Study. Cancers. 2021. 13. 3172.	1.7	6
40	The use of crevicular fluid to assess markers of inflammation and angiogenesis, IL-17 and VEGF, in patients with solid tumors receiving zoledronic acid and/or bevacizumab. Supportive Care in Cancer, 2020, 28, 177-184.	1.0	4
41	Poor performance status and front-line pembrolizumab in advanced non-small-cell lung cancer (NSCLC) patients with PD-L1>50% Journal of Clinical Oncology, 2020, 38, e21651-e21651.	0.8	4
42	Cyclin D1 differential activation and its prognostic impact in patients with advanced breast cancer treated with trastuzumab. ESMO Open, 2019, 4, e000441.	2.0	3
43	Targeting angiogenesis for the treatment of advanced melanoma. Oncology Reviews, 2011, 5, 167-176.	0.8	2
44	Predicting the Role of DNA Polymerase \hat{l}^2 Alone or with KRAS Mutations in Advanced NSCLC Patients Receiving Platinum-Based Chemotherapy. Journal of Clinical Medicine, 2020, 9, 2438.	1.0	2
45	Impact of Bevacizumab Versus Erlotinib on Tumor Metrics in Patients With Previously Untreated Advanced Non-small Cell Lung Cancer: A Study by the Hellenic Cooperative Oncology Group. Anticancer Research, 2020, 40, 2095-2106.	0.5	2
46	Non-cancer therapeutic antibodies. Expert Opinion on Therapeutic Patents, 2002, 12, 401-417.	2.4	1
47	Therapeutic anticancer antibodies. Expert Opinion on Therapeutic Patents, 2003, 13, 177-222.	2.4	1
48	Gastrointestinal solitary metastases from squamous cell lung cancer. Lung Cancer, 2007, 55, 251-252.	0.9	1
49	An Observational Study to Assess the Molecular Epidemiology and Direct Medical Costs of Epidermal Growth Factor Receptor (EGFR) Mutations in Patients with Advanced EGFR Mutation-Positive Non-Small Cell Lung Cancer Treated with Afatinib in Real-World Clinical Settings in Greece. Lung Cancer: Targets and Therapy. 2021. Volume 12. 93-102.	1.3	1
50	Pathogenic mutations and overall survival in 3,084 patients with cancer: the Hellenic Cooperative Oncology Group Precision Medicine Initiative. Oncotarget, 2020, 11, 1-14.	0.8	1
51	Prognostic significance of distant metastasis-free interval in patients with relapsed melanoma treated with BRAF with or without MEK inhibitors. Melanoma Research, 2019, 29, 428-434.	0.6	0