

Tet Sen Howe

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3800445/publications.pdf>

Version: 2024-02-01

45
papers

674
citations

623734

14
h-index

610901

24
g-index

45
all docs

45
docs citations

45
times ranked

909
citing authors

#	ARTICLE	IF	CITATIONS
1	Bilateral Atypical Femur Fractures After Denosumab in a Bisphosphonate Naive Patient: A Case Report. <i>Calcified Tissue International</i> , 2022, 111, 96-101.	3.1	6
2	End stage renal disease patients undergoing hip fracture surgery have increased length of stay, acute hospital bill size, and reduced survivorshipâ€™ implications on a bundled care program. <i>Archives of Osteoporosis</i> , 2022, 17, 59.	2.4	1
3	Preoperative hypoalbuminemia: Poor functional outcomes and quality of life after hip fracture surgery. <i>Bone</i> , 2021, 143, 115567.	2.9	25
4	Higher Charlson Comorbidity Index Increases 90-Day Readmission Rate with Poorer Functional Outcomes in Surgically Treated Hip Fracture Patients. <i>Geriatric Orthopaedic Surgery and Rehabilitation</i> , 2021, 12, 215145932110362.	1.4	9
5	Developing a Simpler Prognosticating Tool: Comparing the Combined Assessment of Risk Encountered in Surgery Score with Deyo-Charlson Comorbidity Index and The American Society of Anesthesiologists Physical Status Score in Predicting 2 years Mortality after Hip Fracture Surgery. <i>Geriatric Orthopaedic Surgery and Rehabilitation</i> , 2021, 12, 215145932110362.	1.4	4
6	Studies of the criteria for determining optimal location of medial patellofemoral ligament attachment sites. <i>Medical and Biological Engineering and Computing</i> , 2021, 59, 693-702.	2.8	0
7	Preoperative severe vitamin D deficiency is a significant independent risk factor for poorer functional outcome and quality of life 6 months after surgery for fragility hip fractures. <i>Osteoporosis International</i> , 2021, 32, 2217-2224.	3.1	6
8	Ultrasonic Percutaneous Tenotomy for Recalcitrant Lateral Elbow Tendinopathy: Clinical and Sonographic Results at 90 Months. <i>American Journal of Sports Medicine</i> , 2021, 49, 1854-1860.	4.2	14
9	Early Postoperative Pain After Total Knee Arthroplasty Is Associated With Subsequent Poorer Functional Outcomes and Lower Satisfaction. <i>Journal of Arthroplasty</i> , 2021, 36, 2466-2472.	3.1	20
10	The Association Between Psychological Resilience and Physical Function Among Older Adults With Hip Fracture Surgery. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 260-266.e2.	2.5	30
11	The psychological impact on an orthopaedic outpatient setting in the early phase of the COVID-19 pandemic: a cross-sectional study. <i>Journal of Orthopaedic Surgery and Research</i> , 2020, 15, 322.	2.3	14
12	The effect of the comorbidity burden on vitamin D levels in geriatric hip fracture. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 524.	1.9	6
13	Bipolar Hemiarthroplasty and Parathyroidectomy at the Same Setting for Fragility Fractures Secondary to Renal Bone Disease. <i>Indian Journal of Orthopaedics</i> , 2020, 54, 81-86.	1.1	0
14	Ensuring Business Continuity of Musculoskeletal Care During the COVID-19 Pandemic. <i>JBJS Open Access</i> , 2020, 5, e0050-e0050.	1.5	10
15	Computed tomography-based diagnosis of occult fragility hip fractures offer shorter waiting times with no inadvertent missed diagnosis. <i>Journal of Orthopaedic Surgery</i> , 2020, 28, 230949902093208.	1.0	1
16	Risk Factors and Trends Associated With Mortality Among Adults With Hip Fracture in Singapore. <i>JAMA Network Open</i> , 2020, 3, e1919706.	5.9	33
17	Sub-optimal serum 25-hydroxyvitamin D level affects 2-year survival after hip fracture surgery. <i>Journal of Bone and Mineral Metabolism</i> , 2020, 38, 555-562.	2.7	6
18	Serum albumin level predicts survival after surgical treatment of metastatic femur fractures: a retrospective study. <i>Journal of Orthopaedic Surgery and Research</i> , 2020, 15, 128.	2.3	5

#	ARTICLE	IF	CITATIONS
19	From "business continuity" to "back to business" for orthopaedic surgeons during the COVID-19 pandemic. <i>Bone & Joint Open</i> , 2020, 1, 222-228.	2.6	2
20	From "business continuity" to "back to business" for orthopaedic surgeons during the COVID-19 pandemic. <i>Bone & Joint Open</i> , 2020, 1, 222-228.	2.6	9
21	Isolated Synovial Osteochondromatosis in a Completely Enclosed Suprapatellar Pouch: A Rare Case Report. <i>Journal of Orthopaedic Case Reports</i> , 2020, 10, 17-20.	0.1	0
22	Comorbidity as the dominant predictor of mortality after hip fracture surgeries. <i>Osteoporosis International</i> , 2019, 30, 2477-2483.	3.1	59
23	Strain behavior of native and reconstructed medial patellofemoral ligaments during dynamic knee flexion - a cadaveric study. <i>Journal of Experimental Orthopaedics</i> , 2019, 6, 31.	1.8	2
24	The prisoner's dilemma in medical sponsorship "and why it just got worse. <i>Proceedings of Singapore Healthcare</i> , 2019, 28, 81-82.	0.6	0
25	Association of the 36-Item Short Form Health Survey Physical Component Summary Score With Patient Satisfaction and Improvement 2 Years After Total Knee Arthroplasty. <i>JAMA Network Open</i> , 2019, 2, e190062.	5.9	12
26	Restoring a functional and mobile shoulder following reconstruction of the sternoclavicular joint with a free vascularized fibular flap. <i>JPRAS Open</i> , 2018, 16, 73-77.	0.9	4
27	Charlson Comorbidity Index Predicts 5-Year Survivorship of Surgically Treated Hip Fracture Patients. <i>Geriatric Orthopaedic Surgery and Rehabilitation</i> , 2018, 9, 215145931880644.	1.4	32
28	The Role of Prefracture Health Status in Physical and Mental Function After Hip Fracture Surgery. <i>Journal of the American Medical Directors Association</i> , 2018, 19, 989-994.e2.	2.5	4
29	Preoperative Anemia, Functional Outcomes, and Quality of Life After Hip Fracture Surgery. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 1524-1531.	2.6	64
30	End-Stage Renal Failure Is an Independent Risk Factor for 1-Year Mortality After Hip Fracture Surgery. <i>Geriatric Orthopaedic Surgery and Rehabilitation</i> , 2018, 9, 215145931877056.	1.4	8
31	The Effect of Comorbidities and Age on Functional Outcomes After Total Knee Arthroplasty in the Octogenarian: A Matched Cohort Study. <i>Geriatric Orthopaedic Surgery and Rehabilitation</i> , 2018, 9, 215145931876950.	1.4	13
32	Comorbidities Have a Greater Impact Than Age Alone in the Outcomes of Octogenarian Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2017, 32, 3373-3378.	3.1	39
33	What Are the Preoperative Outcome Measures That Predispose to Periprosthetic Fractures After Primary Total Knee Arthroplasty?. <i>Journal of Arthroplasty</i> , 2017, 32, 2531-2534.	3.1	15
34	Response to PD Miller, Underdiagnosis and Undertreatment of Osteoporosis: The Battle To Be Won. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 1088-1089.	3.6	1
35	Predictors for Rehabilitation Outcome in Asian Geriatric Hip Fracture Patients. <i>Journal of Orthopaedic Surgery</i> , 2016, 24, 153-157.	1.0	10
36	Ultrasonic Percutaneous Tenotomy for Recalcitrant Lateral Elbow Tendinopathy. <i>American Journal of Sports Medicine</i> , 2016, 44, 504-510.	4.2	60

#	ARTICLE	IF	CITATIONS
37	Drilling the near Cortex with Elongated Figure-of-8 Holes to Reduce the Stiffness of a Locking Compression Plate Construct. <i>Journal of Orthopaedic Surgery</i> , 2015, 23, 336-340.	1.0	2
38	Atypical Fractures Are Mainly Subtrochanteric in Singapore and Diaphyseal in Sweden: A Cross-Sectional Study. <i>Journal of Bone and Mineral Research</i> , 2015, 30, 2127-2132.	2.8	36
39	Four limb amputations due to peripheral gangrene from inotrope use – Case report and review of the literature. <i>International Journal of Surgery Case Reports</i> , 2015, 14, 63-65.	0.6	19
40	Bone cross-sectional geometry is not associated with atypical femoral fractures in Asian female chronic bisphosphonate users. <i>Bone</i> , 2015, 79, 170-175.	2.9	12
41	Bisphosphonate-associated peri-implant fractures: a new clinical entity?. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2015, 86, 622-626.	3.3	24
42	Generalized ligamentous laxity may be a predisposing factor for musculoskeletal injuries. <i>Journal of Science and Medicine in Sport</i> , 2014, 17, 474-478.	1.3	35
43	Recovery of 3D Pose of Bones in Single 2D X-ray Images. <i>Proceedings IEEE Workshop on Applications of Computer Vision</i> , 2007, , .	0.0	3
44	Combining classifiers for bone fracture detection in X-ray images. , 2005, , .		15
45	Detecting femur fractures by texture analysis of trabeculae. , 2004, , .		4