

George Minos

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3822813/publications.pdf>

Version: 2024-02-01

20
papers

193
citations

1163117

8
h-index

1058476

14
g-index

20
all docs

20
docs citations

20
times ranked

262
citing authors

#	ARTICLE	IF	CITATIONS
1	High levels of mislabeling in shark meat – Investigating patterns of species utilization with DNA barcoding in Greek retailers. <i>Food Control</i> , 2019, 98, 179-186.	5.5	49
2	New Mediterranean Biodiversity Records (April 2015). <i>Mediterranean Marine Science</i> , 2015, 16, 266.	1.6	25
3	Comparison of the change in morphological pattern during the growth in length of the grey mullets <i>Liza ramada</i> and <i>Liza saliens</i> from western Greece. <i>Fisheries Research</i> , 1995, 23, 143-155.	1.7	20
4	Genetic identification and phylogenetic inferences in different Mugilidae species using 5S rDNA markers. <i>Aquaculture Research</i> , 2007, 38, 1370-1379.	1.8	15
5	Timing of oocyte recruitment within the ovulatory cycle of Macedonian shad, <i>Alosa macedonica</i> , a batch spawning fish with indeterminate fecundity. <i>Theriogenology</i> , 2020, 146, 31-38.	2.1	13
6	New Fisheries-related data from the Mediterranean Sea (April 2014). <i>Mediterranean Marine Science</i> , 2013, 15, 213.	1.6	13
7	Notes on the distribution and biology of northern brown shrimp <i>Farfantepenaeus aztecus</i> (Ives, 1891) in the eastern Mediterranean. <i>Turkish Journal of Zoology</i> , 2015, 39, 467-473.	0.9	11
8	Discrimination of two picarel species <i>Spicara flexuosa</i> and <i>Spicara maena</i> (Pisces: Centranchidae) based on mitochondrial DNA sequences. <i>Journal of Fish Biology</i> , 2011, 78, 373-377.	1.6	10
9	Use of morphological differences for the identification of two picarel species <i>Spicara flexuosa</i> and <i>Spicara maena</i> (Pisces: Centranchidae). <i>Mediterranean Marine Science</i> , 2013, 14, 26.	1.6	9
10	New Fisheries-related data from the Mediterranean Sea (April 2015). <i>Mediterranean Marine Science</i> , 2015, 16, 285.	1.6	8
11	Sexual maturity of the alien redlip mullet, <i>Liza haematocheilus</i> (Temminck & Schlegel, 1845) in north Aegean Sea (Greece). <i>Journal of Applied Ichthyology</i> , 2010, 26, 96-101.	0.7	5
12	Volatile Organic Compounds and 16S Metabarcoding in Ice-Stored Red Seabream <i>Pagrus major</i> . <i>Foods</i> , 2022, 11, 666.	4.3	5
13	Covariation of trophic and habitat-related traits in chondrostoms (<scp>C</scp>yprinidae): implications for repeated and diversifying evolutionary processes. <i>Journal of Zoology</i> , 2015, 295, 294-305.	1.7	3
14	Evaluation of Helically Coiled and Knitted Open Tubular Reactors for the Efficient Post-Column Determination of Tetrodotoxin by High-Performance Liquid Chromatography. <i>Analytical Letters</i> , 2017, 50, 271-293.	1.8	2
15	Dolphins don't mind hot sauce: testing the effect of gill net coating on depredation rates. <i>Marine Mammal Science</i> , 2022, 38, 1691-1698.	1.8	2
16	Development of an innovative information system: a fish identification e-key with update capabilities. <i>Information Systems and E-Business Management</i> , 2013, 11, 253-264.	3.7	1
17	Morphometric identification of <i>Tylosurus acus imperialis</i> in the North Aegean Sea. <i>Frontiers in Marine Science</i> , 0, 2, .	2.5	1
18	New Fisheries-related data from the Mediterranean Sea (December, 2017). <i>Mediterranean Marine Science</i> , 2018, 18, 557.	1.6	1

#	ARTICLE	IF	CITATIONS
19	An Innovative Decision Making e-key Application For the Identification of Fish Species. Springer Proceedings in Mathematics and Statistics, 2013, , 319-329.	0.2	0
20	Comparison of Greek <i>Sardina pilchardus</i> haplotypes with those found in the global distribution of the species, for characterization of the Greek populations as Protective Geographic Indication (PGI) products. <i>Frontiers in Marine Science</i> , 0, 6, .	2.5	0