

Zhiming Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3854801/publications.pdf>

Version: 2024-02-01

92
papers

6,119
citations

101384

36
h-index

71532

76
g-index

93
all docs

93
docs citations

93
times ranked

5285
citing authors

#	ARTICLE	IF	CITATIONS
1	Construction of sublimable pure organic ionic material with high solid luminescence efficiency based on anion- π^+ interactions tuning strategy. <i>Chemical Engineering Journal</i> , 2022, 433, 133646.	6.6	6
2	Tuning non-radiative decay channels via symmetric/asymmetric substituent effects on phenazine derivatives and their phototherapy switch between dynamic and thermal processes. <i>Materials Chemistry Frontiers</i> , 2022, 6, 316-324.	3.2	3
3	Adjusting and visualizing the stability of an acyl chloride through the delocalization effect and introducing AIEgens. <i>Chemical Communications</i> , 2022, 58, 5769-5772.	2.2	3
4	Aggregation-Induced Emission Luminogen-Based Dual-Mode Enzyme-Linked Immunosorbent Assay for Ultrasensitive Detection of Cancer Biomarkers in a Broad Concentration Range. <i>ACS Sensors</i> , 2022, 7, 766-774.	4.0	13
5	Efficient Ultraviolet Organic Light-Emitting Diodes with a CIEy of 0.04 and Negligible-Efficiency Roll-Off. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 10627-10636.	4.0	19
6	Modulating LUMO extension of Spiro-junction TADF emitters for efficient OLEDs with relieved efficiency Roll-Off. <i>Chemical Engineering Journal</i> , 2022, 437, 135222.	6.6	17
7	Critical Role of High-Lying Triplet States for Efficient Excitons Utilization in High-Performance Non-Doped Deep-Blue Fluorescent and Hybrid White Organic Light-Emitting Diodes. <i>Advanced Optical Materials</i> , 2022, 10, .	3.6	6
8	Photo-Enhanced Chemotherapy Performance in Bladder Cancer Treatment via Albumin Coated AIE Aggregates. <i>ACS Nano</i> , 2022, 16, 7535-7546.	7.3	37
9	Structural modification on tetraphenylpyrazine: from polarity enhanced emission to polarity quenching emission and its intramolecular charge transfer mechanism. <i>Journal of Materials Chemistry C</i> , 2022, 10, 8174-8180.	2.7	13
10	Size Optimization of Organic Nanoparticles with Aggregation-Induced Emission Characteristics for Improved ROS Generation and Photodynamic Cancer Cell Ablation. <i>Small</i> , 2022, 18, .	5.2	21
11	Molecular engineering to achieve AIE-active photosensitizers with NIR emission and rapid ROS generation efficiency. <i>Journal of Materials Chemistry B</i> , 2022, 10, 5272-5278.	2.9	12
12	Visualization of Mitochondria During Embryogenesis in Zebrafish by Aggregation-Induced Emission Molecules. <i>Molecular Imaging and Biology</i> , 2022, 24, 1007-1017.	1.3	1
13	Rapid membrane-specific AIEgen featuring with wash-free imaging and sensitive light-excited killing of cells, bacteria, and fungi. <i>Materials Chemistry Frontiers</i> , 2021, 5, 2724-2729.	3.2	8
14	Aggregation-enhanced emission in tetraphenylpyrazine-based luminogens: theoretical modulation and experimental validation. <i>Materials Chemistry Frontiers</i> , 2021, 5, 5012-5023.	3.2	10
15	Versatile Direct Cyclization Constructs Spiroacridan Derivatives for Highly Efficient TADF emitters. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 12376-12380.	7.2	45
16	A Feasible Strategy of Fabricating Type I Photosensitizer for Photodynamic Therapy in Cancer Cells and Pathogens. <i>ACS Nano</i> , 2021, 15, 7735-7743.	7.3	95
17	Cationic Tricyclic AIEgens for Concomitant Bacterial Discrimination and Inhibition. <i>Advanced Healthcare Materials</i> , 2021, 10, 2100136.	3.9	8
18	Genipin crosslinked gum arabic: Synthesis, characterization, and emulsification properties. <i>Carbohydrate Polymers</i> , 2021, 261, 117880.	5.1	26

#	ARTICLE	IF	CITATIONS
19	Synergistic Enhancement of Fluorescence and Magnetic Resonance Signals Assisted by Albumin Aggregate for Dual-Modal Imaging. <i>ACS Nano</i> , 2021, 15, 9924-9934.	7.3	27
20	Tunable Intramolecular Charge Transfer Effect on Diphenylpyrazine-Based Linear Derivatives and Their Expected Performance in Blue Emitters. <i>Advanced Optical Materials</i> , 2021, 9, 2101085.	3.6	12
21	High-Performance Ultraviolet Organic Light-Emitting Diode Enabled by High-Lying Reverse Intersystem Crossing. <i>Angewandte Chemie</i> , 2021, 133, 22415-22421.	1.6	10
22	High-Performance Ultraviolet Organic Light-Emitting Diode Enabled by High-Lying Reverse Intersystem Crossing. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 22241-22247.	7.2	68
23	Bright near-infrared aggregation-induced emission dots for long-term bioimaging in vitro/vivo. <i>Dyes and Pigments</i> , 2021, 195, 109679.	2.0	8
24	Side by Side Alignment of Donors Enabling High-Efficiency TADF OLEDs with Insensitivity to Doping Concentration. <i>Advanced Optical Materials</i> , 2021, 9, 2101410.	3.6	10
25	Trojan Horse-Like Nano-AIE Aggregates Based on Homologous Targeting Strategy and Their Photodynamic Therapy in Anticancer Application. <i>Advanced Science</i> , 2021, 8, e2102561.	5.6	46
26	Predictable luminescence performance of polyphenylpyrazine derivatives based on a theoretical model via hole-electron overlap. <i>Journal of Materials Chemistry C</i> , 2021, 9, 16619-16625.	2.7	2
27	Tetraphenylbenzsilole: An AIE Building Block for Deep-Blue Emitters with High Performance in Nondoped Spin-Coating OLEDs. <i>Journal of Organic Chemistry</i> , 2020, 85, 158-167.	1.7	26
28	Structural Modification Orientated Multifunctional AIE Fluorescence Probes: Organelles Imaging and Effective Photosensitizer for Photodynamic Therapy. <i>Advanced Optical Materials</i> , 2020, 8, 1901433.	3.6	31
29	Keto-salicylaldehyde azine: asymmetric substituent effect on their optical properties via electron-donating group insertion. <i>Journal of Materials Chemistry C</i> , 2020, 8, 996-1001.	2.7	15
30	Exploration of High Efficiency AIE-Active Deep/Near-Infrared Red Emitters in OLEDs with High-Radiance. <i>Advanced Optical Materials</i> , 2020, 8, 1901520.	3.6	72
31	Efficient Near-Infrared Photosensitizer with Aggregation-Induced Emission for Imaging-Guided Photodynamic Therapy in Multiple Xenograft Tumor Models. <i>ACS Nano</i> , 2020, 14, 854-866.	7.3	161
32	Uncommon Intramolecular Charge Transfer Effect and Its Potential Application in OLED Emitters. <i>Chemical Research in Chinese Universities</i> , 2020, 36, 61-67.	1.3	8
33	Aggregation-Induced Electrochemiluminescence of Tetraphenylbenzsilole Derivatives in an Aqueous Phase System for Ultrasensitive Detection of Hexavalent Chromium. <i>Analytical Chemistry</i> , 2020, 92, 14838-14845.	3.2	32
34	Luminescent two-way reversible shape memory polymers prepared by hydroxyl-ene click polymerization. <i>Journal of Materials Chemistry C</i> , 2020, 8, 16121-16128.	2.7	17
35	Which is a better fluorescent sensor: aggregation-induced emission-based nanofibers or thin-coating films?. <i>Materials Advances</i> , 2020, 1, 574-578.	2.6	9
36	Photoactivatable dihydroalkaloids for cancer cell imaging and chemotherapy with high spatiotemporal resolution. <i>Materials Horizons</i> , 2020, 7, 2696-2701.	6.4	24

#	ARTICLE	IF	CITATIONS
37	Molecular Motions in AIEgen Crystals: Turning on Photoluminescence by Force-Induced Filament Sliding. <i>Journal of the American Chemical Society</i> , 2020, 142, 14608-14618.	6.6	62
38	Molecular Engineering to Boost AIE-Active Free Radical Photogenerators and Enable High-Performance Photodynamic Therapy under Hypoxia. <i>Advanced Functional Materials</i> , 2020, 30, 2002057.	7.8	208
39	Photo-induced crystallization with emission enhancement (PICEE). <i>Materials Horizons</i> , 2020, 7, 3005-3010.	6.4	11
40	Facile fabrication of self-shrinkable AIE supramolecular gels based on benzophenone salicylaldehyde hydrazine derivatives. <i>Journal of Materials Chemistry C</i> , 2020, 8, 13705-13711.	2.7	9
41	Delicate modulation of triplet energy levels for activating "hot excitons" channels in deep red AIEgens. <i>Journal of Materials Chemistry C</i> , 2020, 8, 14146-14154.	2.7	16
42	Keto-salicylaldehyde azine: a kind of novel building block for AIEgens and its application in tracking lipid droplets. <i>Materials Chemistry Frontiers</i> , 2020, 4, 3094-3102.	3.2	11
43	Achievement of High-Performance Nondoped Blue OLEDs Based on AIEgens via Construction of Effective High-Lying Charge-Transfer State. <i>Advanced Optical Materials</i> , 2020, 8, 1902195.	3.6	29
44	A Multifunctional Blue-Emitting Material Designed via Tuning Distribution of Hybridized Excited State for High-Performance Blue and Host-Sensitized OLEDs. <i>Advanced Functional Materials</i> , 2020, 30, 2002323.	7.8	108
45	Planarized intramolecular charge transfer on triphenylamine-modified pyrazine and its application in organic light-emitting diodes. <i>Journal of Materials Chemistry C</i> , 2020, 8, 4754-4762.	2.7	21
46	Aggregation-induced emission luminogen for specific identification of malignant tumour in vivo. <i>Science China Chemistry</i> , 2020, 63, 393-397.	4.2	9
47	Each phenyl group performs its own functions on luminescence: phenyl substituted effect in tetraphenylpyrazine. <i>Materials Chemistry Frontiers</i> , 2020, 4, 1706-1713.	3.2	14
48	Tetraphenylpyrazine decorated 1,3-di(9H-carbazol-9-yl)benzene (mCP): a new AIE-active host with enhanced performance in organic light-emitting diodes. <i>Journal of Materials Chemistry C</i> , 2019, 7, 11160-11166.	2.7	10
49	Visualizing Dynamic Performance of Lipid Droplets in a Parkinson's Disease Model via a Smart Photostable Aggregation-Induced Emission Probe. <i>IScience</i> , 2019, 21, 261-272.	1.9	22
50	Robust luminescent small molecules with aggregation-induced delayed fluorescence for efficient solution-processed OLEDs. <i>Journal of Materials Chemistry C</i> , 2019, 7, 330-339.	2.7	42
51	Novel Strategy for Constructing High Efficiency OLED Emitters with Excited State Quinone-Conformation Induced Planarization Process. <i>Advanced Optical Materials</i> , 2019, 7, 1900283.	3.6	34
52	Creation of Efficient Blue Aggregation-Induced Emission Luminogens for High-Performance Nondoped Blue OLEDs and Hybrid White OLEDs. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 17592-17601.	4.0	93
53	Feasible structure-modification strategy for inhibiting aggregation-caused quenching effect and constructing exciton conversion channels in acridone-based emitters. <i>Physical Chemistry Chemical Physics</i> , 2019, 21, 9837-9844.	1.3	20
54	Synergistic tuning of the optical and electrical performance of AIEgens with a hybridized local and charge-transfer excited state. <i>Journal of Materials Chemistry C</i> , 2019, 7, 6359-6368.	2.7	82

#	ARTICLE	IF	CITATIONS
55	Intriguing "chameleon" fluorescent bioprobes for the visualization of lipid droplet-lysosome interplay. <i>Biomaterials</i> , 2019, 203, 43-51.	5.7	61
56	Fluorescent aggregation-induced emission (AIE)-based thermosetting electrospun nanofibers: fabrication, properties and applications. <i>Materials Chemistry Frontiers</i> , 2019, 3, 2491-2498.	3.2	46
57	Triphenylpyrazine: methyl substitution to achieve deep blue AIE emitters. <i>Journal of Materials Chemistry C</i> , 2019, 7, 13047-13051.	2.7	17
58	A Photostable AIEgen for Specific and Real-time Monitoring of Lysosomal Processes. <i>Chemistry - an Asian Journal</i> , 2019, 14, 1662-1666.	1.7	16
59	Dual-Mode Ultrasensitive Detection of Nucleic Acids via an Aqueous "Seesaw" Strategy by Combining Aggregation-Induced Emission and Plasmonic Colorimetry. <i>ACS Applied Nano Materials</i> , 2019, 2, 163-169.	2.4	8
60	Tetraphenylpyrazine Based AIE Luminogens: Unique Excited State Decay and Its Application in Deep-Blue Light-Emitting Diodes. <i>Advanced Optical Materials</i> , 2019, 7, 1801673.	3.6	33
61	Tetraphenylpyrazine-based luminogens with full-colour emission. <i>Materials Chemistry Frontiers</i> , 2018, 2, 1310-1316.	3.2	44
62	Electronic effect on the optical properties and sensing ability of AIEgens with ESIPT process based on salicylaldehyde azine. <i>Science China Chemistry</i> , 2018, 61, 76-87.	4.2	51
63	Materials interaction in aggregation-induced emission (AIE)-based fluorescent resin for smart coatings. <i>Journal of Materials Chemistry C</i> , 2018, 6, 12849-12857.	2.7	57
64	Selective and sensitive fluorescent probes for metal ions based on AIE dots in aqueous media. <i>Journal of Materials Chemistry C</i> , 2018, 6, 11261-11265.	2.7	29
65	Specific discrimination of gram-positive bacteria and direct visualization of its infection towards mammalian cells by a DPAN-based AIEgen. <i>Biomaterials</i> , 2018, 187, 47-54.	5.7	73
66	Fluorescent Sensor Array for Highly Efficient Microbial Lysate Identification through Competitive Interactions. <i>ACS Sensors</i> , 2018, 3, 2218-2222.	4.0	42
67	Sulfur-bridged tetraphenylethylene AIEgens for deep-blue organic light-emitting diodes. <i>Journal of Materials Chemistry C</i> , 2018, 6, 6534-6542.	2.7	30
68	Multiplexed imaging detection of live cell intracellular changes in early apoptosis with aggregation-induced emission fluorogens. <i>Science China Chemistry</i> , 2018, 61, 892-897.	4.2	29
69	Efficient Bipolar Blue AIEgens for High-Performance Nondoped Blue OLEDs and Hybrid White OLEDs. <i>Advanced Functional Materials</i> , 2018, 28, 1803369.	7.8	130
70	Theoretical investigation of high-efficiency organic electroluminescent material: HLCT state and hot exciton process. <i>RSC Advances</i> , 2017, 7, 19576-19583.	1.7	48
71	Preparation of 9,10-diarylphenanthrene derivative and its application in full color emitters synthesis. <i>Chemical Research in Chinese Universities</i> , 2017, 33, 574-580.	1.3	1
72	Specific Fluorescence Probes for Lipid Droplets Based on Simple AIEgens. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 10193-10200.	4.0	132

#	ARTICLE	IF	CITATIONS
73	A Lysosome-Targeting AIEgen for Autophagy Visualization. <i>Advanced Healthcare Materials</i> , 2016, 5, 427-431.	3.9	65
74	Towards stable deep-blue emission and low efficiency roll-off in OLEDs based on phenanthroimidazole dimers. <i>Journal of Materials Chemistry C</i> , 2016, 4, 1886-1894.	2.7	40
75	Synthesis and application of functionalized ionic liquids as solvent to corn stalk for phenolic resin modification. <i>E-Polymers</i> , 2015, 15, 195-201.	1.3	7
76	Isomers of Pyrene-Imidazole Compounds: Synthesis and Configuration Effect on Optical Properties. <i>Organic Letters</i> , 2015, 17, 6138-6141.	2.4	47
77	Achieving a Significantly Increased Efficiency in Nondoped Pure Blue Fluorescent OLED: A Quasi-Equivalent Hybridized Excited State. <i>Advanced Functional Materials</i> , 2015, 25, 1755-1762.	7.8	381
78	Synthesis of polyether imidazole ionic liquid and its modification on polypropylene crystal structure and mechanical properties. <i>E-Polymers</i> , 2015, 15, 33-37.	1.3	2
79	The effect of meta coupling on colour purity, quantum yield, and exciton utilizing efficiency in deep-blue emitters from phenanthroimidazole isomers. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 31894-31901.	1.3	15
80	Dimeric phenanthroimidazole for blue electroluminescent materials: the effect of substituted position attached to biphenyl center. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 10837-10843.	1.3	54
81	Construction of high efficiency non-doped deep blue emitters based on phenanthroimidazole: remarkable substitution effects on the excited state properties and device performance. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 20772-20779.	1.3	65
82	High-efficiency deep blue fluorescent emitters based on phenanthro[9,10-d]imidazole substituted carbazole and their applications in organic light emitting diodes. <i>Organic Electronics</i> , 2014, 15, 2667-2676.	1.4	94
83	A triphenylamine-capped solution-processable wholly aromatic organic molecule with electrochemical stability and its potential application in photovoltaic devices. <i>New Journal of Chemistry</i> , 2013, 37, 2440.	1.4	23
84	Efficient Solid Emitters with Aggregation-Induced Emission and Intramolecular Charge Transfer Characteristics: Molecular Design, Synthesis, Photophysical Behaviors, and OLED Application. <i>Chemistry of Materials</i> , 2012, 24, 1518-1528.	3.2	472
85	A Twisting Donor-Acceptor Molecule with an Intercrossed Excited State for Highly Efficient, Deep-Blue Electroluminescence. <i>Advanced Functional Materials</i> , 2012, 22, 2797-2803.	7.8	614
86	Phenanthro[9,10-d]imidazole as a new building block for blue light emitting materials. <i>Journal of Materials Chemistry</i> , 2011, 21, 5451.	6.7	229
87	Full emission color tuning in luminogens constructed from tetraphenylethene, benzo-2,1,3-thiadiazole and thiophene building blocks. <i>Chemical Communications</i> , 2011, 47, 8847.	2.2	175
88	Pyrene-substituted ethenes: aggregation-enhanced excimer emission and highly efficient electroluminescence. <i>Journal of Materials Chemistry</i> , 2011, 21, 7210.	6.7	206
89	Molecular anchors in the solid state: Restriction of intramolecular rotation boosts emission efficiency of luminogen aggregates to unity. <i>Chemical Science</i> , 2011, 2, 672-675.	3.7	216
90	Changing the Behavior of Chromophores from Aggregation-Caused Quenching to Aggregation-Induced Emission: Development of Highly Efficient Light Emitters in the Solid State. <i>Advanced Materials</i> , 2010, 22, 2159-2163.	11.1	834

#	ARTICLE	IF	CITATIONS
91	Precise modulation of the triplet state distribution for high-efficiency non-doped standard saturated red OLEDs. Journal of Materials Chemistry C, 0, , .	2.7	8
92	Efficient thermally activated delayed fluorescence emitters based on a parallelly aligned bi-spiro-acridine donor. Journal of Materials Chemistry C, 0, , .	2.7	3