

Kyoung Sook Park

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3860951/publications.pdf>

Version: 2024-02-01

25
papers

516
citations

759233

12
h-index

677142

22
g-index

25
all docs

25
docs citations

25
times ranked

1001
citing authors

#	ARTICLE	IF	CITATIONS
1	Sleep apnea is associated with residual kidney function and mortality in patients with peritoneal dialysis: Prospective cohort study. <i>Seminars in Dialysis</i> , 2022, 35, 146-153.	1.3	5
2	Mixed- versus predilution hemodiafiltration effects on convection volume and small and middle molecule clearance in hemodialysis patients: a prospective randomized controlled trial. <i>Kidney Research and Clinical Practice</i> , 2021, 40, 445-456.	2.2	5
3	Prognostic Value of Residual Urine Volume, GFR by 24-hour Urine Collection, and eGFR in Patients Receiving Dialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017, 12, 426-434.	4.5	39
4	Delta neutrophil index is an independent predictor of mortality in septic acute kidney injury patients treated with continuous renal replacement therapy. <i>BMC Nephrology</i> , 2017, 18, 94.	1.8	8
5	Selective tubular activation of hypoxia-inducible factor-2 α has dual effects on renal fibrosis. <i>Scientific Reports</i> , 2017, 7, 11351.	3.3	30
6	Changes in geriatric nutritional risk index and risk of major adverse cardiac and cerebrovascular events in incident peritoneal dialysis patients. <i>Kidney Research and Clinical Practice</i> , 2017, 36, 377-386.	2.2	13
7	Cystatin C is Better than Serum Creatinine for Estimating Glomerular Filtration Rate to Detect Osteopenia in Chronic Kidney Disease Patients. <i>Yonsei Medical Journal</i> , 2017, 58, 380.	2.2	4
8	Fatty liver associated with metabolic derangement in patients with chronic kidney disease: A controlled attenuation parameter study. <i>Kidney Research and Clinical Practice</i> , 2017, 36, 48-57.	2.2	5
9	Glomerular IgG deposition predicts renal outcome in patients with IgA nephropathy. <i>Modern Pathology</i> , 2016, 29, 743-752.	5.5	31
10	Normal body mass index with central obesity has increased risk of coronary artery calcification in Korean patients with chronic kidney disease. <i>Kidney International</i> , 2016, 90, 1368-1376.	5.2	16
11	The Effect of Specialized Continuous Renal Replacement Therapy Team in Acute Kidney Injury Patients Treatment. <i>Yonsei Medical Journal</i> , 2015, 56, 658.	2.2	22
12	Modified Peritoneal Dialysis Catheter Insertion: Comparison with a Conventional Method. <i>Yonsei Medical Journal</i> , 2015, 56, 981.	2.2	8
13	Serum Ferritin Predicts Mortality Regardless of Inflammatory and Nutritional Status in Patients Starting Dialysis: A Prospective Cohort Study. <i>Blood Purification</i> , 2015, 40, 209-217.	1.8	13
14	An Increase in Mean Platelet Volume from Baseline Is Associated with Mortality in Patients with Severe Sepsis or Septic Shock. <i>PLoS ONE</i> , 2015, 10, e0119437.	2.5	101
15	Irisin, a novel myokine is an independent predictor for sarcopenia and carotid atherosclerosis in dialysis patients. <i>Atherosclerosis</i> , 2015, 242, 476-482.	0.8	75
16	Can mean platelet volume predict the prognosis of patients with acute kidney injury requiring continuous renal replacement therapy? Response to comments. <i>Journal of Critical Care</i> , 2015, 30, 208.	2.2	0
17	Albuminuria as a Risk Factor for Anemia in Chronic Kidney Disease: Result from the KoreaN Cohort Study for Outcomes in Patients With Chronic Kidney Disease (KNOW-CKD). <i>PLoS ONE</i> , 2015, 10, e0139747.	2.5	8
18	Optimal Proteinuria Target for Renoprotection in Patients with IgA Nephropathy. <i>PLoS ONE</i> , 2014, 9, e0101935.	2.5	21

#	ARTICLE	IF	CITATIONS
19	Using the Oxford classification of IgA nephropathy to predict long-term outcomes of Henoch-Schönlein purpura nephritis in adults. <i>Modern Pathology</i> , 2014, 27, 972-982.	5.5	59
20	Comparison of the Haas and the Oxford classifications for prediction of renal outcome in patients with IgA nephropathy. <i>Human Pathology</i> , 2014, 45, 236-243.	2.0	30
21	Mean platelet volume is a prognostic factor in patients with acute kidney injury requiring continuous renal replacement therapy. <i>Journal of Critical Care</i> , 2014, 29, 1016-1021.	2.2	21
22	Vascular Soft-Tissue Sarcomas: A Prognostic Model from a Retrospective Single-Center Study. <i>Oncology</i> , 2014, 86, 329-335.	1.9	0
23	Clinical Remission of Renal Amyloidosis after Autologous Peripheral Blood Stem Cell Transplantation. <i>The Ewha Medical Journal</i> , 2013, 36, S25.	0.2	0
24	Minimal Change Disease in Systemic Lupus: Another Renal Manifestation of Lupus?. <i>The Ewha Medical Journal</i> , 2013, 36, 139.	0.2	1
25	Successful Sirolimus Treatment of Multiple Visceral Kaposi's Sarcoma in a Renal Allograft Patient. <i>The Journal of the Korean Society for Transplantation</i> , 2012, 26, 293.	0.2	1