

Luis Macias-Kauffer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3870487/publications.pdf>

Version: 2024-02-01

17
papers

318
citations

1162889
8
h-index

887953
17
g-index

17
all docs

17
docs citations

17
times ranked

629
citing authors

#	ARTICLE	IF	CITATIONS
1	The Genetic Architecture of Diet-Induced Hepatic Fibrosis in Mice. <i>Hepatology</i> , 2018, 68, 2182-2196.	3.6	51
2	An Amino Acid Signature Associated with Obesity Predicts 2-Year Risk of Hypertriglyceridemia in School-Age Children. <i>Scientific Reports</i> , 2017, 7, 5607.	1.6	43
3	Environmental and intrinsic factors shaping gut microbiota composition and diversity and its relation to metabolic health in children and early adolescents: A population-based study. <i>Gut Microbes</i> , 2020, 11, 900-917.	4.3	39
4	Low Salivary Amylase Gene (AMY1) Copy Number Is Associated with Obesity and Gut Prevotella Abundance in Mexican Children and Adults. <i>Nutrients</i> , 2018, 10, 1607.	1.7	36
5	A Multi-Omic Analysis for Low Bone Mineral Density in Postmenopausal Women Suggests a Relationship between Diet, Metabolites, and Microbiota. <i>Microorganisms</i> , 2020, 8, 1630.	1.6	30
6	Influence of Genetic and Non-Genetic Risk Factors for Serum Uric Acid Levels and Hyperuricemia in Mexicans. <i>Nutrients</i> , 2019, 11, 1336.	1.7	28
7	Genetic variants in COL13A1, ADIPOQ and SAMM50 , in addition to the PNPLA3 gene, confer susceptibility to elevated transaminase levels in an admixed Mexican population. <i>Experimental and Molecular Pathology</i> , 2018, 104, 50-58.	0.9	25
8	Genetic contributors to serum uric acid levels in Mexicans and their effect on premature coronary artery disease. <i>International Journal of Cardiology</i> , 2019, 279, 168-173.	0.8	15
9	Association of FTO, ABCA1, ADRB3, and PPARG variants with obesity, type 2 diabetes, and metabolic syndrome in a Northwest Mexican adult population. <i>Journal of Diabetes and Its Complications</i> , 2021, 35, 108025.	1.2	12
10	Genome-Wide Association Study Identifies a Functional <i>SIRT2</i> Variant Associated With HDL-C (High-Density Lipoprotein Cholesterol) Levels and Premature Coronary Artery Disease, Arteriosclerosis, Thrombosis, and Vascular Biology, 2021, 41, 2494-2508.	1.1	10
11	A higher bacterial inward BCAA transport driven by <i>Faecalibacterium prausnitzii</i> is associated with lower serum levels of BCAA in early adolescents. <i>Molecular Medicine</i> , 2021, 27, 108.	1.9	9
12	Effect of Gut Microbial Enterotypes on the Association between Habitual Dietary Fiber Intake and Insulin Resistance Markers in Mexican Children and Adults. <i>Nutrients</i> , 2021, 13, 3892.	1.7	6
13	Depression polygenic scores are associated with major depressive disorder diagnosis and depressive episode in Mexican adolescents. <i>Journal of Affective Disorders Reports</i> , 2020, 2, 100028.	0.9	4
14	A Longitudinal 1H NMR-Based Metabolic Profile Analysis of Urine from Hospitalized Premature Newborns Receiving Enteral and Parenteral Nutrition. <i>Metabolites</i> , 2022, 12, 255.	1.3	4
15	A combined linkage and association strategy identifies a variant near the <i>GSTP1</i> gene associated with BMI in the Mexican population. <i>Journal of Human Genetics</i> , 2017, 62, 413-418.	1.1	3
16	Impact of COMT, PRODH and DISC1 Genetic Variants on Cognitive Performance of Patients with Schizophrenia. <i>Archives of Medical Research</i> , 2022, 53, 388-398.	1.5	2
17	Fine mapping and identification of serum urate loci in American Indians: The Strong Heart Family Study. <i>Scientific Reports</i> , 2019, 9, 17899.	1.6	1