

Herbert Noack

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3925035/herbert-noack-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

18
papers

906
citations

15
h-index

19
g-index

19
ext. papers

1,018
ext. citations

4.5
avg, IF

3.61
L-index

#	Paper	IF	Citations
18	Critical appraisal of network meta-analyses evaluating the efficacy and safety of new oral anticoagulants in atrial fibrillation stroke prevention trials. <i>Value in Health</i> , 2015 , 18, 234-49	3.3	18
17	Comparison of Characteristics and Outcomes of Dabigatran Versus Warfarin in Hypertensive Patients With Atrial Fibrillation (from the RE-LY Trial). <i>American Journal of Cardiology</i> , 2015 , 116, 1204-9 ³		4 ²
16	Perioperative bridging anticoagulation during dabigatran or warfarin interruption among patients who had an elective surgery or procedure. Substudy of the RE-LY trial. <i>Thrombosis and Haemostasis</i> , 2015 , 113, 625-32	7	15 ⁸
15	Anticoagulant-related gastrointestinal bleeding--could this facilitate early detection of benign or malignant gastrointestinal lesions?. <i>Annals of Medicine</i> , 2014 , 46, 672-8	1.5	36
14	Efficacy and cost-effectiveness of dabigatran etexilate versus warfarin in atrial fibrillation in different age subgroups. <i>American Journal of Cardiology</i> , 2014 , 114, 849-55	3	15
13	Twice- or once-daily dosing of novel oral anticoagulants for stroke prevention: a fixed-effects meta-analysis with predefined heterogeneity quality criteria. <i>PLoS ONE</i> , 2014 , 9, e99276	3.7	27
12	Comparison of the cost-effectiveness of new oral anticoagulants for the prevention of stroke and systemic embolism in atrial fibrillation in a UK setting. <i>Clinical Therapeutics</i> , 2014 , 36, 2015-2028.e2	3.5	30
11	Patient outcomes using the European label for dabigatran. A post-hoc analysis from the RE-LY database. <i>Thrombosis and Haemostasis</i> , 2014 , 111, 933-42	7	82
10	Major bleeding in patients with atrial fibrillation receiving vitamin K antagonists: a systematic review of randomized and observational studies. <i>Europace</i> , 2013 , 15, 787-97	3.9	52
9	Dabigatran etexilate and concomitant use of non-steroidal anti-inflammatory drugs or acetylsalicylic acid in patients undergoing total hip and total knee arthroplasty: no increased risk of bleeding. <i>Thrombosis and Haemostasis</i> , 2012 , 108, 183-90	7	17
8	A comparison of dabigatran etexilate with warfarin in patients with mechanical heart valves: THE Randomized, phase II study to evaluate the safety and pharmacokinetics of oral dabigatran etexilate in patients after heart valve replacement (RE-ALIGN). <i>American Heart Journal</i> , 2012 , 163, 931-937.e1	4.9	139
7	Type of anaesthesia and the safety and efficacy of thromboprophylaxis with enoxaparin or dabigatran etexilate in major orthopaedic surgery: pooled analysis of three randomized controlled trials. <i>Thrombosis Journal</i> , 2012 , 10, 9	5.6	14
6	Efficacy and safety of dabigatran compared to warfarin in patients with paroxysmal, persistent, and permanent atrial fibrillation: results from the RE-LY (Randomized Evaluation of Long-Term Anticoagulation Therapy) study. <i>Journal of the American College of Cardiology</i> , 2012 , 59, 854-5	15.1	60
5	Dabigatran is effective with a favourable safety profile in normal and overweight patients undergoing major orthopaedic surgery: a pooled analysis. <i>Thrombosis Research</i> , 2012 , 130, 818-20	8.2	15
4	Thromboprophylaxis in patients older than 75 years or with moderate renal impairment undergoing knee or hip replacement surgery [corrected]. <i>International Orthopaedics</i> , 2012 , 36, 741-8	3.8	21
3	Economic evaluation of dabigatran etexilate for the prevention of venous thromboembolism in patients aged over 75 years or with moderate renal impairment undergoing total knee or hip replacement. <i>Thrombosis and Haemostasis</i> , 2010 , 103, 360-71	7	26
2	Treatments for stroke prevention in atrial fibrillation: a network meta-analysis and indirect comparisons versus dabigatran etexilate. <i>Thrombosis and Haemostasis</i> , 2010 , 104, 1106-15	7	90

- 1 Are large optic nerve heads susceptible to glaucomatous damage at normal intraocular pressure? A three-dimensional study by laser scanning tomography. *Graefes Archive for Clinical and Experimental Ophthalmology*, **1992**, 230, 552-60 3.8 62