Karen D Ersche

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3929331/publications.pdf

Version: 2024-02-01

			126708	71532
	79	6,519	33	76
	papers	citations	h-index	g-index
ĺ				
	81	81	81	7356
	all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Neurocognitive endophenotypes of impulsivity and compulsivity: towards dimensional psychiatry. Trends in Cognitive Sciences, 2012, 16, 81-91.	4.0	829
2	Abnormal Brain Structure Implicated in Stimulant Drug Addiction. Science, 2012, 335, 601-604.	6.0	484
3	Drug Addiction and the Memory Systems of the Brain. Annals of the New York Academy of Sciences, 2008, 1141, 1-21.	1.8	454
4	Drug Addiction Endophenotypes: Impulsive Versus Sensation-Seeking Personality Traits. Biological Psychiatry, 2010, 68, 770-773.	0.7	352
5	Abnormal structure of frontostriatal brain systems is associated with aspects of impulsivity and compulsivity in cocaine dependence. Brain, 2011, 134, 2013-2024.	3.7	338
6	A wavelet method for modeling and despiking motion artifacts from resting-state fMRI time series. Neurolmage, 2014, 95, 287-304.	2.1	336
7	Reflection Impulsivity in Current and Former Substance Users. Biological Psychiatry, 2006, 60, 515-522.	0.7	302
8	Profile of Executive and Memory Function Associated with Amphetamine and Opiate Dependence. Neuropsychopharmacology, 2006, 31, 1036-1047.	2.8	250
9	Chronic cocaine but not chronic amphetamine use is associated with perseverative responding in humans. Psychopharmacology, 2008, 197, 421-431.	1.5	229
10	Cognitive Dysfunction and Anxious-Impulsive Personality Traits Are Endophenotypes for Drug Dependence. American Journal of Psychiatry, 2012, 169, 926-936.	4.0	215
11	Carrots and sticks fail to change behavior in cocaine addiction. Science, 2016, 352, 1468-1471.	6.0	189
12	Meta-analysis of structural brain abnormalities associated with stimulant drug dependence and neuroimaging of addiction vulnerability and resilience. Current Opinion in Neurobiology, 2013, 23, 615-624.	2.0	188
13	Abnormal frontal activations related to decision-making in current and former amphetamine and opiate dependent individuals. Psychopharmacology, 2005, 180, 612-623.	1.5	174
14	The Neuropsychology of Amphetamine and Opiate Dependence: Implications for Treatment. Neuropsychology Review, 2007, 17, 317-336.	2.5	123
15	The Orbital Prefrontal Cortex and Drug Addiction in Laboratory Animals and Humans. Annals of the New York Academy of Sciences, 2007, 1121, 576-597.	1.8	122
16	Response Perseveration in Stimulant Dependence Is Associated with Striatal Dysfunction and Can Be Ameliorated by a D2/3 Receptor Agonist. Biological Psychiatry, 2011, 70, 754-762.	0.7	113
17	Distinctive Personality Traits and Neural Correlates Associated with Stimulant Drug Use Versus Familial Risk of Stimulant Dependence. Biological Psychiatry, 2013, 74, 137-144.	0.7	109
18	Increased body mass index is associated with specific regional alterations in brain structure. International Journal of Obesity, 2016, 40, 1177-1182.	1.6	107

#	Article	IF	Citations
19	Influence of Compulsivity of Drug Abuse on Dopaminergic Modulation of Attentional Bias in Stimulant Dependence. Archives of General Psychiatry, 2010, 67, 632.	13.8	94
20	Creature of Habit: A self-report measure of habitual routines and automatic tendencies in everyday life. Personality and Individual Differences, 2017, 116, 73-85.	1.6	89
21	Brain networks underlying vulnerability and resilience to drug addiction. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 15253-15261.	3.3	86
22	The skinny on cocaine: Insights into eating behavior and body weight in cocaine-dependent men. Appetite, 2013, 71, 75-80.	1.8	75
23	Computational modelling reveals contrasting effects on reinforcement learning and cognitive flexibility in stimulant use disorder and obsessive-compulsive disorder: remediating effects of dopaminergic D2/3 receptor agents. Psychopharmacology, 2019, 236, 2337-2358.	1.5	64
24	Brain functional connectivity in stimulant drug dependence and obsessive–compulsive disorder. Neurolmage, 2012, 59, 1461-1468.	2.1	63
25	Cocaine dependence: a fast-track for brain ageing?. Molecular Psychiatry, 2013, 18, 134-135.	4.1	62
26	Differences in orbitofrontal activation during decision-making between methadone-maintained opiate users, heroin users and healthy volunteers. Psychopharmacology, 2006, 188, 364-373.	1.5	57
27	Prefrontal Hypoactivity Associated with Impaired Inhibition in Stimulant-Dependent Individuals but Evidence for Hyperactivation in their Unaffected Siblings. Neuropsychopharmacology, 2013, 38, 1945-1953.	2.8	54
28	Punishment Induces Risky Decision-Making in Methadone-Maintained Opiate Users but not in Heroin Users or Healthy Volunteers. Neuropsychopharmacology, 2005, 30, 2115-2124.	2.8	53
29	Peripheral biomarkers of cognitive response to dopamine receptor agonist treatment. Psychopharmacology, 2011, 214, 779-789.	1.5	48
30	Disrupted iron regulation in the brain and periphery in cocaine addiction. Translational Psychiatry, 2017, 7, e1040-e1040.	2.4	47
31	Aberrant Disgust Responses and Immune Reactivity in Cocaine-Dependent Men. Biological Psychiatry, 2014, 75, 140-147.	0.7	46
32	Impaired visuospatial associative memory and attention in obsessive compulsive disorder but no evidence for differential dopaminergic modulation. Psychopharmacology, 2010, 212, 357-367.	1.5	41
33	Neural circuitry and mechanisms of waiting impulsivity: relevance to addiction. Philosophical Transactions of the Royal Society B: Biological Sciences, 2019, 374, 20180145.	1.8	40
34	Enhanced Orbitofrontal Cortex Function and Lack of Attentional Bias to Cocaine Cues in Recreational Stimulant Users. Biological Psychiatry, 2014, 75, 124-131.	0.7	38
35	Dopaminergic drug treatment remediates exaggerated cingulate prediction error responses in obsessive-compulsive disorder. Psychopharmacology, 2019, 236, 2325-2336.	1.5	33
36	Cognitive control dysfunction and abnormal frontal cortex activation in stimulant drug users and their biological siblings. Translational Psychiatry, 2013, 3, e257-e257.	2.4	32

#	Article	IF	Citations
37	Goal-Directed and Habitual Control in Smokers. Nicotine and Tobacco Research, 2020, 22, 188-195.	1.4	31
38	Naltrexone ameliorates functional network abnormalities in alcoholâ€dependent individuals. Addiction Biology, 2018, 23, 425-436.	1.4	30
39	Impulsivity and compulsivity are differentially associated with automaticity and routine on the Creature of Habit Scale. Personality and Individual Differences, 2019, 150, 109493.	1.6	30
40	Reduced Glutamate Turnover in the Putamen Is Linked With Automatic Habits in Human Cocaine Addiction. Biological Psychiatry, 2021, 89, 970-979.	0.7	29
41	Acute D3 Antagonist GSK598809 Selectively Enhances Neural Response During Monetary Reward Anticipation in Drug and Alcohol Dependence. Neuropsychopharmacology, 2017, 42, 1049-1057.	2.8	28
42	The Imperial College Cambridge Manchester (ICCAM) platform study: An experimental medicine platform for evaluating new drugs for relapse prevention in addiction. Part A: Study description. Journal of Psychopharmacology, 2015, 29, 943-960.	2.0	27
43	Impulsivity in abstinent alcohol and polydrug dependence: a multidimensional approach. Psychopharmacology, 2016, 233, 1487-1499.	1.5	26
44	Acute naltrexone does not remediate frontoâ€striatal disturbances in alcoholic and alcoholic polysubstanceâ€dependent populations during a monetary incentive delay task. Addiction Biology, 2017, 22, 1576-1589.	1.4	26
45	Cocaine's appetite for fat and the consequences on body weight. American Journal of Drug and Alcohol Abuse, 2015, 41, 115-118.	1.1	25
46	In the face of threat: neural and endocrine correlates of impaired facial emotion recognition in cocaine dependence. Translational Psychiatry, 2015, 5, e570-e570.	2.4	23
47	Impairments in reinforcement learning do not explain enhanced habit formation in cocaine use disorder. Psychopharmacology, 2019, 236, 2359-2371.	1.5	22
48	Inflammation and infection in human cocaine addiction. Current Opinion in Behavioral Sciences, 2017, 13, 203-209.	2.0	20
49	Using a drug-word Stroop task to differentiate recreational from dependent drug use. CNS Spectrums, 2014, 19, 247-255.	0.7	19
50	Effects of naltrexone are influenced by childhood adversity during negative emotional processing in addiction recovery. Translational Psychiatry, 2017, 7, e1054-e1054.	2.4	18
51	Differences in self-reported decision-making styles in stimulant-dependent and opiate-dependent individuals. Psychiatry Research, 2011, 186, 437-440.	1.7	17
52	Overlapping decline in orbitofrontal gray matter volume related to cocaine use and body mass index. Addiction Biology, 2015, 20, 194-196.	1.4	17
53	Effects of familial risk and stimulant drug use on the anticipation of monetary reward: an fMRI study. Translational Psychiatry, 2019, 9, 65.	2.4	17
54	Who Do You Think Is in Control in Addiction? A Pilot Study on Drug-related Locus of Control Beliefs. Addictive Disorders and Their Treatment, 2012, 11, 195-205.	0.5	16

#	Article	IF	CITATIONS
55	Atomoxetine effects on attentional bias to drug-related cues in cocaine dependent individuals. Psychopharmacology, 2017, 234, 2289-2297.	1.5	16
56	The ICCAM platform study: An experimental medicine platform for evaluating new drugs for relapse prevention in addiction. Part B: fMRI description. Journal of Psychopharmacology, 2017, 31, 3-16.	2.0	16
57	Take it or leave it: prefrontal control in recreational cocaine users. Translational Psychiatry, 2015, 5, e582-e582.	2.4	15
58	BMI-related cortical morphometry changes are associated with altered white matter structure. International Journal of Obesity, 2019, 43, 523-532.	1.6	14
59	Determination of atomoxetine or escitalopram in human plasma by HPLC: Applications in neuroscience research studies. International Journal of Clinical Pharmacology and Therapeutics, 2020, 58, 426-438.	0.3	14
60	Naltrexone differentially modulates the neural correlates of motor impulse control in abstinent alcoholâ€dependent and polysubstanceâ€dependent individuals. European Journal of Neuroscience, 2019, 50, 2311-2321.	1.2	11
61	Impaired Learning From Negative Feedback in Stimulant Use Disorder: Dopaminergic Modulation. International Journal of Neuropsychopharmacology, 2021, 24, 867-878.	1.0	11
62	Disturbances across whole brain networks during reward anticipation in an abstinent addiction population. Neurolmage: Clinical, 2020, 27, 102297.	1.4	10
63	Amisulpride-induced acute akathisia in OCD: an example of dysfunctional dopamine–serotonin interactions?. Journal of Psychopharmacology, 2012, 26, 887-890.	2.0	9
64	Network failures: When incentives trigger impulsive responses. Human Brain Mapping, 2020, 41, 2216-2228.	1.9	8
65	Prefrontal Cortex Activation and Stopping Performance Underlie the Beneficial Effects of Atomoxetine on Response Inhibition in Healthy Volunteers and Those With Cocaine Use Disorder. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2022, 7, 1116-1126.	1.1	6
66	Drug Use in Night Owls May Increase the Risk for Mental Health Problems. Frontiers in Neuroscience, 2021, 15, 819566.	1.4	5
67	Resilience to trauma: Just a matter of control?. Science, 2020, 367, 734-735.	6.0	4
68	"Hot―and "Cold―Cognition in Users of Club Drugs/Novel Psychoactive Substances. Frontiers in Psychiatry, 2021, 12, 660575.	1.3	4
69	Neurobiological Correlates of the Familial Risk for Stimulant Drug Dependence. Neuropsychopharmacology, 2013, 38, 238-239.	2.8	3
70	Paying attention to biased attention in drug addiction. CNS Spectrums, 2014, 19, 213-214.	0.7	3
71	Self-regulation is negatively associated with habit tendencies: A validation of the German Creature of Habit Scale. Personality and Individual Differences, 2020, 163, 110029.	1.6	3
72	Feeding the addiction: Narrowing of goals to habits. European Neuropsychopharmacology, 2021, 42, 110-114.	0.3	3

#	Article	IF	CITATIONS
73	Chronic alcohol exposure differentially modulates structural and functional properties of amygdala: A crossâ€sectional study. Addiction Biology, 2021, 26, e12980.	1.4	2
74	Morphometric similarity deviations in stimulant use disorder point towards abnormal brain ageing. Brain Communications, 2022, 4, .	1.5	2
75	Signing below the dotted line: signature position as a marker of vulnerability for visuospatial processing difficulties. Neurocase, 2015, 21, 67-72.	0.2	1
76	Deficits in recognizing female facial expressions related to social network in cocaine-addicted men. Drug and Alcohol Dependence, 2020, 216, 108247.	1.6	1
77	Drug Abuse: Concepts, Prevention and Cessation. By S. Sussman and S. Ames. (Pp. 352; £29.99: ISBN) Tj ETQq1	1,0,78432 2.7	l4 rgBT /Ov
78	Intoxicants and Compulsive Behaviour: A Neuroscientific Perspective. , 2013, , 210-231.		0
79	Detecting Small Vessel Pathology in Cocaine Use Disorder. Frontiers in Neuroscience, 2021, 15, 827329.	1.4	O