

Yulin Zhao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3990327/publications.pdf>

Version: 2024-02-01

28
papers

454
citations

759233

12
h-index

752698

20
g-index

37
all docs

37
docs citations

37
times ranked

605
citing authors

#	ARTICLE	IF	CITATIONS
1	CDR1as is overexpressed in laryngeal squamous cell carcinoma to promote the tumour's progression via miR-7 signals. <i>Cell Proliferation</i> , 2018, 51, e12521.	5.3	68
2	Exosomal long non-coding RNA GAS5 suppresses Th1 differentiation and promotes Th2 differentiation via downregulating EZH2 and T-bet in allergic rhinitis. <i>Molecular Immunology</i> , 2020, 118, 30-39.	2.2	43
3	MiR-146a mimic attenuates murine allergic rhinitis by downregulating TLR4/TRAF6/NF- κ B pathway. <i>Immunotherapy</i> , 2019, 11, 1095-1105.	2.0	35
4	The regulatory network among CircHIPK3, LncGAS5, and miR-495 promotes Th2 differentiation in allergic rhinitis. <i>Cell Death and Disease</i> , 2020, 11, 216.	6.3	33
5	Upregulation of lncRNA H19 promotes nasopharyngeal carcinoma proliferation and metastasis in let-7 dependent manner. <i>Artificial Cells, Nanomedicine and Biotechnology</i> , 2019, 47, 3854-3861.	2.8	22
6	microRNA-342-3p targets FOXQ1 to suppress the aggressive phenotype of nasopharyngeal carcinoma cells. <i>BMC Cancer</i> , 2019, 19, 104.	2.6	22
7	Cell proliferation and invasion is promoted by circSERPINA3 in nasopharyngeal carcinoma by regulating miR-944/MDM2 axis. <i>Journal of Cancer</i> , 2020, 11, 3910-3918.	2.5	22
8	Long noncoding RNA NPCCAT1 promotes nasopharyngeal carcinoma progression via upregulating YY1. <i>Biochimie</i> , 2019, 157, 184-194.	2.6	21
9	MicroRNA-19b Promotes Nasopharyngeal Carcinoma More Sensitive to Cisplatin by Suppressing KRAS. <i>Technology in Cancer Research and Treatment</i> , 2018, 17, 153303381879365.	1.9	16
10	Inhibition of <i>Staphylococcus aureus</i> and <i>Pseudomonas aeruginosa</i> biofilms by quatsomes in low concentrations. <i>Experimental Biology and Medicine</i> , 2020, 245, 34-41.	2.4	15
11	Fibro-osseous Lesions of Paranasal Sinus and Craniofacial Region: A Retrospective Study of 282 Cases. <i>Laryngoscope</i> , 2021, 131, E1-E7.	2.0	13
12	Long non-coding RNA nuclear paraspeckle assembly transcript 1 promotes activation of T helper 2 cells via inhibiting STAT6 ubiquitination. <i>Human Cell</i> , 2021, 34, 800-807.	2.7	13
13	Protein N-arginine methyltransferase 5 promotes the tumor progression and radioresistance of nasopharyngeal carcinoma. <i>Oncology Reports</i> , 2016, 35, 1703-1710.	2.6	12
14	Unusual Papillary Squamous Cell Carcinoma of the Tip of Tongue Presenting in a Patient Status Post Heart Transplant. <i>Anticancer Research</i> , 2018, 38, 4203-4206.	1.1	9
15	Overexpressed circRANBP17 acts as an oncogene to facilitate nasopharyngeal carcinoma via the miR-635/RUNX2 axis. <i>Journal of Cancer</i> , 2021, 12, 4322-4331.	2.5	8
16	Effects of isosorbide mononitrate loaded nanoparticles conjugated with anti- <i>Staphylococcus aureus</i> α -toxin on <i>Staphylococcus aureus</i> biofilms. <i>Experimental and Therapeutic Medicine</i> , 2020, 19, 1267-1274.	1.8	8
17	Saliva Dysfunction and Oral Microbial Changes among Systemic Lupus Erythematosus Patients with Dental Caries. <i>BioMed Research International</i> , 2018, 2018, 1-7.	1.9	7
18	Early truncation of the N-terminal variable region of <i>EYA4</i> gene causes dominant hearing loss without cardiac phenotype. <i>Molecular Genetics & Genomic Medicine</i> , 2021, 9, e1569.	1.2	7

#	ARTICLE	IF	CITATIONS
19	miR-124-3p relieves allergic rhinitis by inhibiting dipeptidyl peptidase-4. <i>International Immunopharmacology</i> , 2021, 101, 108279.	3.8	5
20	Long non-coding RNA CASC9 knockdown inhibits the progression of nasopharyngeal carcinoma by regulating miR-145. <i>International Journal of Clinical and Experimental Pathology</i> , 2019, 12, 4024-4033.	0.5	4
21	Mechanisms of hearing loss and cell death in the cochlea of connexin mutant mice. <i>American Journal of Physiology - Cell Physiology</i> , 2020, 319, C569-C578.	4.6	3
22	Assessment of three types of intranasal nebulization devices in three-dimensional printed models and volunteers: a pilot study. <i>International Forum of Allergy and Rhinology</i> , 2020, 10, 1300-1308.	2.8	3
23	Use of high-fidelity 3-dimensional printed models for training novice residents in basic nasal endoscopic skills. <i>International Forum of Allergy and Rhinology</i> , 2020, 10, 1309-1315.	2.8	3
24	ISMN-loaded PLGA-PEG nanoparticles conjugated with anti-Staphylococcus aureus Î±-toxin inhibit Staphylococcus aureus biofilms in chronic rhinosinusitis. <i>Future Medicinal Chemistry</i> , 2021, 13, 2033-2046.	2.3	3
25	Identification of lncRNA Biomarkers and LINC01198 Promotes Progression of Chronic Rhinosinusitis with Nasal Polyps through Sponge miR-6776-5p. <i>BioMed Research International</i> , 2022, 2022, 1-27.	1.9	3
26	New prognostic models for extranodal natural killer T-cell lymphoma, nasal-type using Cox regression and machine learning. <i>Translational Cancer Research</i> , 2021, 10, 613-626.	1.0	2
27	Targeting miR-185-3p Inhibits Head and Neck Squamous Cell Carcinoma by Modulating RAB25. <i>Frontiers in Oncology</i> , 2021, 11, 721416.	2.8	1
28	Synchronous Laryngeal Squamous Cell Carcinoma and Intrahepatic Cholangiocarcinoma Present in an Obese Male with Poor Prognosis. <i>Anticancer Research</i> , 2018, 38, 5547-5550.	1.1	0