

Li Fu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4022005/publications.pdf>

Version: 2024-02-01

26
papers

1,098
citations

516710

16
h-index

526287

27
g-index

36
all docs

36
docs citations

36
times ranked

1878
citing authors

#	ARTICLE	IF	CITATIONS
1	CD8+ cytotoxic T cell and FOXP3+ regulatory T cell infiltration in relation to breast cancer survival and molecular subtypes. <i>Breast Cancer Research and Treatment</i> , 2011, 130, 645-655.	2.5	252
2	A Model of Cancer Stem Cells Derived from Mouse Induced Pluripotent Stem Cells. <i>PLoS ONE</i> , 2012, 7, e33544.	2.5	107
3	Breast Carcinoma With Micropapillary Features: Clinicopathologic Study and Long-Term Follow-Up of 100 Cases. <i>International Journal of Surgical Pathology</i> , 2008, 16, 155-163.	0.8	104
4	Oncogenic function of microtubule end-binding protein 1 in breast cancer. <i>Journal of Pathology</i> , 2010, 220, 361-369.	4.5	71
5	Invasive Micropapillary Carcinoma of the Breast: An Update. <i>Archives of Pathology and Laboratory Medicine</i> , 2016, 140, 799-805.	2.5	70
6	Breast cancer-associated fibroblasts: their roles in tumor initiation, progression and clinical applications. <i>Frontiers of Medicine</i> , 2016, 10, 33-40.	3.4	56
7	Somatic Mutations of the Mixed-Lineage Leukemia 3 (MLL3) Gene in Primary Breast Cancers. <i>Pathology and Oncology Research</i> , 2011, 17, 429-433.	1.9	51
8	Peritumoral FOXP3+ regulatory T cell is sensitive to chemotherapy while intratumoral FOXP3+ regulatory T cell is prognostic predictor of breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 2012, 135, 459-467.	2.5	48
9	Tumor infiltrating lymphocytes differ in invasive micropapillary carcinoma and medullary carcinoma of breast. <i>Modern Pathology</i> , 2008, 21, 1101-1107.	5.5	47
10	Parkin regulates paclitaxel sensitivity in breast cancer via a microtubule-dependent mechanism. <i>Journal of Pathology</i> , 2009, 218, 76-85.	4.5	46
11	Research progress on FASN and MGLL in the regulation of abnormal lipid metabolism and the relationship between tumor invasion and metastasis. <i>Frontiers of Medicine</i> , 2021, 15, 649-656.	3.4	40
12	Down-regulation of tumor suppressor gene FEZ1/LZTS1 in breast carcinoma involves promoter methylation and associates with metastasis. <i>Breast Cancer Research and Treatment</i> , 2009, 116, 471-478.	2.5	32
13	Increased expression of CD146 and microvessel density (MVD) in invasive micropapillary carcinoma of the breast: Comparative study with invasive ductal carcinoma-not otherwise specified. <i>Pathology Research and Practice</i> , 2011, 207, 739-746.	2.3	25
14	Primary breast lymphoma (PBL): A literature review. <i>Clinical Oncology and Cancer Research</i> , 2011, 8, 128-132.	0.1	22
15	Function of Slit/Robo signaling in breast cancer. <i>Frontiers of Medicine</i> , 2015, 9, 431-436.	3.4	21
16	Precise pathologic diagnosis and individualized treatment improve the outcomes of invasive micropapillary carcinoma of the breast: a 12-year prospective clinical study. <i>Modern Pathology</i> , 2018, 31, 956-964.	5.5	21
17	Preparation and characterization of micro-cell membrane chromatographic column with N-hydroxysuccinimide group-modified silica-based porous layer open tubular capillary. <i>Journal of Chromatography A</i> , 2017, 1516, 125-130.	3.7	19
18	Down-regulation of leucine zipper putative tumor suppressor 1 is associated with poor prognosis, increased cell motility and invasion, and epithelial-to-mesenchymal transition characteristics in human breast carcinoma. <i>Human Pathology</i> , 2011, 42, 1410-1419.	2.0	16

#	ARTICLE	IF	CITATIONS
19	Clinicopathologic characteristics of pleomorphic carcinoma of the breast. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2010, 456, 31-37.	2.8	13
20	Amplification and overexpression of PSCA at 8q24 in invasive micropapillary carcinoma of breast. <i>Breast Cancer Research and Treatment</i> , 2017, 166, 383-392.	2.5	9
21	Preparation and application of immunoaffinity in-tube solid phase microextraction column with oriented antibody-immobilized porous layer open tubular capillary for high sensitive quantification of serum extracellular domain of human epidermal growth factor receptor 2 levels. <i>Journal of Chromatography A</i> , 2020, 1619, 460974.	3.7	5
22	Diagnostic and prognostic role of NR3C4 in breast cancer through a genomic network understanding. <i>Pathology Research and Practice</i> , 2021, 217, 153310.	2.3	4
23	Invasive Ductal Carcinoma with Osteoclastic Giant Cells of Breast: Clinicopathologic Characteristics. <i>Breast Journal</i> , 2013, 19, 329-330.	1.0	3
24	Relationship between expression of cell adhesion molecules and the metastatic mechanism in invasive micropapillary carcinoma of the breast. <i>Chinese Journal of Clinical Oncology</i> , 2004, 1, 32-36.	0.0	1
25	Experimental research for specific down-regulated expression of p53 gene by individual antisense RNA in vitro. <i>Chinese-German Journal of Clinical Oncology</i> , 2007, 6, 62-67.	0.1	0
26	MTDH expression in invasive micropapillary carcinoma of the breast. <i>Clinical Oncology and Cancer Research</i> , 2011, 8, 114-119.	0.1	0