

# Wen-Wang Rao

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4078161/publications.pdf>

Version: 2024-02-01

60  
papers

1,449  
citations

361413

20  
h-index

377865

34  
g-index

63  
all docs

63  
docs citations

63  
times ranked

1804  
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence of prenatal and postpartum depression in fathers: A comprehensive meta-analysis of observational surveys. <i>Journal of Affective Disorders</i> , 2020, 263, 491-499.	4.1	110
2	Timely research papers about COVID-19 in China. <i>Lancet, The</i> , 2020, 395, 684-685.	13.7	95
3	Obesity increases the risk of depression in children and adolescents: Results from a systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2020, 267, 78-85.	4.1	94
4	The Prevalence of Sleep Disturbances and Sleep Quality in Older Chinese Adults: A Comprehensive Meta-Analysis. <i>Behavioral Sleep Medicine</i> , 2019, 17, 683-697.	2.1	74
5	Prevalence of depressive symptoms in children and adolescents in China: A meta-analysis of observational studies. <i>Psychiatry Research</i> , 2019, 272, 790-796.	3.3	72
6	The prevalence of agranulocytosis and related death in clozapine-treated patients: a comprehensive meta-analysis of observational studies. <i>Psychological Medicine</i> , 2020, 50, 583-594.	4.5	64
7	Prevalence of loneliness and social isolation among older adults during the COVID-19 pandemic: A systematic review and meta-analysis. <i>International Psychogeriatrics</i> , 2023, 35, 229-241.	1.0	63
8	Prevalence and Correlation of Anxiety, Insomnia and Somatic Symptoms in a Chinese Population During the COVID-19 Epidemic. <i>Frontiers in Psychiatry</i> , 2020, 11, 568329.	2.6	56
9	The prevalence of psychiatric comorbidities during the SARS and COVID-19 epidemics: a systematic review and meta-analysis of observational studies. <i>Journal of Affective Disorders</i> , 2021, 287, 145-157.	4.1	53
10	Sleep quality in medical students: a comprehensive meta-analysis of observational studies. <i>Sleep and Breathing</i> , 2020, 24, 1151-1165.	1.7	50
11	Prevalence and Correlates of Prehypertension and Hypertension among Adults in Northeastern China: A Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 82.	2.6	49
12	Cross-Sectional Associations between Body Mass Index and Hyperlipidemia among Adults in Northeastern China. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 516.	2.6	48
13	Prevalence of depressive symptoms in primary school students in China: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2020, 268, 20-27.	4.1	43
14	Worldwide prevalence of suicidal ideation and suicide plan among people with schizophrenia: a meta-analysis and systematic review of epidemiological surveys. <i>Translational Psychiatry</i> , 2021, 11, 552.	4.8	42
15	Prevalence of major depressive disorder in children and adolescents in China: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2018, 241, 592-598.	4.1	38
16	The prevalence of depressive symptoms in "left-behind children" in China: a meta-analysis of comparative studies and epidemiological surveys. <i>Journal of Affective Disorders</i> , 2019, 244, 209-216.	4.1	37
17	Interactions of Environmental Factors and APOA1-APOC3-APOA4-APOA5 Gene Cluster Gene Polymorphisms with Metabolic Syndrome. <i>PLoS ONE</i> , 2016, 11, e0147946.	2.5	34
18	Prevalence of Depression Among Empty-Nest Elderly in China: A Meta-Analysis of Observational Studies. <i>Frontiers in Psychiatry</i> , 2020, 11, 608.	2.6	31

#	ARTICLE	IF	CITATIONS
19	TCF4 gene polymorphism is associated with cognition in patients with schizophrenia and healthy controls. <i>Journal of Psychiatric Research</i> , 2015, 69, 95-101.	3.1	25
20	Psychological distress in cancer patients in a large Chinese cross-sectional study. <i>Journal of Affective Disorders</i> , 2019, 245, 950-956.	4.1	25
21	Prevalence and socio-demographic correlates of poor sleep quality among older adults in Hebei province, China. <i>Scientific Reports</i> , 2020, 10, 12266.	3.3	25
22	Sleep Duration and Patterns in Chinese Older Adults: a Comprehensive Meta-analysis. <i>International Journal of Biological Sciences</i> , 2017, 13, 682-689.	6.4	22
23	Quality of life in Chinese patients with schizophrenia: A meta-analysis. <i>Psychiatry Research</i> , 2018, 268, 392-399.	3.3	19
24	Prevalence of major depressive disorder and its socio-demographic correlates in the general adult population in Hebei province, China. <i>Journal of Affective Disorders</i> , 2019, 252, 92-98.	4.1	19
25	Worldwide prevalence of suicide attempt in pregnant and postpartum women: a meta-analysis of observational studies. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 711-720.	3.1	18
26	Association Between Polymorphisms of the Complement 3 Gene and Schizophrenia in a Han Chinese Population. <i>Cellular Physiology and Biochemistry</i> , 2018, 46, 2480-2486.	1.6	17
27	Treatment Rate for Major Depressive Disorder in China: a Meta-Analysis of Epidemiological Studies. <i>Psychiatric Quarterly</i> , 2019, 90, 883-895.	2.1	16
28	Association between forkhead-box P2 gene polymorphism and clinical symptoms in chronic schizophrenia in a Chinese population. <i>Journal of Neural Transmission</i> , 2017, 124, 891-897.	2.8	14
29	Prevalence of Major Depressive Disorder Among Adults in China: A Systematic Review and Meta-Analysis. <i>Frontiers in Psychiatry</i> , 2021, 12, 659470.	2.6	13
30	Association Between Body Mass Index and Diabetes in Northeastern China. <i>Asia-Pacific Journal of Public Health</i> , 2016, 28, 486-497.	1.0	11
31	Oral health in patients with stroke: a meta-analysis of comparative studies. <i>Topics in Stroke Rehabilitation</i> , 2020, 27, 75-80.	1.9	11
32	The Efficacy and Safety of Dendritic Cells Co-Cultured with Cytokine-Induced Killer Cell Therapy in Combination with TACE-Predominant Minimally-Invasive Treatment for. <i>Clinical Laboratory</i> , 2016, 62, 599-608.	0.5	11
33	Association between the <i>KRAS</i> Gene Polymorphisms and Papillary Thyroid Carcinoma in a Chinese Han Population. <i>Journal of Cancer</i> , 2016, 7, 2420-2426.	2.5	10
34	Cognitive Behavioural Therapy for Insomnia Monotherapy in Patients with Medical or Psychiatric Comorbidities: a Meta-Analysis of Randomized Controlled Trials. <i>Psychiatric Quarterly</i> , 2020, 91, 1209-1224.	2.1	10
35	Association Study between Ghrelin Gene Polymorphism and Metabolic Syndrome in a Han Chinese Population. <i>Clinical Laboratory</i> , 2017, 63, 175-181.	0.5	10
36	Prevalence of depressive symptoms in overweight and obese children and adolescents in mainland China: A meta-analysis of comparative studies and epidemiological surveys. <i>Journal of Affective Disorders</i> , 2019, 250, 26-34.	4.1	9

#	ARTICLE	IF	CITATIONS
37	Comparison of prevalence and risk factors of somatization between Chinese health care workers and non-health care workers during COVID-19 outbreak. <i>BMC Psychiatry</i> , 2021, 21, 276.	2.6	9
38	Worldwide prevalence of falls in older adults with psychiatric disorders: A meta-analysis of observational studies. <i>Psychiatry Research</i> , 2019, 273, 114-120.	3.3	8
39	Association of the manganese superoxide dismutase gene Ala9Val polymorphism with age of smoking initiation in male schizophrenia smokers. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2016, 171, 243-249.	1.7	7
40	Association between single nucleotide variants of vascular endothelial growth factor A and the risk of thyroid carcinoma and nodular goiter in a Han Chinese population. <i>Oncotarget</i> , 2017, 8, 15838-15845.	1.8	7
41	Prevalence of falls in adult and older adult psychiatric patients in China: A systematic review and comprehensive meta-analysis of observational studies. <i>Psychiatry Research</i> , 2018, 266, 18-25.	3.3	7
42	Association between cognitive impairment and apolipoprotein A1 or apolipoprotein B levels is regulated by apolipoprotein E variant rs429358 in patients with chronic schizophrenia. <i>Aging</i> , 2021, 13, 16353-16366.	3.1	7
43	Prevalence of schizophrenia and its association with socio-demographic correlates in an agricultural region of China. <i>Asian Journal of Psychiatry</i> , 2021, 64, 102743.	2.0	7
44	The prevalence of painful physical symptoms in major depressive disorder: A systematic review and meta-analysis of observational studies. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 111, 110372.	4.8	7
45	A functional polymorphism in the interleukin-1beta and severity of nicotine dependence in male schizophrenia: A case-control study. <i>Journal of Psychiatric Research</i> , 2015, 64, 51-58.	3.1	6
46	Prevalence and Socio-Demographic Correlates of Poor Mental Health Among Older Adults in Agricultural Areas of China. <i>Frontiers in Psychiatry</i> , 2020, 11, 549148.	2.6	6
47	Association between PLA2G12A Polymorphisms and Schizophrenia in a Han Chinese Population from Northeast China. <i>PLoS ONE</i> , 2016, 11, e0159584.	2.5	6
48	Appropriate Body Mass Index and Waist-hip Ratio Cutoff Points for Overweight and Obesity in Adults of Northeast China. <i>Iranian Journal of Public Health</i> , 2017, 46, 1038-1045.	0.5	6
49	CACNA1C Polymorphism (rs2283291) Is Associated with Schizophrenia in Chinese Males: A Case-Control Study. <i>Disease Markers</i> , 2019, 2019, 1-7.	1.3	5
50	A Case-Control Study of the Association between Polymorphisms in the Fibrinogen Alpha Chain Gene and Schizophrenia. <i>Disease Markers</i> , 2017, 2017, 1-5.	1.3	4
51	Prevalence and correlates of bipolar disorder in the adult population of Hebei province, China. <i>Journal of Affective Disorders</i> , 2020, 263, 129-133.	4.1	4
52	Cognitive behavioural therapy monotherapy for insomnia: A meta-analysis of randomized controlled trials. <i>Asian Journal of Psychiatry</i> , 2020, 49, 101828.	2.0	3
53	Depression risk and body mass index among immigrants and non-immigrants in Canada: results from the Canadian Community Health Surveys, 2010-2014. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 1283-1295.	3.1	3
54	Association Analysis of MET Gene Polymorphism with Papillary Thyroid Carcinoma in a Chinese Population. <i>International Journal of Endocrinology</i> , 2015, 2015, 1-5.	1.5	2

#	ARTICLE	IF	CITATIONS
55	Efficacy and Safety of Traditional Chinese Herbal Medicine for Antipsychotic-Related Constipation: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. <i>Frontiers in Psychiatry</i> , 2021, 12, 610171.	2.6	2
56	Kininogen-1 as a protein biomarker for schizophrenia through mass spectrometry and genetic association analyses. <i>PeerJ</i> , 2019, 7, e7327.	2.0	2
57	Prevalence and socio-demographic correlates of major depressive disorder in older adults in Hebei province, China. <i>Journal of Affective Disorders</i> , 2020, 265, 590-594.	4.1	1
58	Association between clinical symptoms and apolipoprotein A1 or apolipoprotein B levels is regulated by apolipoprotein E variant rs429358 in patients with chronic schizophrenia. <i>Annals of General Psychiatry</i> , 2021, 20, 56.	2.7	1
59	Comparison of efficacy and safety of two fixed-dose combination regimens for tuberculosis in the Chinese population. <i>Infezioni in Medicina</i> , 2020, 28, 565-571.	1.1	0
60	How psychosocial stress profile influences the subsequent occurrence of neuropsychiatric comorbidities: A longitudinal population-based cohort study. <i>Journal of Affective Disorders</i> , 2022, , .	4.1	0