Fabrizio Machetti

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4288124/publications.pdf

Version: 2024-02-01

279798 377865 1,304 55 23 34 citations h-index g-index papers 72 72 72 1108 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Cu(II)–Glycerol– <i>N</i> -Ethylmorpholine Complex Stability Revealed by X-ray Spectroscopy. Journal of Physical Chemistry C, 2021, 125, 1483-1492.	3.1	3
2	Isoxazoles., 2021,, 308-308.		2
3	Probing the Structure of Toxic Amyloid- \hat{l}^2 Oligomers with Electron Spin Resonance and Molecular Modeling. ACS Chemical Neuroscience, 2021, 12, 1150-1161.	3.5	9
4	Five-membered ring systems with O and N atoms. Progress in Heterocyclic Chemistry, 2021, 32, 365-395.	0.5	3
5	Five-membered ring systems with O and N atoms. Progress in Heterocyclic Chemistry, 2021, 33, 311-340.	0.5	1
6	Five-Membered Ring Systems: With O & N Atoms. Progress in Heterocyclic Chemistry, 2020, 31, 399-429.	0.5	3
7	Transesterification of Methyl 2â€Nitroacetate to Superior Esters. European Journal of Organic Chemistry, 2020, 2020, 1720-1726.	2.4	1
8	Multiwalled carbon nanotubes for combination therapy: a biodistribution and efficacy pilot study. Journal of Materials Chemistry B, 2019, 7, 2678-2687.	5 . 8	20
9	Understanding the Exceptional Properties of Nitroacetamides in Water: A Computational Model Including the Solvent. Molecules, 2018, 23, 3308.	3.8	3
10	Competitive Copper Catalysis in the Condensation of Primary Nitro Compounds with Terminal Alkynes: Synthesis of Isoxazoles. European Journal of Organic Chemistry, 2016, 2016, 4643-4655.	2.4	16
11	Reactivity of [60]Fullerene with Primary Nitro Compounds: Addition or Catalysed Condensation to Isoxazolo[60]fullerenes. European Journal of Organic Chemistry, 2014, 2014, 7906-7915.	2.4	12
12	Conjugate Addition versus Cycloaddition/Condensation of Nitro Compounds in Water: Selectivity, Acid–Base Catalysis, and Induction Period. Chemistry - A European Journal, 2013, 19, 665-677.	3.3	30
13	Acid–Baseâ€Catalysed Condensation Reaction in Water: Isoxazolines and Isoxazoles from Nitroacetates and Dipolarophiles. Chemistry - A European Journal, 2012, 18, 2081-2093.	3. 3	48
14	Identification of Inhibitors of Drug-Resistant <i>Candida albicans</i> Strains from a Library of Bicyclic Peptidomimetic Compounds. Journal of Medicinal Chemistry, 2010, 53, 2502-2509.	6.4	29
15	Michael Additions versus Cycloaddition Condensations with Ethyl Nitroacetate and Electronâ€Deficient Olefins. Chemistry - A European Journal, 2009, 15, 7940-7948.	3.3	41
16	Base―and Copper atalysed Condensation of Primary Activated Nitro Compounds with Enolisable Compounds. European Journal of Organic Chemistry, 2009, 2009, 5971-5978.	2.4	24
17	Conversion of a nitrosocarbonyl hetero Diels–Alder cycloadduct to useful isoxazoline-carbocyclic aminols. Tetrahedron, 2009, 65, 10679-10684.	1.9	14
18	Synthesis of 4,5â€Dihydroisoxazoles by Condensation of Primary Nitro Compounds with Alkenes by Using a Copper/Base Catalytic System. Chemistry - A European Journal, 2008, 14, 7903-7912.	3.3	72

#	Article	IF	CITATIONS
19	4,5-Dihydroisoxazoles by Copper(II)-Catalysed Condensation of Primary Nitroalkanes with Dipolarophiles. Synlett, 2007, 2007, 2451-2453.	1.8	2
20	Parallel Synthesis of an Amide Library Based on the 6,8-Dioxa-3-azabicyclo [3.2.1] octane Scaffold by Direct Aminolysis of Methyl Esters. ACS Combinatorial Science, 2007, 9, 454-461.	3.3	20
21	Isoxazoles and Isoxazolines by 1,3â€Dipolar Cycloaddition: Baseâ€Catalysed Condensation of Primary Nitro Compounds with Dipolarophiles. European Journal of Organic Chemistry, 2007, 2007, 4352-4359.	2.4	62
22	Synthesis of bicyclic molecular scaffolds (BTAa): An investigation towards new selective MMP-12 inhibitors. Bioorganic and Medicinal Chemistry, 2006, 14, 7392-7403.	3.0	21
23	Inhibition of rabbit brain 4-aminobutyrate transaminase by some taurine analogues: A kinetic analysis. Biochemical Pharmacology, 2006, 71, 1510-1519.	4.4	14
24	Isoxazoline Derivatives from Activated Primary Nitro Compounds and Tertiary Diamines ChemInform, 2006, 37, no.	0.0	0
25	1,2,5-Oxadiazole (Furazan) Derivatives from Benzoylnitromethane and Dipolarophiles in the Presence of DABCO: Structure and Intermediates. European Journal of Organic Chemistry, 2006, 2006, 3016-3020.	2.4	25
26	The Synthesis of 4-Hydroxypipecolic Acids by Stereoselective Cycloaddition of Configurationally Stable Nitrones. European Journal of Organic Chemistry, 2006, 2006, 3235-3241.	2.4	24
27	1,4-Diazabicyclo[2.2.2]octane (DABCO) as an Efficient Reagent for the Synthesis of Isoxazole Derivatives from Primary Nitro Compounds and Dipolarophiles: The Role of the Base. European Journal of Organic Chemistry, 2006, 2006, 4852-4860.	2.4	119
28	Design, Synthesis, and Applications of 3-Aza-6,8-Dioxabicyclo[3.2.1]Octane-Based Scaffolds for Peptidomimetic Chemistry. Synlett, 2006, 2006, 0331-0353.	1.8	5
29	Isoxazoline derivatives from activated primary nitrocompounds and tertiary diamines. Tetrahedron Letters, 2005, 46, 7877-7879.	1.4	42
30	A New Bicyclic Dipeptide Isostere with Pyrrolizidinone Skeleton. Journal of Organic Chemistry, 2005, 70, 856-867.	3.2	32
31	Synthesis of Free andNî±-Fmoc-/Nî³-Boc-Protected (2S,4S)- and (2S,4R)-4-Aminopipecolic Acids. European Journal of Organic Chemistry, 2004, 2004, 2928-2935.	2.4	16
32	Enantiospecific synthesis of 3-aza-6,8-dioxa-bicyclo[3.2.1]octane carboxylic acids from erythrose. Tetrahedron, 2003, 59, 5251-5258.	1.9	28
33	Neat reaction of carboxylic acid methyl esters and amines for efficient parallel synthesis of scaffold amide libraries. Comptes Rendus Chimie, 2003, 6, 631-633.	0.5	4
34	Interactions of taurine and structurally related analogues with the GABAergic system and taurine binding sites of rabbit brain. British Journal of Pharmacology, 2003, 138, 1163-1171.	5.4	44
35	A specific taurine recognition site in the rabbit brain is responsible for taurine effects on thermoregulation. British Journal of Pharmacology, 2003, 139, 487-494.	5.4	37
36	Effects of Taurine and some Structurally Related Analogues on the Central Mechanism of Thermoregulation. Advances in Experimental Medicine and Biology, 2002, 483, 273-282.	1.6	8

3

#	Article	IF	Citations
37	Novel inhibitors of 5α-reductase. Expert Opinion on Therapeutic Patents, 2002, 12, 201-215.	5.0	20
38	Bicyclic Compounds Derived from Tartaric Acid and α-Amino Acids (BTAas): Synthesis of New Molecular Scaffolds Derived from the Combination of (R,R)-Tartaric Acid and L-Serine. European Journal of Organic Chemistry, 2002, 2002, 873-880.	2.4	7
39	Amino-Sulfonation of Alkenes in a Three-Component Reaction. European Journal of Organic Chemistry, 2002, 2002, 1407-1411.	2.4	21
40	Synthesis of a new enantiopure bicyclic $\hat{l}^3\hat{l}^2$ -amino acid (BTKa) derived from tartaric acid and \hat{l} ±-amino acetophenone. Tetrahedron, 2002, 58, 9865-9870.	1.9	24
41	Design and synthesis of a new bicyclic dipeptide isostere. Chemical Communications, 2001, , 1590-1591.	4.1	10
42	Effect of C-ring modifications in benzo[c]quinolizin-3-ones, new selective inhibitors of human 5î±-reductase 1. Bioorganic and Medicinal Chemistry, 2001, 9, 1385-1393.	3.0	22
43	Practical synthesis of both enantiomers of protected 4-oxopipecolic acid. Tetrahedron, 2001, 57, 4995-4998.	1.9	25
44	Modification of the Aza-Robinson Annulation for the Synthesis of 4-Methyl-Benzo[c]quinolizin-3-ones, Potent Inhibitors of Steroid 5î±-Reductase 1. Journal of Organic Chemistry, 2000, 65, 8093-8095.	3.2	27
45	Oligomers of Enantiopure Bicyclic $\hat{I}^3 \hat{I}$ -Amino Acids (BTAa). 1. Synthesis and Conformational Analysis of 3-Aza-6,8-dioxabicyclo [3.2.1] octane-7-carboxylic Acid Oligomers (PolyBTG). Organic Letters, 2000, 2, 3987-3990.	4.6	21
46	Synthesis and Reactivity of Bicycles Derived from Tartaric Acid and α-Amino Acids: A Novel Class of Conformationally Constrained Dipeptide Isosteres Based upon Enantiopure 3-Aza-6,8-dioxabicyclo[3.2.1]octane-7-carboxylic Acid Journal of Organic Chemistry, 2000, 65, 4782-4782.	3.2	3
47	Benzo[c]quinolizin-3-ones:  A Novel Class of Potent and Selective Nonsteroidal Inhibitors of Human Steroid 5î±-Reductase 1. Journal of Medicinal Chemistry, 2000, 43, 3718-3735.	6.4	31
48	19-Nor-10-azasteroids. 5.1A Synthetic Strategy for the Preparation of (+)-17-(3-Pyridyl)-(5 \hat{l}^2)-10-azaestra-1,16-dien-3-one, a Novel Potential Inhibitor for Human Cytochrome P45017 \hat{l}^2 +(17 \hat{l}^2 +Hydroxylase/C17,20-lyase). Journal of Organic Chemistry, 1999, 64, 4985-4989.	3.2	27
49	Synthesis and Reactivity of Bicycles Derived from Tartaric Acid and α-Amino Acids: A Novel Class of Conformationally Constrained Dipeptide Isosteres Based upon Enantiopure 3-Aza-6,8-dioxabicyclo[3.2.1]octane-7-carboxylic Acid. Journal of Organic Chemistry, 1999, 64, 7347-7364.	3.2	43
50	Stereoselectivity in the TiCl4-catalysed reaction of Danishefsky's diene with a N-(acyloxy)iminium ion: Synthesis of $5\hat{l}^{\pm}$ versus $5\hat{l}^{2}$ \hat{l}^{2} 1(2)-19-Nor-10-azasteroids. 4. Tetrahedron, 1998, 54, 11589-11596.	1.9	10
51	A Concise Route to 19-Nor-10-azasteroids, a New Class of Steroid $5\hat{l}$ ±-Reductase Inhibitors. 3.1 Synthesis of (+)-19-Nor-10-azatestosterone and (+)-17 \hat{l} 2-(Acetyloxy)-($5\hat{l}$ 2)-10-azaestr-1-en-3-one. Journal of Organic Chemistry, 1998, 63, 4111-4115.	3.2	24
52	19-Nor-10-azasteroids:  A Novel Class of Inhibitors for Human Steroid 5α-Reductases 1 and 2. Journal of Medicinal Chemistry, 1997, 40, 1112-1129.	6.4	58
53	19-Nor-10-azasteroids, a New Class of Steroid 5α-Reductase Inhibitors. 2. X-ray Structure, Molecular Modeling, Conformational Analysis of 19-Nor-10-azasteroids and Comparison with 4-Azasteroids and 6-Azasteroids. Journal of Medicinal Chemistry, 1997, 40, 3466-3477.	6.4	26
54	Synthesis and Xâ€ray study of hexahydro―and tetrahydrophospholoâ€[2,3â€ <i>d</i>) isoxazoles, a new class of heterocycles of potential fungicidal activity. Journal of Heterocyclic Chemistry, 1996, 33, 1091-1098.	2.6	8

#	Article	lF	CITATIONS
55	A new synthesis of (2S)-4-oxopipecolic acid by thermal rearrangement of enantiopure spirocyclopropaneisoxazolidine. Tetrahedron Letters, 1996, 37, 4205-4208.	1.4	41