

Michael Richard Le Grande

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/431993/publications.pdf>

Version: 2024-02-01

69
papers

1,438
citations

304743

22
h-index

361022

35
g-index

71
all docs

71
docs citations

71
times ranked

1544
citing authors

#	ARTICLE	IF	CITATIONS
1	Smokersâ€™ awareness of filter ventilation, and how they believe it affects them: findings from the ITC Four Country Survey. <i>Tobacco Control</i> , 2023, 32, 93-98.	3.2	5
2	Age-Related Interactions on Key Theoretical Determinants of Smoking Cessation: Findings from the ITC Four Country Smoking and Vaping Surveys (2016â€“2020). <i>Nicotine and Tobacco Research</i> , 2022, 24, 679-689.	2.6	3
3	The Predictive Utility of Valuing the Future for Smoking Cessation: Findings from the ITC 4 Country Surveys. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 631.	2.6	1
4	Closing the gaps in tobacco endgame evidence: a scoping review. <i>Tobacco Control</i> , 2022, 31, 365-375.	3.2	30
5	Unraveling the Complexity of Cardiac Distress: A Study of Prevalence and Severity. <i>Frontiers in Psychiatry</i> , 2022, 13, 808904.	2.6	15
6	Predictive Power of Dependence Measures for Quitting Smoking. Findings From the 2016 to 2018 ITC Four Country Smoking and Vaping Surveys. <i>Nicotine and Tobacco Research</i> , 2021, 23, 276-285.	2.6	15
7	Age as a predictor of quit attempts and quit success in smoking cessation: findings from the International Tobacco Control Fourâ€Country survey (2002â€“14). <i>Addiction</i> , 2021, 116, 2509-2520.	3.3	22
8	Patterns of Non-Cigarette Tobacco and Nicotine Use Among Current Cigarette Smokers and Recent Quitters: Findings From the 2020 ITC Four Country Smoking and Vaping Survey. <i>Nicotine and Tobacco Research</i> , 2021, 23, 1611-1616.	2.6	23
9	Enhancing the appeal of cardiac rehabilitation for women: development and pilot testing of a women-only yoga cardiac rehabilitation programme. <i>European Journal of Cardiovascular Nursing</i> , 2021, 20, 633-640.	0.9	11
10	Why cardiac nurses need good sleep health literacy. <i>British Journal of Cardiac Nursing</i> , 2021, 16, 1-7.	0.1	1
11	Diagnostic accuracy and suitability of instruments that screen for obstructive sleep apnoea, insomnia and sleep quality in cardiac patients: a meta-analysis. <i>Sleep Medicine</i> , 2021, 86, 135-160.	1.6	5
12	Getting â€œBack on Trackâ€ After a Cardiac Event: Protocol for a Randomized Controlled Trial of a Web-Based Self-management Program. <i>JMIR Research Protocols</i> , 2021, 10, e34534.	1.0	1
13	Enhancing Parental Coping with a Childâ€™s Heart Condition: A Co-production Pilot Study. <i>Comprehensive Child and Adolescent Nursing</i> , 2020, 43, 314-333.	0.9	3
14	Protocol for the development and validation of a measure of persistent psychological and emotional distress in cardiac patients: the Cardiac Distress Inventory. <i>BMJ Open</i> , 2020, 10, e034946.	1.9	16
15	Prevalence of obstructive sleep apnoea in acute coronary syndrome patients: systematic review and meta-analysis. <i>BMC Cardiovascular Disorders</i> , 2020, 20, 147.	1.7	20
16	Patients with heart failure with and without a history of stroke in the Netherlands: a secondary analysis of psychosocial, behavioural and clinical outcomes up to three years from the COACH trial. <i>BMJ Open</i> , 2019, 9, e025525.	1.9	2
17	Impact of intensive training on health professionalsâ€™ self-efficacy in establishing, running and maintaining a cardiac rehabilitation program. <i>Journal of Nursing Education and Practice</i> , 2019, 9, 67.	0.2	4
18	Validating the Short Form-12 and the development of disease-specific norms in a cohort of Australian private health insurance members. <i>Australian Journal of Primary Health</i> , 2019, 25, 90.	0.9	5

#	ARTICLE	IF	CITATIONS
19	Anxiety and Depression After a Cardiac Event: Prevalence and Predictors. <i>Frontiers in Psychology</i> , 2019, 10, 3010.	2.1	83
20	Depression, Cardiovascular Disease and Indigenous Australians. <i>Advances in Mental Health and Addiction</i> , 2019, , 167-184.	0.2	0
21	Cardiac Rehabilitation in Australia: A Brief Survey of Program Characteristics. <i>Heart Lung and Circulation</i> , 2018, 27, 1415-1420.	0.4	21
22	What role does personality play in cardiovascular disease?. <i>British Journal of Cardiac Nursing</i> , 2018, 13, 330-337.	0.1	4
23	What is cardiac distress and how should we measure it?. <i>British Journal of Cardiac Nursing</i> , 2018, 13, 286-293.	0.1	14
24	Psychosocial Screening and Assessment Practice within Cardiac Rehabilitation: A Survey of Cardiac Rehabilitation Coordinators in Australia. <i>Heart Lung and Circulation</i> , 2017, 26, 64-72.	0.4	19
25	Improving health professionals' self-efficacy to support cardiac patients' emotional recovery: the 'Cardiac Blues Project'. <i>European Journal of Cardiovascular Nursing</i> , 2017, 16, 143-149.	0.9	14
26	Television Viewing Time and 13-Year Mortality in Adults With Cardiovascular Disease: Data From the Australian Diabetes, Obesity and Lifestyle Study (AusDiab). <i>Heart Lung and Circulation</i> , 2017, 26, e98-e99.	0.4	2
27	Association of Mild Leg Length Discrepancy and Degenerative Changes in the Hip Joint and Lumbar Spine. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2017, 40, 320-329.	0.9	25
28	Social and emotional wellbeing assessment instruments for use with Indigenous Australians: A critical review. <i>Social Science and Medicine</i> , 2017, 187, 164-173.	3.8	134
29	Characterisation of the correlation between standing lordosis and degenerative joint disease in the lower lumbar spine in women and men: a radiographic study. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 330.	1.9	22
30	Distress in partners of cardiac patients: relationship quality and social support. <i>British Journal of Cardiac Nursing</i> , 2016, 11, 397-405.	0.1	5
31	Screening for sedentary behaviour in cardiac rehab. <i>British Journal of Cardiac Nursing</i> , 2016, 11, 198-199.	0.1	3
32	Screening for obstructive sleep apnoea in cardiac rehabilitation: A position statement from the Australian Centre for Heart Health and the Australian Cardiovascular Health and Rehabilitation Association. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1466-1475.	1.8	17
33	Television Viewing Time and 13-year Mortality in Adults with Cardiovascular Disease: Data from the Australian Diabetes, Obesity and Lifestyle Study (AusDiab). <i>Heart Lung and Circulation</i> , 2016, 25, 829-836.	0.4	26
34	Relationship between sleep disturbance, depression and anxiety in the 12 months following a cardiac event. <i>Psychology, Health and Medicine</i> , 2016, 21, 52-59.	2.4	27
35	Determinants of Physical Activity Guideline Attainment in Australian Cardiac Patients. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2015, 35, 399-408.	2.1	1
36	An integrated secondary prevention group programme reduces depression in cardiac patients. <i>European Journal of Preventive Cardiology</i> , 2014, 21, 153-162.	1.8	29

#	ARTICLE	IF	CITATIONS
37	Resumption of Work After Acute Coronary Syndrome or Coronary Artery Bypass Graft Surgery. <i>Heart Lung and Circulation</i> , 2014, 23, 444-453.	0.4	45
38	Reduction in 2-Year Recurrent Risk Score and Improved Behavioral Outcomes After Participation in the "Beating Heart Problems" Self-management Program. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2013, 33, 220-228.	2.1	29
39	Predicting Mortality 12 Years After an Acute Cardiac Event. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2013, 33, 160-167.	2.1	21
40	Are poor health behaviours in anxious and depressed cardiac patients explained by sociodemographic factors?. <i>European Journal of Preventive Cardiology</i> , 2013, 20, 995-1003.	1.8	37
41	Physical Inactivity at Leisure and Work. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2013, 33, 385-395.	2.1	4
42	Postangiography patients who complete cardiac rehabilitation have reduced risk of mortality or hospitalisation compared to non-completers. <i>Evidence-based Nursing</i> , 2013, 16, 82-83.	0.2	0
43	Identifying illness perception schemata and their association with depression and quality of life in cardiac patients. <i>Psychology, Health and Medicine</i> , 2012, 17, 709-722.	2.4	18
44	Lifestyle and Physiological Risk Factor Profiles Six Weeks After An Acute Cardiac Event: Are Patients Achieving Recommended Targets for Secondary Prevention?. <i>Heart Lung and Circulation</i> , 2011, 20, 446-451.	0.4	25
45	Physical activity and depression in female cardiac patients: A longitudinal study. <i>Journal of Science and Medicine in Sport</i> , 2010, 12, e144-e145.	1.3	0
46	Changes in Mood States After Coronary Artery Bypass Graft Surgery. <i>European Journal of Cardiovascular Nursing</i> , 2010, 9, 188-194.	0.9	11
47	Everyday Cognitive Functioning in Cardiac Patients: Relationships Between Self-report, Report of a Significant Other and Cognitive Test Performance. <i>Ageing, Neuropsychology, and Cognition</i> , 2009, 17, 71-88.	1.3	2
48	Do chronic psychological stressors accelerate the progress of cardiovascular disease?. <i>Stress and Health</i> , 2008, 24, 203-212.	2.6	5
49	The role of cardiac rehabilitation in influencing psychological outcomes. <i>Stress and Health</i> , 2008, 24, 267-277.	2.6	7
50	Trajectories and predictors of anxiety and depression in women during the 12 months following an acute cardiac event. <i>British Journal of Health Psychology</i> , 2008, 13, 135-153.	3.5	61
51	Anxiety and depression after coronary artery bypass graft surgery: most get better, some get worse. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2008, 15, 434-440.	2.8	68
52	Living alone predicts 30-day hospital readmission after coronary artery bypass graft surgery. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2008, 15, 210-215.	2.8	70
53	An Evaluation of Self-report Physical Activity Instruments Used in Studies Involving Cardiac Patients. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2008, 28, 358-369.	2.1	24
54	Cardiac rehabilitation program attendance after coronary artery bypass surgery: overcoming the barriers. <i>Medical Journal of Australia</i> , 2008, 188, 712-714.	1.7	59

#	ARTICLE	IF	CITATIONS
55	Recall of information received in hospital by female cardiac patients. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007, 14, 463-469.	2.8	19
56	Predictors of cognitive function in candidates for coronary artery bypass graft surgery. <i>Journal of the International Neuropsychological Society</i> , 2007, 13, 257-66.	1.8	7
57	Trajectories of recovery of quality of life in women after an acute cardiac event. <i>British Journal of Health Psychology</i> , 2007, 12, 1-15.	3.5	28
58	Health related quality of life trajectories and predictors following coronary artery bypass surgery. <i>Health and Quality of Life Outcomes</i> , 2006, 4, 49.	2.4	49
59	Neurocognitive Outcomes in Off-Pump Versus On-Pump Bypass Surgery: A Randomized Controlled Trial. <i>Annals of Thoracic Surgery</i> , 2006, 81, 2105-2114.	1.3	38
60	Cognitive Function in Candidates for Coronary Artery Bypass Graft Surgery. <i>Annals of Thoracic Surgery</i> , 2006, 82, 812-818.	1.3	25
61	Change in Women's Dietary Fat Intake Following an Acute Cardiac Event: Extent, Predictors and Comparison with Non-Cardiac Australian Women and Older Adults. <i>European Journal of Cardiovascular Nursing</i> , 2006, 5, 206-213.	0.9	12
62	Physical activity and negative emotional response after percutaneous coronary intervention. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2006, 13, 254-260.	2.8	3
63	Causal Attributions for Coronary Heart Disease Among Female Cardiac Patients. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2005, 25, 135-143.	0.5	49
64	Effects of intraperitoneal injection of Rofecoxib in a mouse model of ALS. <i>European Journal of Neurology</i> , 2005, 12, 357-364.	3.3	30
65	Incomplete Freund's adjuvant enhances locomotor performance following spinal cord injury. <i>European Journal of Neurology</i> , 2005, 12, 1004-1008.	3.3	0
66	Expressed preferences for health education of patients after percutaneous coronary intervention. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2005, 12, 572-579.	2.8	17
67	Expressed preferences for health education of patients after percutaneous coronary intervention. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2005, 12, 572-579.	2.8	19
68	Behavioural and EEG responses to auditory stimuli during sleep in newborn infants and in infants aged 3 months. <i>Biological Psychology</i> , 1990, 31, 213-227.	2.2	27
69	Smokers' Awareness of Filter Ventilation, and How They Believe it Affects Them: Findings from the ITC Four Country Survey. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0