

# Viola A Heinzemann-Schwarz

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4337931/publications.pdf>

Version: 2024-02-01

88  
papers

4,682  
citations

147726

31  
h-index

106281

65  
g-index

91  
all docs

91  
docs citations

91  
times ranked

8136  
citing authors

#	ARTICLE	IF	CITATIONS
1	An interdisciplinary team-training protocol for robotic gynecologic surgery improves operating time and costs: analysis of a 4-year experience in a university hospital setting. <i>Journal of Robotic Surgery</i> , 2022, 16, 89-96.	1.0	7
2	Comparison of 2D 4K vs. 3D HD laparoscopic imaging systems using a pelvitrainer model: a randomized controlled study. <i>Updates in Surgery</i> , 2022, 74, 1137-1147.	0.9	7
3	The double S technique to achieve aesthetic flat closure after conventional mastectomy. <i>World Journal of Surgical Oncology</i> , 2022, 20, 42.	0.8	1
4	Intention to Inform Relatives, Rates of Cascade Testing, and Preference for Patient-Mediated Communication in Families Concerned with Hereditary Breast and Ovarian Cancer and Lynch Syndrome: The Swiss CASCADE Cohort. <i>Cancers</i> , 2022, 14, 1636.	1.7	8
5	Maintenance Therapy with Aromatase Inhibitor in epithelial Ovarian Cancer (MATAO): study protocol of a randomized double-blinded placebo-controlled multi-center phase III Trial. <i>BMC Cancer</i> , 2022, 22, 508.	1.1	4
6	The metastatic spread of breast cancer accelerates during sleep. <i>Nature</i> , 2022, 607, 156-162.	13.7	114
7	How does colpocleisis for pelvic organ prolapse in older women affect quality of life, body image, and sexuality? A critical review of the literature. <i>Women's Health</i> , 2022, 18, 174550572211110.	0.7	4
8	High-grade serous peritoneal cancer follows a high stromal response signature and shows worse outcome than ovarian cancer. <i>Molecular Oncology</i> , 2021, 15, 91-103.	2.1	1
9	L1CAM is not a reliable predictor for lymph node metastases in endometrial cancer, but L1CAM positive patients benefit from radiotherapy. <i>Journal of Cancer</i> , 2021, 12, 6401-6410.	1.2	1
10	The Tumor Profiler Study: integrated, multi-omic, functional tumor profiling for clinical decision support. <i>Cancer Cell</i> , 2021, 39, 288-293.	7.7	71
11	Using a Tailored Digital Health Intervention for Family Communication and Cascade Genetic Testing in Swiss and Korean Families With Hereditary Breast and Ovarian Cancer: Protocol for the DIALOGUE Study. <i>JMIR Research Protocols</i> , 2021, 10, e26264.	0.5	7
12	Diagnosis of Epithelial Ovarian, Fallopian Tubal and Peritoneal Surface Cancers. , 2021, , 348-356.		0
13	Genetic Literacy and Communication of Genetic Information in Families Concerned with Hereditary Breast and Ovarian Cancer: A Cross-Study Comparison in Two Countries and within a Timeframe of More Than 10 Years. <i>Cancers</i> , 2021, 13, 6254.	1.7	5
14	Clinicopathological features of women with epithelial ovarian cancer and double heterozygosity for BRCA1 and BRCA2: A systematic review and case report analysis. <i>Gynecologic Oncology</i> , 2020, 156, 377-386.	0.6	14
15	Regulation of invasion and peritoneal dissemination of ovarian cancer by mesothelin manipulation. <i>Oncogenesis</i> , 2020, 9, 61.	2.1	30
16	Fibroblast activation protein-targeted-4-1BB ligand agonist amplifies effector functions of intratumoral T cells in human cancer. , 2020, 8, e000238.		35
17	L1 Cell Adhesion Molecule Confers Radioresistance to Ovarian Cancer and Defines a New Cancer Stem Cell Population. <i>Cancers</i> , 2020, 12, 217.	1.7	23
18	Should MMT still be treated with adjuvant taxane-based combination chemotherapy?. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 695-704.	1.2	5

#	ARTICLE	IF	CITATIONS
19	Collagen-rich omentum is a premetastatic niche for integrin $\alpha 2$ -mediated peritoneal metastasis. <i>ELife</i> , 2020, 9, .	2.8	35
20	Patient-derived and artificial ascites have minor effects on MeT-5A mesothelial cells and do not facilitate ovarian cancer cell adhesion. <i>PLoS ONE</i> , 2020, 15, e0241500.	1.1	5
21	Reply to comment on: Wiser et al. Ovarian cancer in Switzerland: incidence and treatment according to hospital registry data. <i>Swiss Med Wkly</i> .2018;148:w14647. <i>Swiss Medical Weekly</i> , 2020, 150, w20180.	0.8	1
22	A Targeted Mass Spectrometry Strategy for Developing Proteomic Biomarkers: A Case Study of Epithelial Ovarian Cancer. <i>Molecular and Cellular Proteomics</i> , 2019, 18, 1836-1850.	2.5	42
23	Clinical factors associated with prolonged response and survival under olaparib as maintenance therapy in BRCA mutated ovarian cancers. <i>Gynecologic Oncology</i> , 2019, 155, 262-269.	0.6	19
24	Nivolumab in chemotherapy-resistant cervical cancer: report of a vulvitis as a novel immune-related adverse event and molecular analysis of a persistent complete response. , 2019, 7, 281.		10
25	Outcome in serous ovarian cancer is not associated with LATS expression. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019, 145, 2737-2749.	1.2	8
26	<p>Fibrin-thrombin sealant does not reduce lymphocele formation in patients with inguinofemoral lymphadenectomy for vulvar cancer</p>. <i>Cancer Management and Research</i> , 2019, Volume 11, 3575-3582.	0.9	2
27	Tumor-targeted 4-1BB agonists for combination with T cell bispecific antibodies as off-the-shelf therapy. <i>Science Translational Medicine</i> , 2019, 11, .	5.8	178
28	A forgotten disease: Pelvic congestion syndrome as a cause of chronic lower abdominal pain. <i>PLoS ONE</i> , 2019, 14, e0213834.	1.1	26
29	Neutrophils escort circulating tumour cells to enable cell cycle progression. <i>Nature</i> , 2019, 566, 553-557.	13.7	804
30	Circulating Tumor Cell Clustering Shapes DNA Methylation to Enable Metastasis Seeding. <i>Cell</i> , 2019, 176, 98-112.e14.	13.5	578
31	Transition of Mesenchymal and Epithelial Cancer Cells Depends on $\alpha 4$ Galactosyltransferase-Mediated Glycosphingolipids. <i>Cancer Research</i> , 2018, 78, 2952-2965.	0.4	35
32	Letrozole may be a valuable maintenance treatment in high-grade serous ovarian cancer patients. <i>Gynecologic Oncology</i> , 2018, 148, 79-85.	0.6	29
33	Spontaneous Remission of Severe Systemic Langerhans Cell Histiocytosis with Bladder Involvement: A Case Study. <i>Case Reports in Oncology</i> , 2018, 10, 876-884.	0.3	1
34	Challenges and Opportunities for Cancer Predisposition Cascade Screening for Hereditary Breast and Ovarian Cancer and Lynch Syndrome in Switzerland: Findings from an International Workshop. <i>Public Health Genomics</i> , 2018, 21, 121-132.	0.6	20
35	Endocrine Therapy in Epithelial Ovarian Cancer (EOC) New Insights in an Old Target: A Mini Review. <i>Journal of Cancer Clinical Trials</i> , 2018, 03, .	0.2	3
36	Denosumab treatment is associated with the absence of circulating tumor cells in patients with breast cancer. <i>Breast Cancer Research</i> , 2018, 20, 141.	2.2	20

#	ARTICLE	IF	CITATIONS
37	Impact of the new FIGO 2013 classification on prognosis of stage I epithelial ovarian cancers. <i>Cancer Management and Research</i> , 2018, Volume 10, 4709-4718.	0.9	7
38	Diaphragmatic smears are not of additional benefit in the detection of peritoneal spread in gynecological cancers. <i>Experimental and Therapeutic Medicine</i> , 2018, 15, 4199-4204.	0.8	0
39	Self-associated molecular patterns mediate cancer immune evasion by engaging Siglecs on T cells. <i>Journal of Clinical Investigation</i> , 2018, 128, 4912-4923.	3.9	214
40	ABO blood groups as a prognostic factor for recurrence in ovarian and vulvar cancer. <i>PLoS ONE</i> , 2018, 13, e0195213.	1.1	9
41	Ovarian cancer in Switzerland: incidence and treatment according to hospital registry data. <i>Swiss Medical Weekly</i> , 2018, 148, w14647.	0.8	1
42	MELK expression in ovarian cancer correlates with poor outcome and its inhibition by OTSSP167 abrogates proliferation and viability of ovarian cancer cells. <i>Gynecologic Oncology</i> , 2017, 145, 159-166.	0.6	42
43	Naturally occurring anti-glycan antibodies binding to Globo H-expressing cells identify ovarian cancer patients. <i>Journal of Ovarian Research</i> , 2017, 10, 8.	1.3	21
44	Tissue glycomics distinguish tumour sites in women with advanced serous adenocarcinoma. <i>Molecular Oncology</i> , 2017, 11, 1595-1615.	2.1	24
45	Aromatase inhibitor maintenance therapy in high grade advanced ovarian cancer to delay first recurrence.. <i>Journal of Clinical Oncology</i> , 2017, 35, 5515-5515.	0.8	5
46	Cancer Predisposition Cascade Screening for Hereditary Breast/Ovarian Cancer and Lynch Syndromes in Switzerland: Study Protocol. <i>JMIR Research Protocols</i> , 2017, 6, e184.	0.5	30
47	Should MMT of the endometrium/ovary be treated with anthracycline instead of taxane based chemotherapy?. <i>Journal of Clinical Oncology</i> , 2017, 35, 5563-5563.	0.8	0
48	Blood Plasma-Derived Anti-Glycan Antibodies to Sialylated and Sulfated Glycans Identify Ovarian Cancer Patients. <i>PLoS ONE</i> , 2016, 11, e0164230.	1.1	25
49	Improved Detection Rate of Ovarian Cancer Using a 2-Step Triage Model of the Risk of Malignancy Index and Expert Sonography in an Outpatient Screening Setting. <i>International Journal of Gynecological Cancer</i> , 2016, 26, 1062-1069.	1.2	9
50	Long-term quality of life, satisfaction, pelvic floor symptoms and regret after colpocleisis. <i>Archives of Gynecology and Obstetrics</i> , 2016, 294, 999-1003.	0.8	25
51	Expression of inhibitory receptors on intratumoral T cells modulates the activity of a T cell-bispecific antibody targeting folate receptor. <i>Oncolmmunology</i> , 2016, 5, e1062969.	2.1	27
52	Epigenetic activation of <i>MGAT3</i> and corresponding bisecting GlcNAc shortens the survival of cancer patients. <i>Oncotarget</i> , 2016, 7, 51674-51686.	0.8	33
53	Targeting the ROR1 and ROR2 receptors in epithelial ovarian cancer inhibits cell migration and invasion. <i>Oncotarget</i> , 2015, 6, 40310-40326.	0.8	58
54	Comment on the letter: The mass cannot be classified as malignant. <i>Archives of Gynecology and Obstetrics</i> , 2015, 291, 475-475.	0.8	0

#	ARTICLE	IF	CITATIONS
55	Alterations in the mitochondrial responses to PENAO as a mechanism of resistance in ovarian cancer cells. <i>Gynecologic Oncology</i> , 2015, 138, 363-371.	0.6	17
56	PEGylation of microbead surfaces reduces unspecific antibody binding in glycan-based suspension array. <i>Journal of Immunological Methods</i> , 2014, 412, 42-52.	0.6	26
57	The glycosphingolipid P1 is an ovarian cancer-associated carbohydrate antigen involved in migration. <i>British Journal of Cancer</i> , 2014, 111, 1634-1645.	2.9	40
58	Management of Human Papillomavirus-Related Gynecological Malignancies. <i>Current Problems in Dermatology</i> , 2014, 45, 216-224.	0.8	2
59	Expression of GBGT1 is epigenetically regulated by DNA methylation in ovarian cancer cells. <i>BMC Molecular Biology</i> , 2014, 15, 24.	3.0	13
60	Impact of breast cancer family history on tumor detection and tumor size in women newly-diagnosed with invasive breast cancer. <i>Familial Cancer</i> , 2014, 13, 99-107.	0.9	9
61	The special role of ultrasound for screening, staging and surveillance of malignant ovarian tumors: distinction from other methods of diagnostic imaging. <i>Archives of Gynecology and Obstetrics</i> , 2014, 289, 491-498.	0.8	23
62	Antibody-based immunotherapy for ovarian cancer: where are we at?. <i>Annals of Oncology</i> , 2014, 25, 322-331.	0.6	38
63	Specific Glycosylation of Membrane Proteins in Epithelial Ovarian Cancer Cell Lines: Glycan Structures Reflect Gene Expression and DNA Methylation Status. <i>Molecular and Cellular Proteomics</i> , 2014, 13, 2213-2232.	2.5	134
64	Reliable in vitro studies require appropriate ovarian cancer cell lines. <i>Journal of Ovarian Research</i> , 2014, 7, 60.	1.3	39
65	Microtubule-Depolymerizing Agents Used in Antibody-Drug Conjugates Induce Antitumor Immunity by Stimulation of Dendritic Cells. <i>Cancer Immunology Research</i> , 2014, 2, 741-755.	1.6	134
66	The microtubule-depolymerizing agent ansamitocin P3 programs dendritic cells toward enhanced anti-tumor immunity. <i>Cancer Immunology, Immunotherapy</i> , 2014, 63, 925-938.	2.0	60
67	The non-canonical Wnt ligand, Wnt5a, is upregulated and associated with epithelial to mesenchymal transition in epithelial ovarian cancer. <i>Gynecologic Oncology</i> , 2014, 134, 338-345.	0.6	60
68	A clinicopathological review of 33 patients with vulvar melanoma identifies c-KIT as a prognostic marker. <i>International Journal of Molecular Medicine</i> , 2014, 33, 784-794.	1.8	43
69	Need for radiological staging in breast cancer patients with axillary micrometastases.. <i>Journal of Clinical Oncology</i> , 2014, 32, e12026-e12026.	0.8	0
70	Meta-Analysis of Microarray Data Identifies <i>GAS6</i> Expression as an Independent Predictor of Poor Survival in Ovarian Cancer. <i>BioMed Research International</i> , 2013, 2013, 1-9.	0.9	33
71	Careful Selection of Reference Genes Is Required for Reliable Performance of RT-qPCR in Human Normal and Cancer Cell Lines. <i>PLoS ONE</i> , 2013, 8, e59180.	1.1	185
72	The Wnt Gatekeeper SFRP4 Modulates EMT, Cell Migration and Downstream Wnt Signalling in Serous Ovarian Cancer Cells. <i>PLoS ONE</i> , 2013, 8, e54362.	1.1	77

#	ARTICLE	IF	CITATIONS
73	LRP1B Deletion in High-Grade Serous Ovarian Cancers Is Associated with Acquired Chemotherapy Resistance to Liposomal Doxorubicin. <i>Cancer Research</i> , 2012, 72, 4060-4073.	0.4	100
74	Loss of Secreted Frizzled-Related Protein 4 Correlates with an Aggressive Phenotype and Predicts Poor Outcome in Ovarian Cancer Patients. <i>PLoS ONE</i> , 2012, 7, e31885.	1.1	51
75	Protein Significance Analysis in Selected Reaction Monitoring (SRM) Measurements. <i>Molecular and Cellular Proteomics</i> , 2012, 11, M111.014662.	2.5	124
76	Tumor-Associated Glycans and Their Role in Gynecological Cancers: Accelerating Translational Research by Novel High-Throughput Approaches. <i>Metabolites</i> , 2012, 2, 913-939.	1.3	26
77	Serum antiglycan antibody detection of nonmucinous ovarian cancers by using a printed glycan array. <i>International Journal of Cancer</i> , 2012, 130, 138-146.	2.3	71
78	Multiplex suspension array for human anti-carbohydrate antibody profiling. <i>Analyst</i> , The, 2011, 136, 560-569.	1.7	29
79	No benefit from combining HE4 and CA125 as ovarian tumor markers in a clinical setting. <i>Gynecologic Oncology</i> , 2011, 121, 487-491.	0.6	151
80	URI Is an Oncogene Amplified in Ovarian Cancer Cells and Is Required for Their Survival. <i>Cancer Cell</i> , 2011, 19, 317-332.	7.7	77
81	Comparison of printed glycan array, suspension array and ELISA in the detection of human anti-glycan antibodies. <i>Glycoconjugate Journal</i> , 2011, 28, 507-517.	1.4	38
82	Proteogenomic studies in epithelial ovarian cancer: established knowledge and future needs. <i>Biomarkers in Medicine</i> , 2009, 3, 743-756.	0.6	13
83	The E3 ubiquitin ligase EDD is an adverse prognostic factor for serous epithelial ovarian cancer and modulates cisplatin resistance in vitro. <i>British Journal of Cancer</i> , 2008, 98, 1085-1093.	2.9	56
84	Low meprin A expression differentiates primary ovarian mucinous carcinoma from gastrointestinal cancers that commonly metastasise to the ovaries. <i>Journal of Clinical Pathology</i> , 2007, 60, 622-626.	1.0	19
85	A distinct molecular profile associated with mucinous epithelial ovarian cancer. <i>British Journal of Cancer</i> , 2006, 94, 904-913.	2.9	102
86	Overexpression of the Cell Adhesion Molecules DDR1, Claudin 3, and Ep-CAM in Metaplastic Ovarian Epithelium and Ovarian Cancer. <i>Clinical Cancer Research</i> , 2004, 10, 4427-4436.	3.2	189
87	Role of p53 and ATM in photodynamic therapy-induced apoptosis. <i>Lasers in Surgery and Medicine</i> , 2003, 33, 182-189.	1.1	18
88	Managing Cancer as a Family Disease - Feasibility, Satisfaction and Family Functioning after Short-Time Counselling for Families with Parental Cancer. <i>Family Journal</i> , 0, , 106648072110524.	0.7	1