
Grace Mulcahy

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/440953/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Survey of the knowledge and perceptions of horse owners in Ireland of common clinical conditions and their impact. Equine Veterinary Journal, 2023, 55, 270-281.	0.9	2
2	Inactivation and Recovery of High Quality RNA From Positive SARS-CoV-2 Rapid Antigen Tests Suitable for Whole Virus Genome Sequencing. Frontiers in Public Health, 2022, 10, 863862.	1.3	9
3	Outbreak of acute larval cyathostominosis – A "perfect storm―of inflammation and dysbiosis. Equine Veterinary Journal, 2021, 53, 727-739.	0.9	22
4	Transcriptomic Analysis of Ovine Hepatic Lymph Node Following Fasciola hepatica Infection – Inhibition of NK Cell and IgE-Mediated Signaling. Frontiers in Immunology, 2021, 12, 687579.	2.2	9
5	A Multiomic Approach to Investigate the Effects of a Weight Loss Program on the Intestinal Health of Overweight Horses. Frontiers in Veterinary Science, 2021, 8, 668120.	0.9	7
6	Timing of Transcriptomic Peripheral Blood Mononuclear Cell Responses of Sheep to Fasciola hepatica Infection Differs From Those of Cattle, Reflecting Different Disease Phenotypes. Frontiers in Immunology, 2021, 12, 729217.	2.2	4
7	Assessment of Environmental and Occupational Risk Factors for the Mitigation and Containment of a COVID-19 Outbreak in a Meat Processing Plant. Frontiers in Public Health, 2021, 9, 769238.	1.3	12
8	<i>Fasciola hepatica</i> products can alter the response of bovine immune cells to <i>Mycobacterium avium</i> subsp. <i>paratuberculosis</i> . Parasite Immunology, 2020, 42, e12779.	0.7	6
9	Identification of protective peptides of Fasciola hepatica-derived cathepsin L1 (FhCL1) in vaccinated sheep by a linear B-cell epitope mapping approach. Parasites and Vectors, 2020, 13, 390.	1.0	8
10	No Worm Is an Island; The Influence of Commensal Gut Microbiota on Cyathostomin Infections. Animals, 2020, 10, 2309.	1.0	8
11	Horses are susceptible to natural, but resistant to experimental, infection with the liver fluke, Fasciola hepatica. Veterinary Parasitology, 2020, 281, 109094.	0.7	6
12	Liver fluke in Irish sheep: prevalence and associations with management practices and co-infection with rumen fluke. Parasites and Vectors, 2019, 12, 525.	1.0	16
13	Fasciola hepatica Infection in Cattle: Analyzing Responses of Peripheral Blood Mononuclear Cells (PBMC) Using a Transcriptomics Approach. Frontiers in Immunology, 2019, 10, 2081.	2.2	25
14	Removal of adult cyathostomins alters faecal microbiota and promotes an inflammatory phenotype in horses. International Journal for Parasitology, 2019, 49, 489-500.	1.3	35
15	Comparison of four commercially available ELISA kits for diagnosis of Fasciola hepatica in Irish cattle. BMC Veterinary Research, 2019, 15, 414.	0.7	14
16	Antibody recognition of cathepsin L1-derived peptides in Fasciola hepatica-infected and/or vaccinated cattle and identification of protective linear B-cell epitopes. Vaccine, 2018, 36, 958-968.	1.7	24
17	Epidemiological investigation of a severe rumen fluke outbreak on an Irish dairy farm. Parasitology, 2018, 145, 948-952.	0.7	22
18	Spatial patterns of Fasciola hepatica and Calicophoron daubneyi infections in ruminants in Ireland and modelling of C. daubneyi infection. Parasites and Vectors, 2018, 11, 531.	1.0	25

#	Article	IF	CITATIONS
19	Validation of a spatial liver fluke model under field conditions in Ireland. Geospatial Health, 2018, 13, 641.	0.3	2
20	In silico analyses of protein glycosylating genes in the helminth Fasciola hepatica (liver fluke) predict protein-linked glycan simplicity and reveal temporally-dynamic expression profiles. Scientific Reports, 2018, 8, 11700.	1.6	13
21	The immunoregulatory effects of co-infection with Fasciola hepatica : From bovine tuberculosis to Johne's disease. Veterinary Journal, 2017, 222, 9-16.	0.6	16
22	Migration ofFasciola hepaticanewly excysted juveniles is inhibited by high-mannose and oligomannose-typeN-glycan-binding lectins. Parasitology, 2017, 144, 1708-1717.	0.7	8
23	Network Analysis of the Systemic Response to Fasciola hepatica Infection in Sheep Reveals Changes in Fibrosis, Apoptosis, Toll-Like Receptors 3/4, and B Cell Function. Frontiers in Immunology, 2017, 8, 485.	2.2	15
24	Tegument Glycoproteins and Cathepsins of Newly Excysted Juvenile Fasciola hepatica Carry Mannosidic and Paucimannosidic N-glycans. PLoS Neglected Tropical Diseases, 2016, 10, e0004688.	1.3	32
25	Transcriptomic Study on Ovine Immune Responses to Fasciola hepatica Infection. PLoS Neglected Tropical Diseases, 2016, 10, e0005015.	1.3	46
26	Development of a versatile <i>in vitro</i> method for understanding the migration of <i>Fasciola hepatica</i> newly excysted juveniles. Parasitology, 2016, 143, 24-33.	0.7	17
27	<i>Fasciola hepatica</i> infection reduces <i>Mycobacterium bovis</i> burden and mycobacterial uptake and suppresses the proâ€inflammatory response. Parasite Immunology, 2016, 38, 387-402.	0.7	33
28	Rumen fluke in Irish sheep: prevalence, risk factors and molecular identification of two paramphistome species. BMC Veterinary Research, 2016, 12, 143.	0.7	40
29	Editorial—One Health Special Issue—Parasite Immunology. Parasite Immunology, 2016, 38, 525-526.	0.7	0
30	Toxocara and toxocarosis a roundtable discussion. Companion Animal, 2016, 21, 225-235.	0.0	0
31	Molecular epidemiology of Cryptosporidium species in livestock in Ireland. Veterinary Parasitology, 2016, 216, 18-22.	0.7	22
32	Development of an in vitro model of the early-stage bovine tuberculous granuloma using Mycobacterium bovis-BCG. Veterinary Immunology and Immunopathology, 2015, 168, 249-257.	0.5	4
33	Fasciola hepatica vaccine: We may not be there yet but we're on the right road. Veterinary Parasitology, 2015, 208, 101-111.	0.7	158
34	Comparison of diagnostic techniques for the detection of Cryptosporidium oocysts in animal samples. Experimental Parasitology, 2015, 151-152, 14-20.	0.5	31
35	Comparison of Fasciola hepatica genotypes in relation to their ability to establish patent infections in the final host. Veterinary Parasitology, 2015, 210, 145-150.	0.7	5
36	Standardisation of egg-viability assays for Fasciola hepatica and Calicophoron daubneyi: A tool for evaluating new technologies of parasite control. Veterinary Parasitology, 2015, 210, 25-31.	0.7	21

#	Article	IF	CITATIONS
37	Prevalence and seasonality of bulk milk antibodies against Dictyocaulus viviparus and Ostertagia ostertagi in Irish pasture-based dairy herds. Veterinary Parasitology, 2015, 209, 108-116.	0.7	26
38	Response letter. Veterinary Parasitology, 2015, 214, 228.	0.7	0
39	Determining the Prevalence and Seasonality of Fasciola hepatica in Pasture-based Dairy herds in Ireland using a Bulk Tank Milk ELISA. Irish Veterinary Journal, 2015, 68, 16.	0.8	32
40	Identity of rumen fluke in deer. Parasitology Research, 2014, 113, 4097-4103.	0.6	35
41	The Worm Turns. Veterinary Pathology, 2014, 51, 385-392.	0.8	12
42	The effect of Fasciola hepatica infection on respiratory vaccine responsiveness in calves. Veterinary Parasitology, 2014, 201, 31-39.	0.7	3
43	Bovine paramphistomes in Ireland. Veterinary Parasitology, 2014, 204, 199-208.	0.7	57
44	Parasite control practices on pasture-based dairy farms in the Republic of Ireland. Veterinary Parasitology, 2014, 204, 352-363.	0.7	27
45	<i>Toxoplasma gondii</i> in Ireland: Seroprevalence and Novel Molecular Detection Method in Sheep, Pigs, Deer and Chickens. Zoonoses and Public Health, 2013, 60, 168-173.	0.9	52
46	A coprological survey of parasites of wild carnivores in Ireland. Parasitology Research, 2013, 112, 3587-3593.	0.6	33
47	Investigating the role of wild carnivores in the epidemiology of bovine neosporosis. Parasitology, 2013, 140, 296-302.	0.7	15
48	Early and Late Peritoneal and Hepatic Changes in Goats Immunized with Recombinant Cathepsin L1 and Infected with Fasciola hepatica. Journal of Comparative Pathology, 2013, 148, 373-384.	0.1	36
49	Immunomodulatory molecules of Fasciola hepatica: Candidates for both vaccine and immunotherapeutic development. Veterinary Parasitology, 2013, 195, 272-285.	0.7	162
50	Panmictic Structure of the Cryptosporidium parvum Population in Irish Calves: Influence of Prevalence and Host Movement. Applied and Environmental Microbiology, 2013, 79, 2534-2541.	1.4	25
51	Fasciola hepatica is associated with the failure to detect bovine tuberculosis in dairy cattle. Nature Communications, 2012, 3, 853.	5.8	116
52	Peri-parturient rise of Cryptosporidium oocysts in cows: New insights provided by duplex quantitative real-time PCR. Veterinary Parasitology, 2012, 189, 366-368.	0.7	11
53	Cathepsin L proteases of the parasitic copepod, Lepeophtheirus salmonis. Aquaculture, 2012, 356-357, 264-271.	1.7	17
54	Humoral immune response in goats immunised with cathepsin L1, peroxiredoxin and Sm14 antigen and experimentally challenged with Fasciola hepatica. Veterinary Parasitology, 2012, 185, 315-321.	0.7	29

#	Article	IF	CITATIONS
55	A preliminary study to understand the effect of Fasciola hepatica tegument on naÃ⁻ve macrophages and humoral responses in an ovine model. Veterinary Immunology and Immunopathology, 2011, 139, 245-249.	0.5	22
56	Longitudinal and spatial distribution of GP60 subtypes in human cryptosporidiosis cases in Ireland. Epidemiology and Infection, 2011, 139, 1945-1955.	1.0	19
57	A differential interplay between the expression of Th1/Th2/Treg related cytokine genes in Teladorsagia circumcincta infected DRB1*1101 carrier lambs. Veterinary Research, 2011, 42, 45.	1.1	28
58	The dynamic influence of the DRB1*1101 allele on the resistance of sheep to experimental Teladorsagia circumcincta infection. Veterinary Research, 2011, 42, 46.	1.1	26
59	Gastrointestinal nematode control practices on lowland sheep farms in Ireland with reference to selection for anthelmintic resistance. Irish Veterinary Journal, 2011, 64, 4.	0.8	21
60	Age-Stratified Bayesian Analysis To Estimate Sensitivity and Specificity of Four Diagnostic Tests for Detection of <i>Cryptosporidium</i> Oocysts in Neonatal Calves. Journal of Clinical Microbiology, 2011, 49, 76-84.	1.8	17
61	Cutaneous infiltrates and peripheral blood immune responses in dogs with immunomodulatoryâ€responsive lymphocytic–plasmacytic pododermatitis. Veterinary Dermatology, 2010, 21, 383-392.	0.4	2
62	Control of cryptosporidiosis in neonatal calves: Use of halofuginone lactate in two different calf rearing systems. Preventive Veterinary Medicine, 2010, 96, 143-151.	0.7	45
63	Coordinating innate and adaptive immunity in Fasciola hepatica infection: Implications for control. Veterinary Parasitology, 2010, 169, 235-240.	0.7	52
64	Survival of <i>Cryptosporidium parvum</i> oocysts in the presence of hydrated lime. Veterinary Record, 2010, 166, 297-300.	0.2	5
65	Evaluation of hepatic changes and local and systemic immune responses in goats immunized with recombinant Peroxiredoxin (Prx) and challenged with Fasciola hepatica. Vaccine, 2010, 28, 2832-2840.	1.7	48
66	Protection of cattle against a natural infection of Fasciola hepatica by vaccination with recombinant cathepsin L1 (rFhCL1). Vaccine, 2010, 28, 5551-5557.	1.7	111
67	Characterisation of cathepsin B-like cysteine protease of Lepeophtheirus salmonis. Aquaculture, 2010, 310, 38-42.	1.7	9
68	Co-Infection of Cattle with <i>Fasciola hepatica</i> and <i>Mycobacterium bovis</i> Immunological Consequences. Transboundary and Emerging Diseases, 2009, 56, 269-274.	1.3	63
69	ILâ€10 and TGFâ€Î²1 are associated with variations in fluke burdens following experimental fasciolosis in sheep. Parasite Immunology, 2009, 31, 613-622.	0.7	49
70	The comparative efficacy of four anthelmintics against a natural acquired Fasciola hepatica infection in hill sheep flock in the west of Ireland. Veterinary Parasitology, 2009, 164, 201-205.	0.7	72
71	In vitro culture combined with quantitative TaqMan PCR for the assessment of Toxoplasma gondii tissue cyst viability. Veterinary Parasitology, 2009, 164, 167-172.	0.7	16
72	The effect of Quil A adjuvant on the course of experimental Fasciola hepatica infection in sheep. Vaccine, 2009, 27, 45-50.	1.7	46

#	Article	IF	CITATIONS
73	The prevalence of <i>Cryptosporidium</i> species and subtypes in human faecal samples in Ireland. Epidemiology and Infection, 2009, 137, 270-277.	1.0	65
74	The roles of IL-10 and TGF-β in controlling IL-4 and IFN-γ production during experimental Fasciola hepatica infection. International Journal for Parasitology, 2008, 38, 1673-1680.	1.3	87
75	A study of dendritic cell and MHC class II expression in dogs with immunomodulatory-responsive lymphocytic-plasmacytic pododermatitis. Veterinary Journal, 2008, 177, 352-359.	0.6	Ο
76	Canine pododermatitis and idiopathic disease. Veterinary Journal, 2008, 176, 146-157.	0.6	20
77	Possible Role for Toll-Like Receptors in Interaction of <i>Fasciola hepatica</i> Excretory/Secretory Products with Bovine Macrophages. Infection and Immunity, 2008, 76, 678-684.	1.0	55
78	Experimental Fasciola hepatica Infection Alters Responses to Tests Used for Diagnosis of Bovine Tuberculosis. Infection and Immunity, 2007, 75, 1373-1381.	1.0	113
79	INTERACTION OF EIMERIA TENELLA WITH INTESTINAL MUCIN IN VITRO. Journal of Parasitology, 2007, 93, 634-638.	0.3	15
80	Prevalence ofCryptosporidiumspecies in intensively farmed pigs in Ireland. Parasitology, 2007, 134, 1575-1582.	0.7	62
81	Alternative activation of ruminant macrophages by Fasciola hepatica. Veterinary Immunology and Immunopathology, 2007, 120, 31-40.	0.5	49
82	Biochemical characterisation of the recombinant peroxiredoxin (FhePrx) of the liver fluke,Fasciola hepatica. FEBS Letters, 2006, 580, 5016-5022.	1.3	37
83	An Irish perspective on Cryptosporidium. Part 1. Irish Veterinary Journal, 2006, 59, 442-7.	0.8	8
84	An Irish perspective on Cryptosporidium. Part 2. Irish Veterinary Journal, 2006, 59, 495-500.	0.8	1
85	Evaluation of Th1-like, Th2-like and immunomodulatory cytokine mRNA expression in the skin of dogs with immunomodulatory-responsive lymphocytic?plasmacytic pododermatitis. Veterinary Dermatology, 2006, 17, 313-321.	0.4	11
86	Comparison of different methods for the solubilisation of Neospora caninum (Phylum Apicomplexa) antigen. Veterinary Parasitology, 2006, 135, 205-213.	0.7	7
87	Texel sheep are more resistant to natural nematode challenge than Suffolk sheep based on faecal egg count and nematode burden. Veterinary Parasitology, 2006, 136, 317-327.	0.7	53
88	Eimeria tenella: B-cell epitope mapping following primary and secondary infections. Experimental Parasitology, 2006, 113, 235-238.	0.5	7
89	Isolation and Characterization of Cathepsin-L1 Protease From Fasciola hepatica Excretory-Secretory Products for Serodiagnosis of Human Fasciolosis. Methods in Biotechnology, 2006, , 191-201.	0.2	Ο
90	Interaction of Cryptosporidium hominis and Cryptosporidium parvum with Primary Human and Bovine Intestinal Cells. Infection and Immunity, 2006, 74, 99-107.	1.0	54

#	Article	IF	CITATIONS
91	Possible mechanisms underlying age-related resistance to bovine babesiosis. Parasite Immunology, 2005, 27, 115-120.	0.7	67
92	Partial protection against Eimeria acervulina and Eimeria tenella induced by synthetic peptide vaccine. Experimental Parasitology, 2005, 110, 342-348.	0.5	26
93	Angiostrongylus vasorum: a real heartbreaker. Trends in Parasitology, 2005, 21, 49-51.	1.5	133
94	Tissue migration by parasitic helminths – an immunoevasive strategy?. Trends in Parasitology, 2005, 21, 273-277.	1.5	61
95	The synthetic form of a novel chicken ?-defensin identified in silico is predominantly active against intestinal pathogens. Immunogenetics, 2005, 57, 90-98.	1.2	74
96	Thioredoxin Peroxidase Secreted by Fasciola hepatica Induces the Alternative Activation of Macrophages. Infection and Immunity, 2005, 73, 166-173.	1.0	258
97	Host Cell Tropism Underlies Species Restriction of Human and Bovine Cryptosporidium parvum Genotypes. Infection and Immunity, 2004, 72, 6125-6131.	1.0	22
98	Helminths at mucosal barriers—interaction with the immune system. Advanced Drug Delivery Reviews, 2004, 56, 853-868.	6.6	48
99	Bioinformatic discovery and initial characterisation of nine novel antimicrobial peptide genes in the chicken. Immunogenetics, 2004, 56, 170-177.	1.2	197
100	Helminth vaccines: from mining genomic information for vaccine targets to systems used for protein expression. International Journal for Parasitology, 2003, 33, 621-640.	1.3	88
101	Fasciola hepatica cathepsin L-like proteases: biology, function, and potential in the development of first generation liver fluke vaccines. International Journal for Parasitology, 2003, 33, 1173-1181.	1.3	238
102	Keys to the Trematodes, Vol. 1; D.J. Gibbs, A. Jones, R.A. Bray (Eds.); CAB International, Wallington, UK, 521 pages, ISBN 0-851-99547-0. Veterinary Parasitology, 2003, 111, 273.	0.7	0
103	Babesia divergens , a Bovine Blood Parasite of Veterinary and Zoonotic Importance. Clinical Microbiology Reviews, 2003, 16, 622-636.	5.7	336
104	A survey of helminth control practices in equine establishments in Ireland. Veterinary Parasitology, 2002, 109, 101-110.	0.7	64
105	Parasite vaccines — a reality?. Veterinary Parasitology, 2001, 98, 149-167.	0.7	108
106	Fasciola hepatica infection downregulates Th1 responses in mice. Parasite Immunology, 2000, 22, 147-155.	0.7	195