

# Andrea Bauer

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4507645/publications.pdf>

Version: 2024-02-01

116  
papers

4,008  
citations

109137

35  
h-index

138251

58  
g-index

126  
all docs

126  
docs citations

126  
times ranked

3191  
citing authors

#	ARTICLE	IF	CITATIONS
1	Very late reactions in the patch test with fragrance mix I and oak moss absolute (<i>Evernia</i> Tj ETQq1 1 0.784314 rgBT /Overlock 10 Dermatitis, 2022, 86, 54-57.	0.8	0
2	Epidemiology, comorbidities, and healthcare utilization of patients with chronic urticaria in Germany. Journal of the European Academy of Dermatology and Venereology, 2022, 36, 91-99.	1.3	23
3	Risk factors for systemic reactions in typical cold urticaria: Results from the COLDA&E study. Allergy: European Journal of Allergy and Clinical Immunology, 2022, 77, 2185-2199.	2.7	20
4	European patch test results with audit allergens as candidates for inclusion in the European Baseline Series, 2019/20: Joint results of the <sc>ESSCA</sc> and the <sc>EBS</sc> working groups of the <sc>ESCD</sc>, and the <sc>GEIDAC</sc>. Contact Dermatitis, 2022, 86, 379-389.	0.8	18
5	The <sc>pan&AK</sc> inhibitor delgocitinib in a cream formulation demonstrates dose response in chronic hand eczema in a 16&week randomized phase <sc>IIb</sc> trial*. British Journal of Dermatology, 2022, 187, 42-51.	1.4	28
6	Adrenaline autoinjector is underprescribed in typical cold urticaria patients. Allergy: European Journal of Allergy and Clinical Immunology, 2022, 77, 2224-2229.	2.7	4
7	Guidelines for diagnosis, prevention, and treatment of hand eczema. Contact Dermatitis, 2022, 86, 357-378.	0.8	83
8	Adrenaline autoinjector is under-prescribed in typical cold urticaria patients living in tropical climate countries. Qatar Medical Journal, 2022, 2022, .	0.2	0
9	German S1 guideline: Contact dermatitis. JDDG - Journal of the German Society of Dermatology, 2022, 20, 712-734.	0.4	10
10	S1&Leitlinie Kontaktekzem. JDDG - Journal of the German Society of Dermatology, 2022, 20, 711-734.	0.4	4
11	From the Cochrane Library: Interventions for Preventing Occupational Irritant Hand Dermatitis. JMIR Dermatology, 2022, 5, e37961.	0.4	0
12	Patch test results with the European baseline series, 2019/20&”Joint European results of the <sc>ESSCA</sc> and the <sc>EBS</sc> working groups of the <sc>ESCD</sc>, and the <sc>GEIDAC</sc>. Contact Dermatitis, 2022, 87, 343-355.	0.8	22
13	Phenotype and risk factors of venom-induced anaphylaxis: A&case-control study of the European Anaphylaxis Registry. Journal of Allergy and Clinical Immunology, 2021, 147, 653-662.e9.	1.5	40
14	Patch test results with the European baseline series and additions thereof in the ESSCA network, 2015&2018. Contact Dermatitis, 2021, 84, 109-120.	0.8	44
15	The global impact of the COVID&19 pandemic on the management and course of chronic urticaria. Allergy: European Journal of Allergy and Clinical Immunology, 2021, 76, 816-830.	2.7	58
16	Developing a cosmetic series: Results from the <sc>ESSCA</sc> network, 2009&2018. Contact Dermatitis, 2021, 84, 82-94.	0.8	10
17	Formaldehyde 2% is not a useful means of detecting allergy to formaldehyde releasers&” results of the <sc>ESSCA</sc> network, 2015&2018. Contact Dermatitis, 2021, 84, 95-102.	0.8	15
18	Patch test results with caine mix <sc>III</sc> and its three constituents in consecutive patients of the <sc>IVDK</sc>. Contact Dermatitis, 2021, 84, 481-483.	0.8	4

#	ARTICLE	IF	CITATIONS
19	Expert consensus on practical aspects in the treatment of chronic urticaria. Allergo Journal International, 2021, 30, 64-75.	0.9	13
20	Severe allergic reactions after COVID-19 vaccination with the Pfizer/BioNTech vaccine in Great Britain and USA. Allergo Journal International, 2021, 30, 51-55.	0.9	55
21	A negative breakdown test in a fragrance mix Iâ€positive patient does not rule out contact allergy to its fragrance constituents. Contact Dermatitis, 2021, 84, 407-418.	0.8	11
22	Wheat Anaphylaxis in Adults Differs from Reactions to Other Types of Food. Journal of Allergy and Clinical Immunology: in Practice, 2021, 9, 2844-2852.e5.	2.0	28
23	European Surveillance System on Contact Allergies (ESSCA): Characteristics of patients patch tested and diagnosed with irritant contact dermatitis. Contact Dermatitis, 2021, 85, 186-197.	0.8	11
24	Effects of pregnancy on chronic urticaria: Results of the PREGâ€UCARE study. Allergy: European Journal of Allergy and Clinical Immunology, 2021, 76, 3133-3144.	2.7	15
25	Whatâ€™s New in the Treatment of Urticaria and Angioedema. Journal of Allergy and Clinical Immunology: in Practice, 2021, 9, 2170-2184.	2.0	10
26	How are patients with chronic urticaria interested in using information and communication technologies to guide their healthcare? A UCARE study. World Allergy Organization Journal, 2021, 14, 100542.	1.6	11
27	Patch test informed consent form: position statement by European Academy of Dermatology and Venereology Task Force on Contact Dermatitis. Journal of the European Academy of Dermatology and Venereology, 2021, 35, 1957-1962.	1.3	2
28	Occupational contact dermatitis in painters and varnishers: Data from the <scp>Information Network of Departments of Dermatology</scp> (<scp>IVDK</scp>), 2000 to 2019. Contact Dermatitis, 2021, 85, 494-502.	0.8	8
29	White paper on peanut allergyâ€™ part 1: Epidemiology, burden of disease, health economic aspects. Allergo Journal International, 2021, 30, 261-269.	0.9	8
30	Assessment of the effects of a work-related allergy to seafood on the reduction of earning capacity in the context of BK No. 5101. Allergologie Select, 2021, 5, 33-44.	1.6	3
31	Contact Allergy to Paint and Lacquers. , 2021, , 1083-1091.		2
32	The Preventive Value of Sun Protection. Current Problems in Dermatology, 2021, 55, 316-328.	0.8	2
33	Chronic urticaria patients are interested in apps to monitor their disease activity and control: A UCARE CURICT analysis. Clinical and Translational Allergy, 2021, 11, e12089.	1.4	9
34	Secondary prevention measures in anaphylaxis patients: Data from the anaphylaxis registry. Allergy: European Journal of Allergy and Clinical Immunology, 2020, 75, 901-910.	2.7	10
35	Efficacy and safety of topical delgocitinib in patients with chronic hand eczema: data from a randomized, double-blind, vehicle-controlled phase <scp>II</scp> a study. British Journal of Dermatology, 2020, 182, 1103-1110.	1.4	69
36	The methylisothiazolinone epidemic goes along with changing patients' characteristics â€™ After cosmetics, industrial applications are the focus. Contact Dermatitis, 2020, 82, 87-93.	0.8	30

#	ARTICLE	IF	CITATIONS
37	A survey of members of the European Surveillance System on Contact Allergy and the EU project "StanDerm" to identify allergens tested in cosmetic series across Europe. <i>Contact Dermatitis</i> , 2020, 82, 195-200.	0.8	5
38	Basal cell carcinoma risk and solar UV exposure in occupationally relevant anatomic sites: do histological subtype, tumor localization and Fitzpatrick phototype play a role? A population-based case-control study. <i>Journal of Occupational Medicine and Toxicology</i> , 2020, 15, 28.	0.9	23
39	Occupational allergy to phytase: case series of eight production workers exposed to animal feed additives. <i>JDDG - Journal of the German Society of Dermatology</i> , 2020, 18, 859-865.	0.4	2
40	Definition, aims, and implementation of GA <sup>2</sup> LEN/HAEi Angioedema Centers of Reference and Excellence. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 2115-2123.	2.7	29
41	Protocol for the development of a core domain set for hand eczema trials. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 2871-2876.	1.3	3
42	Prevention of Occupational Skin Cancer. , 2020, , 1685-1697.		5
43	The usage, quality and relevance of information and communications technologies in patients with chronic urticaria: A UCARE study. <i>World Allergy Organization Journal</i> , 2020, 13, 100475.	1.6	13
44	Cleaners. , 2020, , 1793-1798.		0
45	Prevention in Food Workers. , 2020, , 1645-1653.		0
46	Paint and Lacquers. , 2020, , 1-9.		0
47	Contact Allergy to Paint and Lacquers. , 2020, , 1-9.		0
48	The frequency of specific contact allergies is reduced in patients with psoriasis. <i>British Journal of Dermatology</i> , 2019, 180, 315-320.	1.4	15
49	Omalizumab normalizes the gene expression signature of lesional skin in patients with chronic spontaneous urticaria: A randomized, double-blind, placebo-controlled study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019, 74, 141-151.	2.7	32
50	Imatinib mesylate and nilotinib decrease synthesis of bone matrix in <i>in vitro</i> . <i>Oncology Letters</i> , 2019, 18, 2102-2108.	0.8	5
51	S3 guidelines: Epicutaneous patch testing with contact allergens and drugs " Short version, Part 1. <i>JDDG - Journal of the German Society of Dermatology</i> , 2019, 17, 1076-1093.	0.4	81
52	Ligelizumab for Chronic Spontaneous Urticaria. <i>New England Journal of Medicine</i> , 2019, 381, 1321-1332.	13.9	187
53	S2 Leitlinie Basalzellkarzinom der Haut " Teil 1: Epidemiologie, Genetik und Diagnostik. <i>JDDG - Journal of the German Society of Dermatology</i> , 2019, 17, 94-104.	0.4	23
54	S3 Guidelines: Epicutaneous patch testing with contact allergens and drugs " Short version, Part 2. <i>JDDG - Journal of the German Society of Dermatology</i> , 2019, 17, 1187-1207.	0.4	44

#	ARTICLE	IF	CITATIONS
55	Epidermolytic ichthyosis due to a de novo missense mutation c.1307T> C; p.Leu436Pro in KRT10. JDDG - Journal of the German Society of Dermatology, 2019, 17, 82-84.	0.4	1
56	S2k Guidelines for Cutaneous Basal Cell Carcinoma – Part 1: Epidemiology, Genetics and Diagnosis. JDDG - Journal of the German Society of Dermatology, 2019, 17, 94-103.	0.4	44
57	Contact sensitization to plants of the Compositae family: Data of the Information Network of Departments of Dermatology (IVDK) from 2007 to 2016. Contact Dermatitis, 2019, 80, 222-227.	0.8	17
58	Antihistamine-resistant chronic spontaneous urticaria: 1-year data from the AWARE study. Clinical and Experimental Allergy, 2019, 49, 655-662.	1.4	45
59	Which outcomes have been measured in hand eczema trials? A systematic review. Contact Dermatitis, 2019, 80, 201-207.	0.8	18
60	European Surveillance System on Contact Allergies (ESSCA): Contact allergies in relation to body sites in patients with allergic contact dermatitis. Contact Dermatitis, 2019, 80, 263-272.	0.8	39
61	Chronic hand eczema in Germany: 5-year follow-up data from the CARPE registry. Contact Dermatitis, 2019, 80, 45-53.	0.8	32
62	European Surveillance System on Contact Allergies (ESSCA): polysensitization, 2009–2014. Contact Dermatitis, 2018, 78, 373-385.	0.8	17
63	Non-IgE-dependent hypersensitivity to macrogol 6000. JDDG - Journal of the German Society of Dermatology, 2018, 16, 479-481.	0.4	5
64	Factors increasing the risk for a severe reaction in anaphylaxis: An analysis of data from The European Anaphylaxis Registry. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 1322-1330.	2.7	176
65	Interventions for preventing occupational irritant hand dermatitis. The Cochrane Library, 2018, 2018, CD004414.	1.5	50
66	Increased attention-deficit/hyperactivity symptoms in atopic dermatitis are associated with history of antihistamine use. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 615-626.	2.7	48
67	Is ultraviolet exposure acquired at work the most important risk factor for cutaneous squamous cell carcinoma? Results of the population-based case-control study FB-181. British Journal of Dermatology, 2018, 178, 462-472.	1.4	62
68	Health utilities for controlled and uncontrolled chronic hand eczema in healthcare employees. Contact Dermatitis, 2018, 78, 18-27.	0.8	6
69	Occupational UV-Exposure is a Major Risk Factor for Basal Cell Carcinoma. Journal of Occupational and Environmental Medicine, 2018, 60, 36-43.	0.9	52
70	Prevention of Occupational Skin Cancer. , 2018, , 1-13.		1
71	Recommendations for photopatch testing by the Photopatch Test Working Group of the German Contact Dermatitis Research Group (DKG). JDDG - Journal of the German Society of Dermatology, 2018, 16, 1363-1364.	0.4	13
72	Extended documentation for hand dermatitis patients: Pilot study on irritant exposures. Contact Dermatitis, 2018, 79, 168-174.	0.8	15

#	ARTICLE	IF	CITATIONS
73	Pilot study on a new concept of documenting the clinical relevance of patch test results in contact dermatitis patients. <i>Contact Dermatitis</i> , 2018, 79, 370-377.	0.8	8
74	Cleaners. , 2018, , 1-6.		0
75	H1-antihistamine-refractory chronic spontaneous urticaria: it's worse than we thought - first results of the multicenter real-life <sc>AWARE</sc> study. <i>Clinical and Experimental Allergy</i> , 2017, 47, 684-692.	1.4	96
76	Contact allergy to preservatives: <sc>ESSCA</sc>* results with the baseline series, 2009-2012. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, 664-671.	1.3	64
77	Dealing with absolute and relative contraindications to specific immunotherapy using Hymenoptera venoms. <i>Allergo Journal International</i> , 2017, 26, 122-128.	0.9	1
78	European Surveillance System on Contact Allergies (<sc>ESSCA</sc>): results with the European baseline series, 2013/14. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, 1516-1525.	1.3	106
79	Patch testing with rubber series in <sc>E</sc>urope: a critical review and recommendation. <i>Contact Dermatitis</i> , 2017, 76, 195-203.	0.8	21
80	Occupational skin diseases: actual state analysis of patient management pathways in 28 European countries. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, 12-30.	1.3	56
81	Minimum standards on prevention, diagnosis and treatment of occupational and work-related skin diseases in Europe - position paper of the COST Action StanDerm (TD 1206). <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, 31-43.	1.3	94
82	Clinical efficacy of omalizumab in chronic spontaneous urticaria is associated with a reduction of Fc $\mu$ RI-positive cells in the skin. <i>Theranostics</i> , 2017, 7, 1266-1276.	4.6	113
83	Off-target effect of imatinib and nilotinib on human vitamin D3 metabolism. <i>Molecular Medicine Reports</i> , 2017, 17, 1382-1388.	1.1	7
84	Report from the kick-off meeting of the Cochrane Skin Group Core Outcome Set Initiative (CSG-COUSIN). <i>British Journal of Dermatology</i> , 2016, 174, 287-295.	1.4	41
85	Safety and tolerability during build-up phase of a rush venom immunotherapy. <i>Annals of Allergy, Asthma and Immunology</i> , 2016, 116, 360-365.	0.5	14
86	Are the classic diagnostic methods in mycology still state of the art?. <i>JDDG - Journal of the German Society of Dermatology</i> , 2016, 14, 490-494.	0.4	13
87	Sind die klassischen Methoden zur mykologischen Diagnostik noch -State-of-the-Art-. <i>JDDG - Journal of the German Society of Dermatology</i> , 2016, 14, 490-494.	0.4	8
88	The European Status Quo in legal recognition and patient-care services of occupational skin cancer. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 46-51.	1.3	46
89	Knowledge of outdoor workers on the effects of natural UV radiation and methods of protection against exposure. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 34-37.	1.3	35
90	Which factors are associated with the use of systemic antihistamines in patients with chronic hand eczema? Results from the <sc>CARPE</sc> registry. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 50-56.	1.3	5

#	ARTICLE	IF	CITATIONS
91	Inhibitory effects of imatinib on vitamin D3 synthesis in human keratinocytes. <i>Molecular Medicine Reports</i> , 2015, 11, 3143-3147.	1.1	16
92	Patch test results of the European baseline series among patients with occupational contact dermatitis across Europe – analyses of the European Surveillance System on Contact Allergy network, 2002–2010. <i>Contact Dermatitis</i> , 2015, 72, 154-163.	0.8	144
93	Occupational contact allergy in nurses: results from the International Network of Departments of Dermatology 2003–2012. <i>Contact Dermatitis</i> , 2015, 72, 164-171.	0.8	54
94	ESSCA results with the baseline series, 2009–2012: rubber allergens. <i>Contact Dermatitis</i> , 2015, 73, 305-312.	0.8	35
95	Characteristics and Provision of Care in Patients with Chronic Hand Eczema: Updated Data from the CARPE Registry. <i>Acta Dermato-Venereologica</i> , 2014, 94, 163-167.	0.6	46
96	Acceptance and Usability of Different Sunscreen Formulations among Outdoor Workers: A Randomized, Single-blind, Cross-over Study. <i>Acta Dermato-Venereologica</i> , 2014, 94, 152-156.	0.6	19
97	Itching in Patients with Chronic Hand Eczema: Data from the CARPE Registry. <i>Dermatology</i> , 2014, 229, 146-153.	0.9	24
98	Sun exposure: perceptions and behaviours in outdoor workers. <i>British Journal of Dermatology</i> , 2014, 171, 1570-1572.	1.4	14
99	Occupational allergic contact dermatitis: the big challenge. <i>British Journal of Dermatology</i> , 2014, 170, 1010-1011.	1.4	0
100	Severity And Functional Disability Of Patients With Occupational Contact Dermatitis: Validation Of The German Version Of The Occupational Contact Dermatitis Disease Severity Index (ODDI). <i>Value in Health</i> , 2014, 17, A567.	0.1	0
101	Clinical evaluation of a novel commercial multiplex-based PCR diagnostic test for differential diagnosis of dermatomycoses. <i>Mycoses</i> , 2014, 57, 27-34.	1.8	46
102	Durch UV-Strahlung induzierte bÄ¶artige Hauttumoren – Erarbeitung und Evaluation von versicherungsrechtlich relevanten Abgrenzungskriterien beruflicher gegenÄ¼ber nicht beruflicher Verursachung. Wissenschaftlicher Abschlussbericht des DGUV-. <i>Dermatologie in Beruf Und Umwelt</i> , 2014, 62, 107-132.	0.5	5
103	Contact dermatitis in the cleaning industry. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2013, 13, 521-524.	1.1	27
104	Risk factors associated with methylisothiazolinone contact sensitization. <i>Contact Dermatitis</i> , 2013, 69, 231-238.	0.8	109
105	Satisfaction with medical treatment in patients with hand dermatitis – a cross-sectional study. <i>JDDG - Journal of the German Society of Dermatology</i> , 2013, 11, 1007-1013.	0.4	5
106	Efficacy of pimecrolimus 1 % cream in the long term management of atopic hand dermatitis. A double-blind RCT. <i>JDDG - Journal of the German Society of Dermatology</i> , 2012, 10, 426-432.	0.4	9
107	Current patch test results with the European baseline series and extensions to it from the –European Surveillance System on Contact Allergy™ network, 2007–2008. <i>Contact Dermatitis</i> , 2012, 67, 9-19.	0.8	114
108	Occupational ultraviolet light exposure increases the risk for the development of cutaneous squamous cell carcinoma: a systematic review and meta-analysis. <i>British Journal of Dermatology</i> , 2011, 164, 291-307.	1.4	269

#	ARTICLE	IF	CITATIONS
109	Is occupational solar ultraviolet irradiation a relevant risk factor for basal cell carcinoma? A systematic review and meta-analysis of the epidemiological literature. <i>British Journal of Dermatology</i> , 2011, 165, no-no.	1.4	189
110	Contact allergy in the cleaning industry: analysis of contact allergy surveillance data of the Information Network of Departments of Dermatology. <i>Contact Dermatitis</i> , 2011, 65, 159-166.	0.8	34
111	Interventions for preventing occupational irritant hand dermatitis. <i>The Cochrane Library</i> , 2010, , CD004414.	1.5	28
112	Prospective safety analysis of an ultrarush specific immunotherapy in adults with wasp venom allergy. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2006, 61, 1237-1238.	2.7	9
113	Skin protection in bakers' apprentices. <i>Contact Dermatitis</i> , 2002, 46, 81-85.	0.8	68
114	Type IV allergy in the food processing industry: sensitization profiles in bakers, cooks and butchers. <i>Contact Dermatitis</i> , 2002, 46, 228-235.	0.8	23
115	Occupational hand dermatitis in food industry apprentices: results of a 3-year follow-up cohort study. <i>International Archives of Occupational and Environmental Health</i> , 2001, 74, 437-442.	1.1	56
116	Development of occupational skin diseases during vocational training in baker and confectioner apprentices: a follow-up study. <i>Contact Dermatitis</i> , 1998, 39, 307-311.	0.8	55