

# Yu-Yao Huang

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/4550721/yu-yao-huang-publications-by-citations.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

56

papers

817

citations

17

h-index

26

g-index

61

ext. papers

988

ext. citations

4.5

avg, IF

3.88

L-index

#	Paper	IF	Citations
56	Risk factors for lower extremity amputation in diabetic foot disease categorized by Wagner classification. <i>Diabetes Research and Clinical Practice</i> , <b>2012</b> , 95, 358-63	7.4	79
55	Tissue-specific, hormonal, and developmental regulation of SCC-LacZ expression in transgenic mice leads to adrenocortical zone characterization. <i>Endocrinology</i> , <b>1999</b> , 140, 5609-18	4.8	51
54	Diabetes-related kidney, eye, and foot disease in Taiwan: an analysis of the nationwide data for 2000-2009. <i>Journal of the Formosan Medical Association</i> , <b>2012</b> , 111, 637-44	3.2	48
53	Synergy of a herpes oncolytic virus and paclitaxel for anaplastic thyroid cancer. <i>Clinical Cancer Research</i> , <b>2008</b> , 14, 1519-28	12.9	48
52	C-reactive protein as an outcome predictor for percutaneous transluminal angioplasty in diabetic patients with peripheral arterial disease and infected foot ulcers. <i>Diabetes Research and Clinical Practice</i> , <b>2010</b> , 90, 167-72	7.4	42
51	Primary pituitary lymphoma presenting as hypophysitis. <i>Endocrine Journal</i> , <b>2005</b> , 52, 543-9	2.9	37
50	Nectin-1 is a marker of thyroid cancer sensitivity to herpes oncolytic therapy. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2007</b> , 92, 1965-70	5.6	36
49	Utility of a PI3K/mTOR inhibitor (NVP-BEZ235) for thyroid cancer therapy. <i>PLoS ONE</i> , <b>2012</b> , 7, e46726	3.7	36
48	Survival and associated risk factors in patients with diabetes and amputations caused by infectious foot gangrene. <i>Journal of Foot and Ankle Research</i> , <b>2018</b> , 11, 1	3.2	34
47	Utility of a histone deacetylase inhibitor (PXD101) for thyroid cancer treatment. <i>PLoS ONE</i> , <b>2013</b> , 8, e77684	3.7	30
46	Nationwide trends in the epidemiology of diabetic foot complications and lower-extremity amputation over an 8-year period. <i>BMJ Open Diabetes Research and Care</i> , <b>2019</b> , 7, e000795	4.5	28
45	The impact of nutritional status on treatment outcomes of patients with limb-threatening diabetic foot ulcers. <i>Journal of Diabetes and Its Complications</i> , <b>2016</b> , 30, 138-42	3.2	23
44	Polymorphisms of GLP-1 receptor gene and response to GLP-1 analogue in patients with poorly controlled type 2 diabetes. <i>Journal of Diabetes Research</i> , <b>2015</b> , 2015, 176949	3.9	22
43	Effect of limb preservation status and body mass index on the survival of patients with limb-threatening diabetic foot ulcers. <i>Journal of Diabetes and Its Complications</i> , <b>2017</b> , 31, 180-185	3.2	21
42	Clinical Characteristics and Risk Factor Analysis for Lower-Extremity Amputations in Diabetic Patients With Foot Ulcer Complicated by Necrotizing Fasciitis. <i>Medicine (United States)</i> , <b>2015</b> , 94, e1957	1.8	21
41	Action of hormone responsive sequence in 2.3 kb promoter of CYP11A1. <i>Molecular and Cellular Endocrinology</i> , <b>2001</b> , 175, 205-10	4.4	18
40	Pitavastatin improves glycated hemoglobin in patients with poorly controlled type 2 diabetes. <i>Journal of Diabetes Investigation</i> , <b>2016</b> , 7, 769-76	3.9	17

39	Operative strategy for follicular thyroid cancer in risk groups stratified by pTNM staging. <i>Surgical Oncology</i> , <b>2007</b> , 16, 107-13	2.5	17
38	Methicillin-resistant Staphylococcus aureus nasal carriage and infection among patients with diabetic foot ulcer. <i>Journal of Microbiology, Immunology and Infection</i> , <b>2020</b> , 53, 292-299	8.5	15
37	Tissue-Specific, Hormonal, and Developmental Regulation of SCC-LacZ Expression in Transgenic Mice Leads to Adrenocortical Zone Characterization		14
36	The value of Doppler waveform analysis in predicting major lower extremity amputation among dialysis patients treated for diabetic foot ulcers. <i>Diabetes Research and Clinical Practice</i> , <b>2013</b> , 100, 181-87.4	7.4	13
35	Effect of glyburide-metformin combination tablet in patients with type 2 diabetes. <i>Journal of the Chinese Medical Association</i> , <b>2007</b> , 70, 473-80	2.8	13
34	Risk factors for in-hospital mortality in patients with type 2 diabetes complicated by community-acquired Klebsiella pneumoniae bacteremia. <i>Journal of the Formosan Medical Association</i> , <b>2015</b> , 114, 916-22	3.2	12
33	Glucose Variability and $\beta$ Cell Response by GLP-1 Analogue added-on CSII for Patients with Poorly Controlled Type 2 Diabetes. <i>Scientific Reports</i> , <b>2015</b> , 5, 16968	4.9	11
32	The effects of weekly alendronate therapy in Taiwanese males with osteoporosis. <i>Journal of Bone and Mineral Metabolism</i> , <b>2010</b> , 28, 328-33	2.9	11
31	Treatment for diabetic foot ulcers complicated by major cardiac events. <i>Canadian Journal of Diabetes</i> , <b>2015</b> , 39, 183-7	2.1	9
30	Inertia on hypoglycemia: highlight from a Taiwan subgroup analysis of Real-Life Effectiveness and Care Patterns of Diabetes Management (RECAP-DM) study. <i>Diabetes Research and Clinical Practice</i> , <b>2012</b> , 98, 61-7	7.4	9
29	Renal and Glucose-Lowering Effects of Empagliflozin and Dapagliflozin in Different Chronic Kidney Disease Stages. <i>Frontiers in Endocrinology</i> , <b>2019</b> , 10, 820	5.7	8
28	Effect of glycemic control on microalbuminuria development among type 2 diabetes with high-normal albuminuria. <i>Renal Failure</i> , <b>2014</b> , 36, 171-5	2.9	7
27	Effects of a novel short-term continuous subcutaneous insulin infusion program evaluated by continuous glucose monitoring on young adult type 1 diabetic patients in Taiwan. <i>Endocrine Journal</i> , <b>2011</b> , 58, 835-40	2.9	7
26	Sensitivity of squamous cell carcinoma lymph node metastases to herpes oncolytic therapy. <i>Clinical Cancer Research</i> , <b>2008</b> , 14, 1897-904	12.9	7
25	Effect of a Novel Macrophage-Regulating Drug on Wound Healing in Patients With Diabetic Foot Ulcers: A Randomized Clinical Trial. <i>JAMA Network Open</i> , <b>2021</b> , 4, e2122607	10.4	7
24	Pyogenic liver abscess caused by Pseudomonas aeruginosa: clinical analysis of 20 cases. <i>Scandinavian Journal of Infectious Diseases</i> , <b>2011</b> , 43, 877-82		6
23	Basal insulin therapy: Unmet medical needs in Asia and the new insulin glargine in diabetes treatment. <i>Journal of Diabetes Investigation</i> , <b>2019</b> , 10, 560-570	3.9	6
22	Synergistic Effect of Hyperglycemia and p27(kip1) Suppression on Adult Mouse Islet Beta Cell Replication. <i>International Journal of Endocrinology</i> , <b>2012</b> , 2012, 417390	2.7	5

21	The Effects of Bariatric Surgery on Renal, Neurological, and Ophthalmic Complications in Patients with Type 2 Diabetes: the Taiwan Diabetesity Study. <i>Obesity Surgery</i> , <b>2021</b> , 31, 117-126	3.7	5
20	Coadministration of DPP-4 inhibitor and insulin therapy does not further reduce the risk of cardiovascular events compared with DPP-4 inhibitor therapy in diabetic foot patients: a nationwide population-based study. <i>Diabetology and Metabolic Syndrome</i> , <b>2018</b> , 10, 75	5.6	5
19	Impact of Carbohydrate on Glucose Variability in Patients with Type 1 Diabetes Assessed Through Professional Continuous Glucose Monitoring: A Retrospective Study. <i>Diabetes Therapy</i> , <b>2019</b> , 10, 2289-2304	3.6	4
18	Down-regulation of matrix metalloproteinase-7 inhibits metastasis of human anaplastic thyroid cancer cell line. <i>Clinical and Experimental Metastasis</i> , <b>2012</b> , 29, 71-82	4.7	4
17	Methylation status of vault RNA 2-1 promoter is a predictor of glycemic response to glucagon-like peptide-1 analog therapy in type 2 diabetes mellitus. <i>BMJ Open Diabetes Research and Care</i> , <b>2021</b> , 9,	4.5	4
16	Antimicrobial resistance and outcomes of community-onset bacterial bloodstream infections in patients with type 2 diabetes. <i>Journal of Global Antimicrobial Resistance</i> , <b>2018</b> , 15, 271-276	3.4	4
15	Diabetic Foot Infection Presenting Systemic Inflammatory Response Syndrome: A Unique Disorder of Systemic Reaction from Infection of the Most Distal Body. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	3
14	Professional continuous glucose monitoring for the identification of type 1 diabetes mellitus among subjects with insulin therapy. <i>Medicine (United States)</i> , <b>2015</b> , 94, e421	1.8	3
13	Does the direct renin inhibitor have a role to play in attenuating severity of the outbreak coronavirus disease 2019 (COVID-19)?. <i>Therapeutic Advances in Endocrinology and Metabolism</i> , <b>2020</b> , 11, 2042018820916430	4.5	3
12	Amino acids and wound healing in people with limb-threatening diabetic foot ulcers. <i>Journal of Diabetes and Its Complications</i> , <b>2019</b> , 33, 107403	3.2	3
11	Effect of cisapride, a serotonin-4 receptor agonist, on aldosterone secretion: absence of age-related change. <i>Journal of Clinical Pharmacology</i> , <b>1997</b> , 37, 1146-9	2.9	3
10	Study design and recruitment for a prospective controlled study of diabetesity: Taiwan Diabetesity Study. <i>Asian Journal of Surgery</i> , <b>2019</b> , 42, 244-250	1.6	3
9	Ankle-Brachial Index Is Independently Associated With Cardiovascular Outcomes and Foot Ulcers in Asian Patients With Type 2 Diabetes Mellitus. <i>Frontiers in Endocrinology</i> , <b>2021</b> , 12, 752995	5.7	1
8	A short-term follow-up of glycemic and body weight changes in diabetic patients who replaced dipeptidyl peptidase-4 inhibitors with the sodium-glucose cotransporter 2. <i>Annals of Saudi Medicine</i> , <b>2018</b> , 38, 420-426	1.6	1
7	Genome-wide association study for circulating fibroblast growth factor 21 and 23. <i>Scientific Reports</i> , <b>2020</b> , 10, 14578	4.9	1
6	The analysis for time of referral to a medical center among patients with diabetic foot infection. <i>BMC Family Practice</i> , <b>2021</b> , 22, 16	2.6	0
5	Risk factors of first and recurrent genitourinary tract infection in patients with type 2 diabetes treated with SGLT2 inhibitors: a retrospective cohort study.. <i>Diabetes Research and Clinical Practice</i> , <b>2022</b> , 109816	7.4	0
4	Evaluation of Disease Complications Among Adults With Type 1 Diabetes and a Family History of Type 2 Diabetes in Taiwan.. <i>JAMA Network Open</i> , <b>2021</b> , 4, e2138775	10.4	0

- |   |  |     |   |
|---|--|-----|---|
| 3 | Survival of Patients Following First Diagnosis of Diabetic Foot Complications: A Nationwide 15-Year Longitudinal Analysis.. <i>Frontiers in Endocrinology</i> , <b>2021</b> , 12, 801324 | 5.7 | o |
| 2 | Value of serum alkaline phosphatase in evaluating hyperplasia of parathyroid glands in chronic hemodialysis patients. <i>Journal of Clinical Ultrasound</i> , <b>1994</b> , 22, 193-7    | 1   |   |
| 1 | A genome-wide association study for melatonin secretion.. <i>Scientific Reports</i> , <b>2022</b> , 12, 8025   | 4.9 |   |