
Frans H Rutten

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4814601/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Disease management with home telemonitoring aimed at substitution of usual care in the Netherlands: Post-hoc analyses of the e-Vita HF study. Journal of Cardiology, 2022, 79, 1-5.	0.8	1
2	Unequal prescription of anticoagulants among females and males with atrial fibrillation and similar stroke risk: Should we omit sex category from the CHA2DS2-VASc score?. Heart Rhythm, 2022, 19, 860-861.	0.3	1
3	Sex- and age specific association of new-onset atrial fibrillation with in-hospital mortality in hospitalised COVID-19 patients. IJC Heart and Vasculature, 2022, 39, 100970.	0.6	8
4	Evaluation of the cardiac amyloidosis clinical pathway implementation: a real-world experience. European Heart Journal Open, 2022, 2, .	0.9	13
5	Changes in the Diagnosis of Stroke and Cardiovascular Conditions in Primary Care During the First 2 COVID-19 Waves in the Netherlands. Neurology, 2022, 98, e564-e572.	1.5	9
6	Heart failure with preserved, midâ€range, and reduced ejection fraction across health care settings: an observational study. ESC Heart Failure, 2022, 9, 363-372.	1.4	17
7	Cardiovascular vulnerability predicts hospitalisation in primary care clinically suspected and confirmed COVID-19 patients: A model development and validation study. PLoS ONE, 2022, 17, e0266750.	1.1	3
8	Optimising telephone triage of patients calling for acute shortness of breath during out-of-hours primary care: protocol of a multiple methods study (Opticall). BMJ Open, 2022, 12, e059549.	0.8	0
9	A systematic review and meta-analysis of diagnostic delay in pulmonary embolism. European Journal of General Practice, 2022, 28, 165-172.	0.9	8
10	Interactional implications of either/or-questions during telephone triage of callers with chest discomfort in out-of-hours primary care: A conversation analysis. Patient Education and Counseling, 2021, 104, 308-314.	1.0	8
11	Selfâ€care of heart failure patients: practical management recommendations from the Heart Failure Association of the European Society of Cardiology. European Journal of Heart Failure, 2021, 23, 157-174.	2.9	181
12	2020 ESC Guidelines for the management of acute coronary syndromes in patients presenting without persistent ST-segment elevation. European Heart Journal, 2021, 42, 1289-1367.	1.0	3,048
13	Questions and answers on workup diagnosis and risk stratification: a companion document of the 2020 ESC Guidelines for the management of acute coronary syndromes in patients presenting without persistent ST-segment elevation. European Heart Journal, 2021, 42, 1379-1386.	1.0	11
14	Therapeutic inertia in the management of hypertension in primary care. Journal of Hypertension, 2021, 39, 1238-1245.	0.3	25
15	Persistent Symptoms and Health Needs of Women and Men With Non-Obstructed Coronary Arteries in the Years Following Coronary Angiography. Frontiers in Cardiovascular Medicine, 2021, 8, 670843.	1.1	5
16	MO446THE ASSOCIATION BETWEEN RENAL FUNCTION AND LEFT VENTRICULAR DIASTOLIC DYSFUNCTION AND HEART FAILURE WITH PRESERVED EJECTION FRACTION. Nephrology Dialysis Transplantation, 2021, 36,	0.4	0
17	Gender-stratified analyses of symptoms associated with acute coronary syndrome in telephone triage: a cross-sectional study. BMJ Open, 2021, 11, e042406.	0.8	7
18	2020 ESC Guidelines for the management of acute coronary syndromes in patients presenting without persistent ST-segment elevation. Revista Espanola De Cardiologia (English Ed), 2021, 74, 544.	0.4	33

#	Article	IF	CITATIONS
19	Call Characteristics of Patients Suspected of Transient Ischemic Attack (TIA) or Stroke During Out-of-Hours Service: A Comparison Between Men and Women. Frontiers in Neurology, 2021, 12, 669090.	1.1	0
20	Incidence of atrial fibrillation, ischaemic heart disease and heart failure in patients with diabetes. Cardiovascular Diabetology, 2021, 20, 123.	2.7	9
21	Debate: Prasugrel rather than ticagrelor is the preferred treatment for NSTE-ACS patients who proceed to PCI and pretreatment should not be performed in patients planned for an early invasive strategy. European Heart Journal, 2021, 42, 2973-2985.	1.0	21
22	The evidence for pharmacist care in outpatients with heart failure: a systematic review and metaâ€analysis. ESC Heart Failure, 2021, 8, 3566-3576.	1.4	20
23	Improving early diagnosis of cardiovascular disease in patients with type 2 diabetes and COPD: protocol of the RED-CVD cluster randomised diagnostic trial. BMJ Open, 2021, 11, e046330.	0.8	4
24	Electrocardiographic Features of Left Ventricular Diastolic Dysfunction and Heart Failure With Preserved Ejection Fraction: A Systematic Review. Frontiers in Cardiovascular Medicine, 2021, 8, 772803.	1.1	7
25	Accounting for timeâ€dependent treatment use when developing a prognostic model from observational data: A review of methods. Statistica Neerlandica, 2020, 74, 38-51.	0.9	6
26	Clinical research study implementation of case-finding strategies for heart failure and chronic obstructive pulmonary disease in the elderly with reduced exercise tolerance or dyspnea: A cluster randomized trial. American Heart Journal, 2020, 220, 73-81.	1.2	2
27	The new Primary Care and Risk Factor Management (PCRFM) nucleus of the European Association of Preventive Cardiology: A call for action. European Journal of Preventive Cardiology, 2020, 27, 1328-1330.	0.8	2
28	Age at menarche and heart failure risk: The EPIC-NL study. Maturitas, 2020, 131, 34-39.	1.0	4
29	Accuracy of telephone triage in patients suspected of transient ischaemic attack or stroke: a cross-sectional study. BMC Family Practice, 2020, 21, 256.	2.9	4
30	Accuracy of telephone triage in primary care patients with chest discomfort: a cross-sectional study. Open Heart, 2020, 7, e001376.	0.9	14
31	Design and rationale of DUTCH-AF: a prospective nationwide registry programme and observational study on long-term oral antithrombotic treatment in patients with atrial fibrillation. BMJ Open, 2020, 10, e036220.	0.8	7
32	Sex-specific microRNAs in women with diabetes and left ventricular diastolic dysfunction or HFpEF associate with microvascular injury. Scientific Reports, 2020, 10, 13945.	1.6	12
33	Integration of a palliative approach into heart failure care: a <scp>European Society of Cardiology Heart Failure Association</scp> position paper. European Journal of Heart Failure, 2020, 22, 2327-2339.	2.9	88
34	Limited reliability of experts' assessment of telephone triage in primary care patients with chest discomfort. Journal of Clinical Epidemiology, 2020, 127, 117-124.	2.4	2
35	Sex Differences in Symptom Presentation in Acute Coronary Syndromes: A Systematic Review and Metaâ€analysis. Journal of the American Heart Association, 2020, 9, e014733.	1.6	96
36	Epidemiology of heart failure. European Journal of Heart Failure, 2020, 22, 1342-1356.	2.9	948

#	Article	IF	CITATIONS
37	Opportunistic screening versus usual care for diagnosing atrial fibrillation in general practice: a cluster randomised controlled trial. British Journal of General Practice, 2020, 70, e427-e433.	0.7	30
38	How to diagnose heart failure with preserved ejection fraction: the HFA–PEFF diagnostic algorithm: a consensus recommendation from the Heart Failure Association (HFA) of the European Society of Cardiology (ESC). European Journal of Heart Failure, 2020, 22, 391-412.	2.9	193
39	Proactive screening for symptoms: A simple method to improve early detection of unrecognized cardiovascular disease in primary care. Results from the Lifelines Cohort Study. Preventive Medicine, 2020, 138, 106143.	1.6	7
40	Sodium–glucose coâ€ŧransporter 2 inhibitors and acute heart failure. European Journal of Heart Failure, 2020, 22, 723-725.	2.9	6
41	Integrated management of atrial fibrillation in primary care: results of the ALL-IN cluster randomized trial. European Heart Journal, 2020, 41, 2836-2844.	1.0	43
42	Tinkering and overruling the computer decision support system: Working strategies of telephone triage nurses who assess the urgency of callers suspected of having an acute cardiac event. Journal of Clinical Nursing, 2020, 29, 1175-1186.	1.4	22
43	Chest discomfort at night and risk of acute coronary syndrome: cross-sectional study of telephone conversations. Family Practice, 2020, 37, 473-478.	0.8	6
44	Chest discomfort at night and risk of acute coronary syndrome: cross-sectional study of telephone conversations. British Journal of General Practice, 2020, 70, bjgp20X711317.	0.7	0
45	Missed acute coronary syndrome during telephone triage at out-of-hours primary care: lessons from a case-control study. British Journal of General Practice, 2020, 70, bjgp20X711329.	0.7	1
46	Time trends in the use and appropriateness of natriuretic peptide testing in primary care: an observational study. BJGP Open, 2020, 4, bjgpopen20X101074.	0.9	3
47	Real-life impact of clinical prediction rules for venous thromboembolism in primary care: a cross-sectional cohort study. BMJ Open, 2020, 10, e039913.	0.8	3
48	Missed Acute Coronary Syndrome During Telephone Triage at Out-of-Hours Primary Care. Journal of Patient Safety, 2020, Publish Ahead of Print, .	0.7	0
49	Is the time of calling helpful for differentiating transient ischaemic attack and stroke from mimics in primary care out-of-hours services? A cross-sectional study. BMJ Open, 2020, 10, e041408.	0.8	Ο
50	Patient delay in TIA: a systematic review. Journal of Neurology, 2019, 266, 1051-1058.	1.8	11
51	Optimisation of telephone triage of callers with symptoms suggestive of acute cardiovascular disease in out-of-hours primary care: observational design of the Safety First study. BMJ Open, 2019, 9, e027477.	0.8	16
52	Response by Dolmans et al to Letter Regarding Article, "Diagnostic Accuracy of the Explicit Diagnostic Criteria for Transient Ischemic Attack: A Validation Study― Stroke, 2019, 50, e336.	1.0	0
53	Candidate Biomarkers for the Diagnosis of Transient Ischemic Attack: A Systematic Review. Cerebrovascular Diseases, 2019, 47, 207-216.	0.8	15
54	How to diagnose heart failure with preserved ejection fraction: the HFA–PEFF diagnostic algorithm: a consensus recommendation from the Heart Failure Association (HFA) of the European Society of Cardiology (ESC). European Heart Journal, 2019, 40, 3297-3317.	1.0	944

#	Article	IF	CITATIONS
55	Midâ€regional proâ€atrial natriuretic peptide for the early detection of nonâ€acute heart failure. European Journal of Heart Failure, 2019, 21, 1219-1227.	2.9	23
56	Determinants of Patient Delay in Transient Ischemic Attack. European Neurology, 2019, 81, 139-144.	0.6	2
57	Diagnostic Accuracy of the Explicit Diagnostic Criteria for Transient Ischemic Attack. Stroke, 2019, 50, 2080-2085.	1.0	24
58	Discovery of biomarkers for the presence and progression of left ventricular diastolic dysfunction and HEart faiLure with Preserved ejection Fraction in patients at risk for cardiovascular disease: rationale and design of the HELPFul case-cohort study in a Dutch cardiology outpatient clinic. BMJ Open, 2019, 9, e028408.	0.8	8
59	Delay in patients suspected of transient ischaemic attack: a cross-sectional study. BMJ Open, 2019, 9, e027161.	0.8	5
60	Stroke Rate Variation and Anticoagulation Benefit in Atrial Fibrillation. Annals of Internal Medicine, 2019, 170, 816.	2.0	0
61	Are there gender disparities in symptom presentation or triage of patients with chest discomfort at primary care out-of-hours services? An observational study. BMJ Open, 2019, 9, e031613.	0.8	9
62	Validation and impact of a simplified clinical decision rule for diagnosing pulmonary embolism in primary care: design of the PECAN prospective diagnostic cohort management study. BMJ Open, 2019, 9, e031639.	0.8	8
63	Safety of switching from vitamin K antagonist to non-vitamin K antagonist oral anticoagulant in frail elderly with atrial fibrillation: rationale and design of the FRAIL-AF randomised controlled trial. BMJ Open, 2019, 9, e032488.	0.8	12
64	Decelerating trends in heart failure survival. European Journal of Heart Failure, 2019, 21, 1326-1328.	2.9	1
65	Opportunistic screening models for high-risk men and women to detect diastolic dysfunction and heart failure with preserved ejection fraction in the community. European Journal of Preventive Cardiology, 2019, 26, 613-623.	0.8	16
66	Nearâ€home heart failure care. European Journal of Heart Failure, 2019, 21, 110-111.	2.9	6
67	Effectiveness of the European Society of Cardiology/Heart Failure Association website †heartfailurematters.org' and an eâ€health adjusted care pathway in patients with stable heart failure: results of the †eâ€Vita HF' randomized controlled trial. European Journal of Heart Failure, 2019, 21, 238-246.	2.9	56
68	Serum biomarkers in patients suspected of transient ischaemic attack in primary care: a diagnostic accuracy study. BMJ Open, 2019, 9, e031774.	0.8	10
69	Incidence of superficial venous thrombosis in primary care and risk of subsequent venous thromboembolic sequelae: a retrospective cohort study performed with routine healthcare data from the Netherlands. BMJ Open, 2018, 8, e019967.	0.8	23
70	Sex-Specific Relations of Cardiovascular Risk Factors With Left Ventricular Diastolic Dysfunction/Heart Failure With Preserved Ejection Fraction Are Underreported: A Call for Action. Journal of Cardiac Failure, 2018, 24, 412-414.	0.7	9
71	Efficient selective screening for heart failure in elderly men and women from the community: A diagnostic individual participant data meta-analysis. European Journal of Preventive Cardiology, 2018, 25, 437-446.	0.8	19
72	Opportunistic screening for heart failure with natriuretic peptides in patients with atrial fibrillation: a meta-analysis of individual participant data of four screening studies. Heart, 2018, 104, 1236.1-1237.	1.2	11

#	Article	IF	CITATIONS
73	Right heart dysfunction and failure in heart failure with preserved ejection fraction: mechanisms and management. Position statement on behalf of the Heart Failure Association of the European Society of Cardiology. European Journal of Heart Failure, 2018, 20, 16-37.	2.9	239
74	Hartfalen en COPD. Bijblijven (Amsterdam, Netherlands), 2018, 34, 448-455.	0.0	0
75	Misclassification of Both Chronic Obstructive Pulmonary Disease and Heart Failure. JAMA Network Open, 2018, 1, e185486.	2.8	8
76	Risk of cardiac and non-cardiac adverse events in community-dwelling older patients with atrial fibrillation: a prospective cohort study in the Netherlands. BMJ Open, 2018, 8, e021681.	0.8	9
77	Routine primary care data for scientific research, quality of care programs and educational purposes: the Julius General Practitioners' Network (JGPN). BMC Health Services Research, 2018, 18, 735.	0.9	57
78	Vascular extracellular vesicles in comorbidities of heart failure with preserved ejection fraction in men and women: The hidden players. A mini review. Vascular Pharmacology, 2018, 111, 1-6.	1.0	5
79	The prevalence of left ventricular diastolic dysfunction and heart failure with preserved ejection fraction in men and women with type 2 diabetes: A systematic review and meta-analysis. Diabetes and Vascular Disease Research, 2018, 15, 477-493.	0.9	88
80	Prospective Randomized Open-label Trial to evaluate risk faCTor management in patients with Unruptured intracranial aneurysms: Study protocol. International Journal of Stroke, 2018, 13, 992-998.	2.9	29
81	Prevalence of left ventricular systolic dysfunction and heart failure with reduced ejection fraction in men and women with type 2 diabetes mellitus: a systematic review and meta-analysis. Cardiovascular Diabetology, 2018, 17, 58.	2.7	16
82	Frequency and prognostic impact of mid-expiratory flow reduction in stable patients six months after hospitalisation for heart failure with reduced ejection fraction. International Journal of Cardiology, 2017, 227, 727-733.	0.8	3
83	Integrated management of atrial fibrillation including tailoring of anticoagulation in primary care: study design of the ALL-IN cluster randomised trial. BMJ Open, 2017, 7, e015510.	0.8	8
84	â€~heartfailurematters.org', an educational website for patients and carers from the Heart Failure Association of the European Society of Cardiology: objectives, use and future directions. European Journal of Heart Failure, 2017, 19, 1447-1454.	2.9	21
85	Practical guidance on heart failure diagnosis and management in primary care: recent EPCCS recommendations. British Journal of General Practice, 2017, 67, 326-327.	0.7	18
86	Representativeness of Participants in Heart Failure E-Health Trials: A Report From the E-Vita HF Study. Journal of Cardiac Failure, 2017, 23, 88-89.	0.7	4
87	Interpretability of the European Heart Failure Self-care Behaviour scale. Patient Preference and Adherence, 2017, Volume 11, 1841-1849.	0.8	20
88	The role of betaâ€blockers in outcomes of patients hospitalized for heart failure and chronic obstructive pulmonary disease. European Journal of Heart Failure, 2016, 18, 849-850.	2.9	1
89	Extended prediction rule to optimise early detection of heart failure in older persons with non-acute shortness of breath: a cross-sectional study. BMJ Open, 2016, 6, e008225.	0.8	5
90	Effect of training general practitioners in drug treatment of newly detected heart failure patients with reduced or preserved ejection fraction: A cluster randomized trial. International Journal of Cardiology, 2016, 217, 174-182.	0.8	6

#	Article	IF	CITATIONS
91	2016 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure. European Heart Journal, 2016, 37, 2129-2200.	1.0	13,008
92	How big a problem is heart failure with a normal ejection fraction?. BMJ, The, 2016, 353, i1706.	3.0	10
93	Overdiagnosis of heart failure in primary care: a cross-sectional study. British Journal of General Practice, 2016, 66, e587-e592.	0.7	44
94	2016 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure. European Journal of Heart Failure, 2016, 18, 891-975.	2.9	5,272
95	Yield of screening for atrial fibrillation in primary care with a hand-held, single-lead electrocardiogram device during influenza vaccination. Europace, 2016, 18, 1514-1520.	0.7	104
96	Cost-effectiveness of screening strategies to detect heart failure in patients with type 2 diabetes. Cardiovascular Diabetology, 2016, 15, 48.	2.7	10
97	A nomogram was developed to enhance the use of multinomial logistic regression modeling in diagnostic research. Journal of Clinical Epidemiology, 2016, 71, 51-57.	2.4	18
98	European Primary Care Cardiovascular Society (EPCCS) consensus guidance on stroke prevention in atrial fibrillation (SPAF) in primary care. European Journal of Preventive Cardiology, 2016, 23, 460-473.	0.8	54
99	Health status of older patients with type 2 diabetes and screen-detected heart failure is significantly lower than those without. International Journal of Cardiology, 2016, 211, 79-83.	0.8	0
100	Epidemiology of heart failure: the prevalence of heart failure and ventricular dysfunction in older adults over time. A systematic review. European Journal of Heart Failure, 2016, 18, 242-252.	2.9	510
101	What the General Practitioner Needs to Know About Their Chronic Heart Failure Patientt. Cardiac Failure Review, 2016, 2, 79-84.	1.2	12
102	Measurement of ECG abnormalities and cardiovascular risk classification: a cohort study of primary care patients in the Netherlands. British Journal of General Practice, 2015, 65, e1-e8.	0.7	15
103	Rationale, design and baseline results of the Treatment Optimisation in Primary care of Heart failure in the Utrecht region (TOPHU) study: a cluster randomised controlled trial. BMC Family Practice, 2015, 16, 130.	2.9	3
104	Effectiveness of an interactive platform, and the ESC/HFA heartfailurematters.org website in patients with heart failure: design of the multicentre randomized eâ€Vita heart failure trial. European Journal of Heart Failure, 2015, 17, 1310-1316.	2.9	19
105	Natriuretic peptide tests in suspected acute heart failure. BMJ, The, 2015, 350, h1164-h1164.	3.0	1
106	The Impending Epidemic of Chronic Cardiopulmonary Disease and Multimorbidity. Chest, 2015, 148, 865-869.	0.4	11
107	Reasons for non-adherence to practice guidelines on stroke prevention in patients with atrial fibrillation: A cross-sectional study in primary care. International Journal of Cardiology, 2015, 187, 525-526.	0.8	7
108	Prognosis of screen-detected heart failure with reduced and preserved ejection fraction in patients with type 2 diabetes. International Journal of Cardiology, 2015, 185, 162-164.	0.8	7

#	Article	IF	CITATIONS
109	Diagnostic and prognostic utility of mid-expiratory flow rate in older community-dwelling persons with respiratory symptoms, but without chronic obstructive pulmonary disease. BMC Pulmonary Medicine, 2015, 15, 83.	0.8	11
110	Serum biomarkers for the early diagnosis of TIA: The MIND-TIA study protocol. BMC Neurology, 2015, 15, 119.	0.8	10
111	Resting Heart Rate Is a Risk Factor for Mortality in Chronic Obstructive Pulmonary Disease, but Not for Exacerbations or Pneumonia. PLoS ONE, 2014, 9, e105152.	1.1	22
112	COPD detected with screening: impact on patient management and prognosis. European Respiratory Journal, 2014, 44, 1571-1578.	3.1	20
113	Quality of drug label information on QT interval prolongation. International Journal of Risk and Safety in Medicine, 2014, 26, 89-98.	0.3	6
114	Prevalence of unrecognized heart failure in older persons with shortness of breath on exertion. European Journal of Heart Failure, 2014, 16, 772-777.	2.9	191
115	Unrecognized Heart Failure and Chronic Obstructive Pulmonary Disease (COPD) in Frail Elderly Detected Through a Near-Home Targeted Screening Strategy. Journal of the American Board of Family Medicine, 2014, 27, 811-821.	0.8	37
116	Safety information on QT-interval prolongation: comparison of European Union and United States drug labeling. Drug Discovery Today, 2014, 19, 1294-1297.	3.2	5
117	blockers for adults with chronic obstructive pulmonary disease. BMJ, The, 2013, 347, f7050-f7050.	3.0	3
118	β-Blockers and All-Cause Mortality in Adults with Episodes of Acute Bronchitis: An Observational Study. PLoS ONE, 2013, 8, e67122.	1.1	8
119	Primary care patients with heart failure in the last year of their life. Family Practice, 2012, 29, 36-42.	0.8	32
120	Gender differences in pre-hospital time delay and symptom presentation in patients suspected of acute coronary syndrome in primary care. Family Practice, 2012, 29, 332-337.	0.8	28
121	ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure 2012. European Journal of Heart Failure, 2012, 14, 803-869.	2.9	2,307
122	Highlights of the 2011 Scientific Sessions of the Congress of the Heart Failure Association of the European Society of Cardiology. Future Cardiology, 2011, 7, 739-743.	0.5	0
123	β-blockers and their mortality benefits: underprescribed in heart failure and chronic obstructive pulmonary disease. Future Cardiology, 2011, 7, 43-53.	0.5	3
124	β-Blockers May Reduce Mortality and Risk of Exacerbations in Patients With Chronic Obstructive Pulmonary Disease. Archives of Internal Medicine, 2010, 170, 880.	4.3	261
125	B-type natriuretic peptide assays for detecting heart failure in the elderly: Same value as those in the younger?. International Journal of Cardiology, 2008, 125, 161-165.	0.8	12
126	Cardiovascular magnetic resonance imaging to identify left-sided chronic heart failure in stable patients with chronic obstructive pulmonary disease. American Heart Journal, 2008, 156, 506-512.	1.2	24

#	Article	IF	CITATIONS
127	Comparison of B-type natriuretic peptide assays for identifying heart failure in stable elderly patients with a clinical diagnosis of chronic obstructive pulmonary disease. European Journal of Heart Failure, 2007, 9, 651-659.	2.9	77
128	Heart failure and chronic obstructive pulmonary disease: An ignored combination?. European Journal of Heart Failure, 2006, 8, 706-711.	2.9	238
129	Improving the quality and clinical relevance of diagnostic studies. BMJ: British Medical Journal, 2006, 332, 1129.	2.4	3
130	Unrecognized heart failure in elderly patients with stable chronic obstructive pulmonary disease. European Heart Journal, 2005, 26, 1887-1894.	1.0	378
131	Is treatment of atrial fibrillation in primary care based on thromboembolic risk assessment?. Family Practice, 2003, 20, 16-21.	0.8	9
132	Differences between general practitioners and cardiologists in diagnosis and management of heart failure: a survey in every-day practice. European Journal of Heart Failure, 2003, 5, 337-344.	2.9	122
133	Diagnosis and management of heart failure: a questionnaire among general practitioners and cardiologists. European Journal of Heart Failure, 2003, 5, 345-348.	2.9	19