Mitsuhiro Nakamura RPh

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4819272/publications.pdf

Version: 2024-02-01

times ranked

citing authors

docs citations

all docs

#	Article	IF	CITATIONS
1	Analysis of drug-induced hand–foot syndrome using a spontaneous reporting system database. Therapeutic Advances in Drug Safety, 2022, 13, 204209862211019.	1.0	4
2	Analysis of chemotherapy-induced peripheral neuropathy using the Japanese Adverse Drug Event Report database. Scientific Reports, 2021, 11, 11324.	1.6	6
3	Analysis of Drug-Induced Gastrointestinal Obstruction and Perforation Using the Japanese Adverse Drug Event Report Database. Frontiers in Pharmacology, 2021, 12, 692292.	1.6	6
4	Gentamicin-induced hearing loss: A retrospective study using the Food and Drug Administration Adverse Event Reporting System and a toxicological study using drugâ^'gene network analysis. Heliyon, 2021, 7, e07429.	1.4	2
5	Pharmacovigilance study of anti-infective-related acute kidney injury using the Japanese adverse drug event report database. BMC Pharmacology & Experimental Properties (22, 47).	1.0	5
6	Albuminâ€bilirubin score for predicting neuropsychiatric symptoms in patients receiving ifosfamideâ€based chemotherapy. Journal of Clinical Pharmacy and Therapeutics, 2021, 46, 794-799.	0.7	1
7	Chinese-Named Entity Recognition From Adverse Drug Event Records: Radical Embedding-Combined Dynamic Embedding–Based BERT in a Bidirectional Long Short-term Conditional Random Field (Bi-LSTM-CRF) Model. JMIR Medical Informatics, 2021, 9, e26407.	1.3	7
8	Development of Liquid-Chromatography Tandem-Mass-Spectrometry Method for Determining Environmental Contamination by Powdered Medicinal Drugs in Pharmacies. Inquiry (United States), 2021, 58, 004695802110592.	0.5	0
9	Neuropsychiatric Adverse Events of Montelukast: An Analysis of Real-World Datasets and drugâ^'gene Interaction Network. Frontiers in Pharmacology, 2021, 12, 764279.	1.6	5
10	Analysis of immuneâ€related adverse events caused by immune checkpoint inhibitors using the Japanese Adverse Drug Event Report database. Pharmacoepidemiology and Drug Safety, 2020, 29, 1279-1294.	0.9	28
11	Assessment of Reye's syndrome profile with data from the US Food and Drug Administration Adverse Event Reporting System and the Japanese Adverse Drug Event Report databases using the disproportionality analysis. SAGE Open Medicine, 2020, 8, 205031212097417.	0.7	2
12	Alcoholâ€induced impaired insulin secretion in a Japanese population: 5â€year follow up in the Gifu Diabetes Study. Journal of Diabetes Investigation, 2020, 11, 1207-1214.	1.1	5
13	Analysis of drug-induced interstitial lung disease using the Japanese Adverse Drug Event Report database. SAGE Open Medicine, 2020, 8, 205031212091826.	0.7	17
14	Application of novel compaction indicator for the optimization of compaction conditions based on a compaction simulation study. International Journal of Pharmaceutics, 2020, 587, 119574.	2.6	4
15	Evaluation of anti-infective-related <i>Clostridium difficile</i> -associated colitis using the Japanese Adverse Drug Event Report database. International Journal of Medical Sciences, 2020, 17, 921-930.	1.1	7
16	Trends Associated with Hemorrhoids in Japan: Data Mining of Medical Information Datasets and the National Database of Health Insurance Claims and Specific Health Checkups of Japan (NDB) Open Data Japan. Biological and Pharmaceutical Bulletin, 2020, 43, 1831-1838.	0.6	8
17	Analysis of drug-induced hearing loss by using a spontaneous reporting system database. PLoS ONE, 2019, 14, e0217951.	1.1	21
18	Adverse reaction profiles of hemorrhagic adverse reactions caused by direct oral anticoagulants analyzed using the Food and Drug Administration Adverse Event Reporting System (FAERS) database and the Japanese Adverse Drug Event Report (JADER) database. International Journal of Medical Sciences, 2019, 16, 1295-1303.	1.1	22

#	Article	IF	CITATIONS
19	Adverse event profiles of ifosfamide-induced encephalopathy analyzed using the Food and Drug Administration Adverse Event Reporting System and the Japanese Adverse Drug Event Report databases. Cancer Chemotherapy and Pharmacology, 2019, 84, 1097-1105.	1.1	10
20	Adverse event profiles of solvent-based and nanoparticle albumin-bound paclitaxel formulations using the Food and Drug Administration Adverse Event Reporting System. SAGE Open Medicine, 2019, 7, 205031211983601.	0.7	6
21	IFN- $\langle i \rangle \hat{I}^3 \langle i \rangle$ Reduces Epidermal Barrier Function by Affecting Fatty Acid Composition of Ceramide in a Mouse Atopic Dermatitis Model. Journal of Immunology Research, 2019, 2019, 1-10.	0.9	26
22	Evaluation of pregabalin-induced adverse events related to falls using the FDA adverse event reporting system and Japanese Adverse Drug Event Report databases. Journal of Clinical Pharmacy and Therapeutics, 2019, 44, 285-291.	0.7	7
23	Contraceptives as possible risk factors for postpartum depression: A retrospective study of the food and drug administration adverse event reporting system, 2004–2015. Nursing Open, 2018, 5, 131-138.	1.1	11
24	Analysis of fall-related adverse events among older adults using the Japanese Adverse Drug Event Report (JADER) database. Journal of Pharmaceutical Health Care and Sciences, 2018, 4, 32.	0.4	13
25	Analysis of adverse events of renal impairment related to platinum-based compounds using the Japanese Adverse Drug Event Report database. SAGE Open Medicine, 2018, 6, 205031211877247.	0.7	8
26	Adverse events of smoking cessation treatments (nicotine replacement therapy and non-nicotine) Tj ETQq0 0 0 Reporting System, 2004â~'2016. SAGE Open Medicine, 2018, 6, 205031211877795.	rgBT /Ove 0.7	rlock 10 Tf 50 17
27	Evaluation of Drug-Induced Photosensitivity Using the Japanese Adverse Drug Event Report (JADER) Database. Biological and Pharmaceutical Bulletin, 2017, 40, 2158-2165.	0.6	29
28	Thromboembolic adverse event study of combined estrogen-progestin preparations using Japanese Adverse Drug Event Report database. PLoS ONE, 2017, 12, e0182045.	1.1	10
29	Comparison of the adverse event profiles of conventional and liposomal formulations of doxorubicin using the FDA adverse event reporting system. PLoS ONE, 2017, 12, e0185654.	1.1	39
30	Drug-induced gingival hyperplasia: a retrospective study using spontaneous reporting system databases. Journal of Pharmaceutical Health Care and Sciences, 2017, 3, 19.	0.4	56
31	Age-related trends in injection site reaction incidence induced by the tumor necrosis factor-α (TNF-α) inhibitors etanercept and adalimumab: the Food and Drug Administration adverse event reporting system, 2004-2015. International Journal of Medical Sciences, 2017, 14, 102-109.	1.1	21
32	Analysis of polypharmacy effects in older patients using Japanese Adverse Drug Event Report database. PLoS ONE, 2017, 12, e0190102.	1.1	33
33	Evaluation of Hypoglycemia with Oral Hypoglycemic Agents by Using Spontaneous Adverse Event Reports Database. Iryo Yakugaku (Japanese Journal of Pharmaceutical Health Care and Sciences), 2016, 42, 416-428.	0.0	5
34	Suspended particle and drug ingredient concentrations in hospital dispensaries and implications for pharmacists' working environments. Environmental Health and Preventive Medicine, 2016, 21, 105-110.	1.4	6
35	Analysis of licorice-induced pseudoaldosteronism in the Japanese Adverse Drug Event Report database. Traditional & Kampo Medicine, 2016, 3, 63-70.	0.2	12
36	Analysis of Stevens-Johnson syndrome and toxic epidermal necrolysis using the Japanese Adverse Drug Event Report database. Journal of Pharmaceutical Health Care and Sciences, 2016, 2, 14.	0.4	58

#	Article	IF	Citations
37	Contact allergy to liquorice flavonoids: analysis with liquid chromatography–mass spectrometry. Contact Dermatitis, 2016, 74, 191-192.	0.8	5
38	Resveratrol-induced transcriptional up-regulation of ASMase (SMPD1) of human leukemia and cancer cells. Biochemical and Biophysical Research Communications, 2016, 470, 851-856.	1.0	20
39	Time-to-Onset Analysis of Drug-Induced Long QT Syndrome Based on a Spontaneous Reporting System for Adverse Drug Events. PLoS ONE, 2016, 11, e0164309.	1.1	36
40	Risk Analysis of New-onset Impaired Glucose Tolerance with Statins by Using a Spontaneous Reporting Database of Adverse Events. Iryo Yakugaku (Japanese Journal of Pharmaceutical Health Care and) Tj ETQq0 0 0 r	gBTol .O verl	ocl 2 10 Tf 50 6
41	Analysis of the Interaction between Clopidogrel, Aspirin, and Proton Pump Inhibitors Using the FDA Adverse Event Reporting System Database. Biological and Pharmaceutical Bulletin, 2015, 38, 680-686.	0.6	51
42	Association between Selective Serotonin Reuptake Inhibitor Therapy and Suicidality: Analysis of U.S. Food and Drug Administration Adverse Event Reporting System Data. Biological and Pharmaceutical Bulletin, 2015, 38, 1689-1699.	0.6	32
43	Analysis of Neuropsychiatric Adverse Events in Patients Treated with Oseltamivir in Spontaneous Adverse Event Reports. Biological and Pharmaceutical Bulletin, 2015, 38, 1638-1644.	0.6	26
44	Hyperglycemic adverse events following antipsychotic drug administration in spontaneous adverse event reports. Journal of Pharmaceutical Health Care and Sciences, 2015, 1, 15.	0.4	28
45	Analysis of the time-to-onset of osteonecrosis of jaw with bisphosphonate treatment using the data from a spontaneous reporting system of adverse drug events. Journal of Pharmaceutical Health Care and Sciences, 2015, 1, 34.	0.4	46
46	Prevalence of subjective symptoms among hospital pharmacists and association with drug compounding practices. Industrial Health, 2015, 53, 100-108.	0.4	7
47	Evaluation of Dabigatran- and Warfarin-Associated Hemorrhagic Events Using the FDA-Adverse Event Reporting System Database Stratified by Age. International Journal of Medical Sciences, 2015, 12, 312-321.	1.1	25
48	Stevens–Johnson syndrome and toxic epidermal necrolysis: The Food and Drug Administration adverse event reporting system, 2004–2013. Allergology International, 2015, 64, 277-279.	1.4	24
49	Increased SPHK2 Transcription of Human Colon Cancer Cells in Serumâ€Depleted Culture: The Involvement of CREB Transcription Factor. Journal of Cellular Biochemistry, 2015, 116, 2227-2238.	1.2	20
50	Increased acid ceramidase expression depends on upregulation of androgen-dependent deubiquitinases, USP2, in a human prostate cancer cell line, LNCaP. Journal of Biochemistry, 2015, 158, 309-319.	0.9	17
51	Targeting ceramide synthase 6–dependent metastasis-prone phenotype in lung cancer cells. Journal of Clinical Investigation, 2015, 126, 254-265.	3.9	42
52	Color Change of Various Medicines under LED Lighting and Fluorescent Lighting. Iryo Yakugaku (Japanese Journal of Pharmaceutical Health Care and Sciences), 2015, 41, 198-204.	0.0	7
53	Analysis of the Association between Renin-Angiotensin System Blockers and Angioedema. Iryo Yakugaku (Japanese Journal of Pharmaceutical Health Care and Sciences), 2015, 41, 556-565.	0.0	4
54	Effects of 14 frequently used drugs on prostate-specific antigen expression in prostate cancer LNCaP cells. Oncology Letters, 2014, 7, 1665-1668.	0.8	5

#	Article	IF	CITATIONS
55	Hypergravity Exposure for 14 Days Increases the Effects of Propofol in Rats. Anesthesia and Analgesia, 2014, 118, 125-131.	1.1	4
56	Interferon- \hat{I}^3 Decreases Ceramides with Long-Chain Fatty Acids: Possible Involvement in Atopic Dermatitis and Psoriasis. Journal of Investigative Dermatology, 2014, 134, 712-718.	0.3	104
57	Sphingosine kinase 1 plays a role in the upregulation of CD44 expression through extracellular signal-regulated kinase signaling in human colon cancer cells. Anti-Cancer Drugs, 2013, 24, 473-483.	0.7	22
58	Involvement of Mincle and Syk in the changes to innate immunity after ischemic stroke. Scientific Reports, 2013, 3, 3177.	1.6	74
59	Role of down-regulated neutral ceramidase during all-trans retinoic acid-induced neuronal differentiation in SH-SY5Y neuroblastoma cells. Journal of Biochemistry, 2012, 151, 611-620.	0.9	23
60	Transcriptional regulation of neutral sphingomyelinase 2 in all-trans retinoic acid-treated human breast cancer cell line, MCF-7. Journal of Biochemistry, 2012, 151, 599-610.	0.9	15
61	The Pivotal Role of Intracellular Calcium in Oxaliplatin-Induced Inhibition of Neurite Outgrowth but Not Cell Death in Differentiated PC12 Cells. Chemical Research in Toxicology, 2011, 24, 1845-1852.	1.7	30
62	Heterogeneous sphingosine-1-phosphate lyase gene expression and its regulatory mechanism in human lung cancer cell lines. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2011, 1811, 119-128.	1.2	9
63	Analyses of benzodiazepines and their metabolites in various biological matrices by LC-MS(/MS). Biomedical Chromatography, 2011, 25, 1283-1307.	0.8	53
64	Direct-injection HPLC method of measuring micafungin in human plasma using a novel hydrophobic/hydrophilic hybrid ODS column. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 1029-1032.	1.2	15
65	Efficacy and safety of micafungin for treating febrile neutropenia in hematological malignancies. American Journal of Hematology, 2010, 85, 872-876.	2.0	26
66	Analysis of Students' Practical Training Reports using Text Mining. Iryo Yakugaku (Japanese Journal of) Tj ETQq0 (0	Ovgrlock 10 Ti
67	Development of Computer-Assisted Biohazard Safety Cabinet for Preparation and Verification of Injectable Anticancer Agents. Chemotherapy, 2009, 55, 234-240.	0.8	9
68	Pediatric Thioridazine Poisoning as a Result of Pharmacy Compounding Error. Mental Illness, 2009, 1, e9.	0.8	3
69	Sphingosine Kinase Isoforms Regulate Oxaliplatin Sensitivity of Human Colon Cancer Cells through Ceramide Accumulation and Akt Activation. Journal of Biological Chemistry, 2009, 284, 10422-10432.	1.6	81
70	Simultaneous determination of benzodiazepines and their metabolites in human serum by liquid chromatography–tandem mass spectrometry using a highâ€resolution octadecyl silica column compatible with aqueous compounds. Biomedical Chromatography, 2009, 23, 357-364.	0.8	37
71	Theophylline-associated status epilepticus in an infant: pharmacokinetics and the risk of suppository use. World Journal of Pediatrics, 2009, 5, 316-318.	0.8	6
72	A highly sensitive assay for ritodrine in human serum by hydrophilic interaction chromatography-tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2008, 861, 95-100.	1.2	19

#	Article	IF	Citations
73	Implications of sphingosine kinase 1 expression level for the cellular sphingolipid rheostat: relevance as a marker for daunorubicin sensitivity of leukemia cells. International Journal of Hematology, 2008, 87, 266-275.	0.7	64
74	A simple and rapid determination of valproic acid in human plasma using a nonâ€porous silica column and liquid chromatography with tandem mass spectrometric detection. Biomedical Chromatography, 2008, 22, 387-393.	0.8	42
75	Questionnaire Survey to Evaluate Improvement in Satisfaction Levels among Fourth Year Students in Practical Training at a Hospital Pharmacy. Iryo Yakugaku (Japanese Journal of Pharmaceutical Health) Tj ETQq $1\ 1$	0. 786 314	rgBT /Overlo
76	Accidental Etizolam Ingestion in a Child. Pediatric Emergency Care, 2007, 23, 472-473.	0.5	9
77	Development of Preparation Checking System for Injections Using Order Entry System Information and Newly Designed Clean Bench and Safety Cabinet. Iryo Yakugaku (Japanese Journal of Pharmaceutical) Tj ETQq1 1	1 0.7864314	4 rgBT /Ove <mark>rlo</mark>
78	Adenylyl cyclase-cAMP system inhibits thrombin-induced HSP27 in vascular smooth muscle cells. Journal of Cellular Biochemistry, 2005, 94, 573-584.	1.2	5
79	High-Performance Liquid Chromatographic Assay of Clonazepam in Human Plasma Using a Non-porous Silica Column. Biological and Pharmaceutical Bulletin, 2004, 27, 893-895.	0.6	10
80	High-performance liquid chromatographic assay of zonisamide in human plasma using a non-porous silica column. Biomedical Applications, 2001, 755, 337-341.	1.7	32
81	Involvement of tyrosine phosphorylation in inhibition of fMLP-induced PLD activation by <i>N</i> -acetyl-L-cysteine in differentiated HL60 cells. Journal of Leukocyte Biology, 1998, 63, 781-789.	1.5	6
82	Effect of wortmannin and 2-(4-Morpholinyl)-8-phenyl-4H-1-benzopyran-4-one (LY294002) on N-formyl-methionyl-leucyl-phenylalanine-induced phospholipase D activation in differentiated HL60 Cells. Biochemical Pharmacology, 1997, 53, 1929-1936.	2.0	32
83	Study on Preservatives for Allopurinol Gargle Japanese Journal of Hospital Pharmacy, 1997, 23, 539-547.	0.0	O
84	Structure Elucidation and Synthesis of a Metabolite of Antiinflammatory Drug DUP 697. Heterocycles, 1996, 43, 2747.	0.4	13
85	The mRNA overexpression of inflammatory enzymes, phospholipase A2 and cyclooxygenase, in the large bowel mucosa and neoplasms of F344 rats treated with naturally occurring carcinogen, 1-hydroxyanthraquinone. Cancer Letters, 1995, 97, 75-82.	3.2	17
86	Effects of selective phosphodiesterase type IV inhibitor, rolipram, on signal transducing phospholipases in neutrophil: Inhibition of phospholipases A2, D but not C. Comparative Biochemistry and Physiology C, Comparative Pharmacology and Toxicology, 1995, 112, 137-143.	0.5	3
87	Monkey Liver Indanol Dehydrogenase. Purification, Properties, and Kinetic Mechanism1. Journal of Biochemistry, 1989, 106, 126-132.	0.9	4
88	Isolation of multiple forms of indanol dehydrogenase associated with 17β-hydroxysteroid dehydrogenase activity from male rabbit liver. Archives of Biochemistry and Biophysics, 1986, 249, 225-236.	1.4	32