

Susana Redondo-GÃ³mez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4924056/publications.pdf>

Version: 2024-02-01

100
papers

3,601
citations

117571

34
h-index

155592

55
g-index

100
all docs

100
docs citations

100
times ranked

3223
citing authors

#	ARTICLE	IF	CITATIONS
1	Assessing the Biofortification of Wheat Plants by Combining a Plant Growth-Promoting Rhizobacterium (PGPR) and Polymeric Fe-Nanoparticles: Allies or Enemies?. <i>Agronomy</i> , 2022, 12, 228.	1.3	10
2	Consortia of Plant-Growth-Promoting Rhizobacteria Isolated from Halophytes Improve the Response of Swiss Chard to Soil Salinization. <i>Agronomy</i> , 2022, 12, 468.	1.3	16
3	Salinity Modulates <i>Juncus acutus</i> L. Tolerance to Diesel Fuel Pollution. <i>Plants</i> , 2022, 11, 758.	1.6	4
4	Improved <i>Medicago sativa</i> Nodulation under Stress Assisted by <i>Variovorax</i> sp. Endophytes. <i>Plants</i> , 2022, 11, 1091.	1.6	17
5	Role of Nodulation-Enhancing Rhizobacteria in the Promotion of <i>Medicago sativa</i> Development in Nutrient-Poor Soils. <i>Plants</i> , 2022, 11, 1164.	1.6	10
6	Understanding the impact of a complex environmental matrix associated with climate change on the European marshes engineer species <i>Spartina maritima</i> . <i>Environmental and Experimental Botany</i> , 2021, 182, 104304.	2.0	3
7	Coastal Ecosystems as Sources of Biofertilizers in Agriculture: From Genomics to Application in an Urban Orchard. <i>Frontiers in Marine Science</i> , 2021, 8, .	1.2	8
8	Consortia of Plant-Growth-Promoting Rhizobacteria Isolated from Halophytes Improve Response of Eight Crops to Soil Salinization and Climate Change Conditions. <i>Agronomy</i> , 2021, 11, 1609.	1.3	27
9	Invasion and Extirpation Potential of Native and Invasive <i>Spartina</i> Species Under Climate Change. <i>Frontiers in Marine Science</i> , 2021, 8, .	1.2	17
10	Heavy Metal Pre-Conditioning History Modulates <i>Spartina patens</i> Physiological Tolerance along a Salinity Gradient. <i>Plants</i> , 2021, 10, 2072.	1.6	5
11	The effect of heavy metal contamination pre-conditioning in the heat stress tolerance of native and invasive Mediterranean halophytes. <i>Ecological Indicators</i> , 2020, 111, 106045.	2.6	17
12	<i>Sarcocornia fruticosa</i> photosynthetic response to short-term extreme temperature events in combination with optimal and sub-optimal salinity concentrations. <i>Plant Physiology and Biochemistry</i> , 2020, 148, 45-52.	2.8	4
13	Impact of Plant Growth Promoting Bacteria on <i>Salicornia ramosissima</i> Ecophysiology and Heavy Metal Phytoremediation Capacity in Estuarine Soils. <i>Frontiers in Microbiology</i> , 2020, 11, 553018.	1.5	47
14	Uncovering PGPB <i>Vibrio spartinae</i> inoculation-triggered physiological mechanisms involved in the tolerance of <i>Halimione portulacoides</i> to NaCl excess. <i>Plant Physiology and Biochemistry</i> , 2020, 154, 151-159.	2.8	8
15	Importance of Physiological Traits Vulnerability in Determine Halophytes Tolerance to Salinity Excess: A Comparative Assessment in <i>Atriplex halimus</i> . <i>Plants</i> , 2020, 9, 690.	1.6	12
16	Mediterranean seasonality and the halophyte <i>Arthrocnemum macrostachyum</i> determine the bacterial community in salt marsh soils in Southwest Spain. <i>Applied Soil Ecology</i> , 2020, 151, 103532.	2.1	7
17	Microbial strategies in non-target invasive <i>Spartina densiflora</i> for heavy metal clean up in polluted saltmarshes. <i>Estuarine, Coastal and Shelf Science</i> , 2020, 238, 106730.	0.9	6
18	The ACC-Deaminase Producing Bacterium <i>Variovorax</i> sp. CT7.15 as a Tool for Improving <i>Calicotome villosa</i> Nodulation and Growth in Arid Regions of Tunisia. <i>Microorganisms</i> , 2020, 8, 541.	1.6	16

#	ARTICLE	IF	CITATIONS
19	Supporting <i>Spartina</i> : Interdisciplinary perspective shows <i>Spartina</i> as a distinct solid genus. <i>Ecology</i> , 2019, 100, e02863.	1.5	39
20	Safe Cultivation of <i>Medicago sativa</i> in Metal-Polluted Soils from Semi-Arid Regions Assisted by Heat- and Metallo-Resistant PGPR. <i>Microorganisms</i> , 2019, 7, 212.	1.6	61
21	Soil phenanthrene phytoremediation capacity in bacteria-assisted <i>Spartina densiflora</i> . <i>Ecotoxicology and Environmental Safety</i> , 2019, 182, 109382.	2.9	10
22	Impact of short-term extreme temperature events on physiological performance of <i>Salicornia ramosissima</i> J. Woods under optimal and sub-optimal saline conditions. <i>Scientific Reports</i> , 2019, 9, 659.	1.6	19
23	Effect of prior salt experience on desalination capacity of the halophyte <i>Arthrocnemum macrostachyum</i> . <i>Desalination</i> , 2019, 463, 50-54.	4.0	18
24	Effect of Plant Growth-Promoting Rhizobacteria on <i>Salicornia ramosissima</i> Seed Germination under Salinity, CO ₂ and Temperature Stress. <i>Agronomy</i> , 2019, 9, 655.	1.3	38
25	Investigating the physiological mechanisms underlying <i>Salicornia ramosissima</i> response to atmospheric CO ₂ enrichment under coexistence of prolonged soil flooding and saline excess. <i>Plant Physiology and Biochemistry</i> , 2019, 135, 149-159.	2.8	21
26	Inter-population differences tolerance to Cu excess during the initial phases of <i>Juncus acutus</i> life cycle: implications for the design of metal restoration strategies. <i>International Journal of Phytoremediation</i> , 2019, 21, 550-555.	1.7	7
27	Investigating the mechanisms underlying phytoprotection by plant growth-promoting rhizobacteria in <i>Spartina densiflora</i> under metal stress. <i>Plant Biology</i> , 2018, 20, 497-506.	1.8	44
28	Halophyte fatty acids as biomarkers of anthropogenic-driven contamination in Mediterranean marshes: Sentinel species survey and development of an integrated biomarker response (IBR) index. <i>Ecological Indicators</i> , 2018, 87, 86-96.	2.6	41
29	PGPR Reduce Root Respiration and Oxidative Stress Enhancing <i>Spartina maritima</i> Root Growth and Heavy Metal Rhizoaccumulation. <i>Frontiers in Plant Science</i> , 2018, 9, 1500.	1.7	61
30	Salinity alleviates zinc toxicity in the saltmarsh zinc-accumulator <i>Juncus acutus</i> . <i>Ecotoxicology and Environmental Safety</i> , 2018, 163, 478-485.	2.9	18
31	Disentangling the effect of atmospheric CO ₂ enrichment on the halophyte <i>Salicornia ramosissima</i> J. Woods physiological performance under optimal and suboptimal saline conditions. <i>Plant Physiology and Biochemistry</i> , 2018, 127, 617-629.	2.8	27
32	Combined effect of Cr-toxicity and temperature rise on physiological and biochemical responses of <i>Atriplex halimus</i> L.. <i>Plant Physiology and Biochemistry</i> , 2018, 132, 675-682.	2.8	7
33	Atmospheric CO ₂ enrichment effect on the Cu-tolerance of the C ₄ cordgrass <i>Spartina densiflora</i> . <i>Journal of Plant Physiology</i> , 2018, 220, 155-166.	1.6	9
34	<i>Kushneria phyllosphaerae</i> sp. nov. and <i>Kushneria endophytica</i> sp. nov., plant growth promoting endophytes isolated from the halophyte plant <i>Arthrocnemum macrostachyum</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 2800-2806.	0.8	18
35	Bioaugmentation with bacteria selected from the microbiome enhances <i>Arthrocnemum macrostachyum</i> metal accumulation and tolerance. <i>Marine Pollution Bulletin</i> , 2017, 117, 340-347.	2.3	35
36	Highlighting the differential role of leaf paraheliotropism in two Mediterranean <i>Cistus</i> species under drought stress and well-watered conditions. <i>Journal of Plant Physiology</i> , 2017, 213, 199-208.	1.6	16

#	ARTICLE	IF	CITATIONS
37	Assessing the role of endophytic bacteria in the halophyte <i>Arthrocnemum macrostachyum</i> salt tolerance. <i>Plant Biology</i> , 2017, 19, 249-256.	1.8	83
38	Modulation of <i>Spartina densiflora</i> plant growth and metal accumulation upon selective inoculation treatments: A comparison of gram negative and gram positive rhizobacteria. <i>Marine Pollution Bulletin</i> , 2017, 125, 77-85.	2.3	24
39	<i>Kocuria salina</i> sp. nov., an actinobacterium isolated from the rhizosphere of the halophyte <i>Arthrocnemum macrostachyum</i> and emended description of <i>Kocuria turfanensis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 5006-5012.	0.8	15
40	Physiological and biochemical mechanisms preventing Cd-toxicity in the hyperaccumulator <i>Atriplex halimus</i> L.. <i>Plant Physiology and Biochemistry</i> , 2016, 106, 30-38.	2.8	48
41	Growth and photosynthetic limitation analysis of the Cd-accumulator <i>Salicornia ramosissima</i> under excessive cadmium concentrations and optimum salinity conditions. <i>Plant Physiology and Biochemistry</i> , 2016, 109, 103-113.	2.8	42
42	Dissipation and effects of tricyclazole on soil microbial communities and rice growth as affected by amendment with alperujo compost. <i>Science of the Total Environment</i> , 2016, 550, 637-644.	3.9	8
43	Interpopulation Differences in Salinity Tolerance of the Invasive Cordgrass <i>Spartina densiflora</i> : Implications for Invasion Process. <i>Estuaries and Coasts</i> , 2016, 39, 98-107.	1.0	12
44	<i>Microbulbifer rhizosphaerae</i> sp. nov., isolated from the rhizosphere of the halophyte <i>Arthrocnemum macrostachyum</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1844-1850.	0.8	19
45	<i>Labrenzia salina</i> sp. nov., isolated from the rhizosphere of the halophyte <i>Arthrocnemum macrostachyum</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 5173-5180.	0.8	29
46	Endophytic Cultivable Bacteria of the Metal Bioaccumulator <i>Spartina maritima</i> Improve Plant Growth but Not Metal Uptake in Polluted Marshes Soils. <i>Frontiers in Microbiology</i> , 2015, 6, 1450.	1.5	97
47	Arbuscular mycorrhizal symbiosis ameliorates the optimum quantum yield of photosystem II and reduces non-photochemical quenching in rice plants subjected to salt stress. <i>Journal of Plant Physiology</i> , 2015, 185, 75-83.	1.6	151
48	Moving closer towards restoration of contaminated estuaries: Bioaugmentation with autochthonous rhizobacteria improves metal rhizoaccumulation in native <i>Spartina maritima</i> . <i>Journal of Hazardous Materials</i> , 2015, 300, 263-271.	6.5	69
49	Improving legume nodulation and Cu rhizostabilization using a genetically modified rhizobia. <i>Environmental Technology (United Kingdom)</i> , 2015, 36, 1237-1245.	1.2	27
50	Scouting contaminated estuaries: Heavy metal resistant and plant growth promoting rhizobacteria in the native metal rhizoaccumulator <i>Spartina maritima</i> . <i>Marine Pollution Bulletin</i> , 2015, 90, 150-159.	2.3	70
51	Growth, nutrient status, and photosynthetic response to diesel-contaminated soil of a cordgrass, <i>Spartina argentinensis</i> . <i>Marine Pollution Bulletin</i> , 2014, 79, 34-38.	2.3	22
52	Prospecting metal-resistant plant-growth promoting rhizobacteria for rhizoremediation of metal contaminated estuaries using <i>Spartina densiflora</i> . <i>Environmental Science and Pollution Research</i> , 2014, 21, 3713-3721.	2.7	50
53	Seasonal ecophysiology of an endangered coastal species, the yellow-horned poppy (<i>Glaucium flavum</i>)	0.784314	1
54	Bioaccumulation of heavy metals in <i>Spartina</i> . <i>Functional Plant Biology</i> , 2013, 40, 913.	1.1	67

#	ARTICLE	IF	CITATIONS
55	Abiotic and Biotic Stress Tolerance in Plants. , 2013, , 1-20.		15
56	Chloroplast ultrastructure and thylakoid polypeptide composition are affected by different salt concentrations in the halophytic plant <i>Arthrocnemum macrostachyum</i> . <i>Journal of Plant Physiology</i> , 2012, 169, 111-116.	1.6	28
57	Tolerance to and accumulation of arsenic in the cordgrass <i>Spartina densiflora</i> Brongn. <i>Bioresource Technology</i> , 2012, 104, 187-194.	4.8	33
58	Identification of a 2-cys peroxiredoxin as a tetramethyl benzidine-hydrogen peroxide stained protein from the thylakoids of the extreme halophyte <i>Arthrocnemum macrostachyum</i> L.. <i>Plant Physiology and Biochemistry</i> , 2012, 57, 59-66.	2.8	1
59	Effect of the Herbicides Terbutylazine and Glyphosate on Photosystem II Photochemistry of Young Olive (<i>Olea europaea</i>) Plants. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 5528-5534.	2.4	16
60	Comparison of germination, growth, photosynthetic responses and metal uptake between three populations of <i>Spartina densiflora</i> under different soil pollution conditions. <i>Ecotoxicology and Environmental Safety</i> , 2011, 74, 2040-2049.	2.9	42
61	Factors influencing seed germination of <i>Cyperus capitatus</i> , inhabiting the moving sand dunes in southern Europe. <i>Journal of Arid Environments</i> , 2011, 75, 309-312.	1.2	20
62	<i>Spartina densiflora</i> demonstrates high tolerance to phenanthrene in soil and reduces its concentration. <i>Marine Pollution Bulletin</i> , 2011, 62, 1800-1808.	2.3	20
63	Growth, reproductive and photosynthetic responses to copper in the yellow-horned poppy, <i>Glaucium flavum</i> Crantz.. <i>Environmental and Experimental Botany</i> , 2011, 71, 57-64.	2.0	57
64	Response of Holm oak (<i>Quercus ilex</i> subsp. <i>ballota</i>) and mastic shrub (<i>Pistacia lentiscus</i> L.) seedlings to high concentrations of Cd and Tl in the rhizosphere. <i>Chemosphere</i> , 2011, 83, 1166-1174.	4.2	33
65	The role of two <i>Spartina</i> species in phytostabilization and bioaccumulation of Co, Cr, and Ni in the Tinto-Odiel estuary (SW Spain). <i>Hydrobiologia</i> , 2011, 671, 95-103.	1.0	29
66	Accumulation and tolerance characteristics of chromium in a cordgrass Cr-hyperaccumulator, <i>Spartina argentinensis</i> . <i>Journal of Hazardous Materials</i> , 2011, 185, 862-869.	6.5	97
67	Physiological responses to salinity in the yellow-horned poppy, <i>Glaucium flavum</i> . <i>Plant Physiology and Biochemistry</i> , 2011, 49, 186-194.	2.8	25
68	Synergic effect of salinity and zinc stress on growth and photosynthetic responses of the cordgrass, <i>Spartina densiflora</i> . <i>Journal of Experimental Botany</i> , 2011, 62, 5521-5530.	2.4	54
69	Exploring molecular variation in the cosmopolitan <i>Caprella penantis</i> (Crustacea: Amphipoda): results from RAPD analysis. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2010, 90, 617-622.	0.4	10
70	Photosynthetic responses to light intensity of <i>Sarcocornia taxa</i> (Chenopodiaceae). <i>Russian Journal of Plant Physiology</i> , 2010, 57, 887-891.	0.5	1
71	Modular response to salinity in the annual halophyte, <i>Salicornia ramosissima</i> . <i>Photosynthetica</i> , 2010, 48, 157-160.	0.9	2
72	Differential photosynthetic performance of three Mediterranean shrubs under grazing by domestic goats. <i>Photosynthetica</i> , 2010, 48, 348-354.	0.9	8

#	ARTICLE	IF	CITATIONS
73	Physiological characterization of photosynthesis, chloroplast ultrastructure, and nutrient content in bracts and rosette leaves from <i>Glaucium flavum</i> . <i>Photosynthetica</i> , 2010, 48, 488-493.	0.9	12
74	Identification of a 2-cys peroxiredoxin in the extreme halophyte <i>Arthrocnemum macrostachyum</i> . <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2010, 157, S47.	0.8	0
75	Growth and photosynthetic responses of the cordgrass <i>Spartina maritima</i> to CO ₂ enrichment and salinity. <i>Chemosphere</i> , 2010, 81, 725-731.	4.2	41
76	Accumulation and tolerance characteristics of cadmium in a halophytic Cd-hyperaccumulator, <i>Arthrocnemum macrostachyum</i> . <i>Journal of Hazardous Materials</i> , 2010, 184, 299-307.	6.5	106
77	Salt stimulation of growth and photosynthesis in an extreme halophyte, <i>Arthrocnemum macrostachyum</i> . <i>Plant Biology</i> , 2010, 12, 79-87.	1.8	166
78	Synergic effect of salinity and CO ₂ enrichment on growth and photosynthetic responses of the invasive cordgrass <i>Spartina densiflora</i> . <i>Journal of Experimental Botany</i> , 2010, 61, 1643-1654.	2.4	53
79	Effectiveness of glyphosate and imazamox on the control of the invasive cordgrass <i>Spartina densiflora</i> . <i>Ecotoxicology and Environmental Safety</i> , 2009, 72, 1694-1700.	2.9	47
80	Synergic effect of salinity and light-chilling on photosystem II photochemistry of the halophyte, <i>Sarcocornia fruticosa</i> . <i>Journal of Arid Environments</i> , 2009, 73, 586-589.	1.2	8
81	Heavy Metals and Trace Element Concentrations in Intertidal Soils of Four Estuaries of SW Iberian Peninsula. <i>Soil and Sediment Contamination</i> , 2009, 18, 320-327.	1.1	12
82	Growth and photosynthetic responses to zinc stress of an invasive cordgrass, <i>Spartina densiflora</i> . <i>Plant Biology</i> , 2008, 10, 754-762.	1.8	78
83	Environmental limitations on recruitment from seed in invasive <i>Spartina densiflora</i> on a southern European salt marsh. <i>Estuarine, Coastal and Shelf Science</i> , 2008, 79, 727-732.	0.9	32
84	Comparison of the role of two <i>Spartina</i> species in terms of phytostabilization and bioaccumulation of metals in the estuarine sediment. <i>Marine Pollution Bulletin</i> , 2008, 56, 2037-2042.	2.3	112
85	Growth and photosynthetic responses to copper stress of an invasive cordgrass, <i>Spartina densiflora</i> . <i>Marine Environmental Research</i> , 2008, 66, 459-465.	1.1	66
86	Effects of Salinity on Germination and Seedling Establishment of Endangered <i>Limonium emarginatum</i> (Willd.) O. Kuntze. <i>Journal of Coastal Research</i> , 2008, 1, 201-205.	0.1	29
87	Carry-over of Differential Salt Tolerance in Plants Grown from Dimorphic Seeds of <i>Suaeda splendens</i> . <i>Annals of Botany</i> , 2008, 102, 103-112.	1.4	52
88	Effect of herbicide and soil amendment on growth and photosynthetic responses in olive crops. <i>Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes</i> , 2007, 42, 523-528.	0.7	3
89	Bracteoles affect germination and seedling establishment in a Mediterranean population of <i>Atriplex portulacoides</i> . <i>Aquatic Botany</i> , 2007, 86, 93-96.	0.8	22
90	Combined effect of diuron and simazine on photosystem II photochemistry in a sandy soil and soil amended with solid olive-mill waste. <i>Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes</i> , 2007, 42, 249-254.	0.7	6

#	ARTICLE	IF	CITATIONS
91	Growth and Photosynthetic Responses to Salinity of the Salt-marsh Shrub <i>Atriplex portulacoides</i> . <i>Annals of Botany</i> , 2007, 100, 555-563.	1.4	216
92	Contrasting strategies to cope with drought by invasive and endemic species of <i>Lantana</i> in Galapagos. <i>Biodiversity and Conservation</i> , 2007, 16, 2123-2136.	1.2	25
93	Fundamental niche differentiation in subspecies of <i>Sarcocornia perennis</i> on a salt marsh elevational gradient. <i>Marine Ecology - Progress Series</i> , 2007, 347, 15-20.	0.9	19
94	<i>Caprella penantis</i> Leach, 1814 and <i>Caprella dilatata</i> Kroyer, 1843 (Crustacea: Amphipoda) from the Strait of Gibraltar: a molecular approach to explore intra- and interspecific variation. <i>Marine Biology Research</i> , 2006, 2, 100-108.	0.3	11
95	Growth and photosynthetic responses to salinity in an extreme halophyte, <i>Sarcocornia fruticosa</i> . <i>Physiologia Plantarum</i> , 2006, 128, 116-124.	2.6	139
96	Biological Flora of the British Isles: <i>Sarcocornia perennis</i> (Miller) A.J. Scott. <i>Journal of Ecology</i> , 2006, 94, 1035-1048.	1.9	69
97	Short-term responses to salinity of an invasive cordgrass. <i>Biological Invasions</i> , 2005, 7, 29-35.	1.2	43
98	Presence of internal photosynthetic cylinder surrounding the stele in stems of the tribe Salicornieae (Chenopodiaceae) from SW Iberian Peninsula. <i>Photosynthetica</i> , 2005, 43, 157-159.	0.9	18
99	Influences of salinity and light on germination of three <i>Sarcocornia</i> taxa with contrasted habitats. <i>Aquatic Botany</i> , 2004, 78, 255-264.	0.8	84
100	Facilitated invasion by hybridization of <i>Sarcocornia</i> species in a salt-marsh succession. <i>Journal of Ecology</i> , 2003, 91, 616-626.	1.9	84