
Gabriela RodrÃ-guez-Manzo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5248711/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Mast cells and histamine are involved in the neuronal damage observed in a quinolinic acidâ€induced model of Huntington's disease. Journal of Neurochemistry, 2022, 160, 256-270.	2.1	4
2	Endocannabinoids Released in the Ventral Tegmental Area During Copulation to Satiety Modulate Changes in Glutamate Receptors Associated With Synaptic Plasticity Processes. Frontiers in Synaptic Neuroscience, 2021, 13, 701290.	1.3	3
3	Endocannabinoids mediate long-lasting behavioural and physiological changes in male rats induced by the repeated activation of the mesolimbic system by copulation to satiety. Behavioural Brain Research, 2020, 383, 112510.	1.2	7
4	Endocannabinoids. , 2020, , 1-8.		0
5	Sexual behaviour is impaired by the abused inhalant toluene in adolescent male rats. European Journal of Neuroscience, 2019, 50, 2113-2123.	1.2	5
6	Endocannabinoids Interact With the Dopaminergic System to Increase Sexual Motivation: Lessons From the Sexual Satiety Phenomenon. Frontiers in Behavioral Neuroscience, 2019, 13, 184.	1.0	16
7	TLR4 Receptor Induces 2-AG–Dependent Tolerance to Lipopolysaccharide and Trafficking of CB2 Receptor in Mast Cells. Journal of Immunology, 2019, 202, 2360-2371.	0.4	23
8	Sexual interaction is essential for the transformation of non-copulating rats into sexually active animals by the endocannabinoid anandamide. Behavioural Brain Research, 2019, 359, 418-427.	1.2	12
9	Nucleus accumbens dopamine increases sexual motivation in sexually satiated male rats. Psychopharmacology, 2019, 236, 1303-1312.	1.5	14
10	Opioid receptor and β-arrestin2 densities and distribution change after sexual experience in the ventral tegmental area of male rats. Physiology and Behavior, 2018, 189, 107-115.	1.0	5
11	A new role for GABAergic transmission in the control of male rat sexual behavior expression. Behavioural Brain Research, 2017, 320, 21-29.	1.2	13
12	Ejaculatory training lengthens the ejaculation latency and facilitates the functioning of the spinal generator for ejaculation of rats with rapid ejaculation. International Journal of Impotence Research, 2017, 29, 35-42.	1.0	7
13	Male Sexual Behaviorâ~†. , 2017, , .		1
14	Male Sexual Behavior. , 2017, , 1-57.		19
15	Intra-VTA anandamide infusion produces dose-based biphasic effects on male rat sexual behavior expression. Pharmacology Biochemistry and Behavior, 2016, 150-151, 182-189.	1.3	12
16	Biphasic effects of anandamide on behavioural responses. Behavioural Pharmacology, 2015, 26, 607-615.	0.8	18
17	Unraveling the modulatory actions of serotonin on male rat sexual responses. Neuroscience and Biobehavioral Reviews, 2015, 55, 234-246.	2.9	27
18	Anandamide Reduces the Ejaculatory Threshold of Sexually Sluggish Male Rats: Possible Relevance for Human Lifelong Delayed Ejaculation Disorder. Journal of Sexual Medicine, 2015, 12, 1128-1135.	0.3	14

#	Article	IF	CITATIONS
19	Glutamatergic transmission is involved in the long lasting sexual inhibition of sexually exhausted male rats. Pharmacology Biochemistry and Behavior, 2015, 131, 64-70.	1.3	11
20	A Role for Learning and Memory in the Expression of an Innate Behavior. , 2014, , 135-147.		8
21	Rhythmic motor patterns accompanying ejaculation in spinal cord-transected male rats. International Journal of Impotence Research, 2014, 26, 191-195.	1.0	7
22	Effects of bupropion on the ejaculatory response of male rats. International Journal of Impotence Research, 2014, 26, 205-212.	1.0	3
23	Dopamine receptors play distinct roles in sexual behavior expression of rats with a different sexual motivational tone. Behavioural Pharmacology, 2014, 25, 684-694.	0.8	14
24	Low anandamide doses facilitate male rat sexual behaviour through the activation of CB1 receptors. Psychopharmacology, 2014, 231, 4071-4080.	1.5	22
25	Different amounts of ejaculatory activity, a natural rewarding behavior, induce differential mu and delta opioid receptor internalization in the rat's ventral tegmental area. Brain Research, 2013, 1541, 22-32.	1.1	12
26	Anandamide Transforms Noncopulating Rats into Sexually Active Animals. Journal of Sexual Medicine, 2013, 10, 686-693.	0.3	20
27	The mesolimbic system participates in the naltrexone-induced reversal of sexual exhaustion: Opposite effects of intra-VTA naltrexone administration on copulation of sexually experienced and sexually exhausted male rats. Behavioural Brain Research, 2013, 256, 64-71.	1.2	11
28	Endogenous opioids mediate the sexual inhibition but not the drug hypersensitivity induced by sexual satiation in male rats Behavioral Neuroscience, 2013, 127, 458-464.	0.6	11
29	Fluoxetine Chronic Treatment Inhibits Male Rat Sexual Behavior by Affecting Both Copulatory Behavior and the Genital Motor Pattern of Ejaculation. Journal of Sexual Medicine, 2012, 9, 1015-1026.	0.3	13
30	Recovery from sexual exhaustion-induced copulatory inhibition and drug hypersensitivity follow a same time course: Two expressions of a same process?. Behavioural Brain Research, 2011, 217, 253-260.	1.2	24
31	Electrical stimulation of dorsal and ventral striatum differentially alters the copulatory behavior of male rats Behavioral Neuroscience, 2010, 124, 686-694.	0.6	22
32	DMI-induced sexual effects in male rats: Analysis of DMI's acute and chronic actions on copulatory behavior and on the genital motor pattern of ejaculation. Pharmacology Biochemistry and Behavior, 2010, 94, 423-430.	1.3	4
33	Participation of Endogenous Opioids in the Inhibition of the Spinal Generator for Ejaculation in Rats. Journal of Sexual Medicine, 2009, 6, 3045-3055.	0.3	21
34	Male Sexual Behavior. , 2009, , 5-66.		90
35	The spinal pattern generator for ejaculation. Brain Research Reviews, 2008, 58, 106-120.	9.1	80
36	Role of nociceptin/orphanin FQ and the pseudopeptide [Phe1Ψ(CH2NH)Gly2]-nociceptin(1–13)-NH2 and their interaction with classic opioids in the modulation of thermonociception in the land snail Helix aspersa. European Journal of Pharmacology, 2008, 581, 77-85.	1.7	11

#	Article	IF	CITATIONS
37	Relationship between Sexual Satiety and Brain Androgen Receptors. Neuroendocrinology, 2007, 85, 16-26.	1.2	26
38	Electrical stimulation of the ventral tegmental area exerts opposite effects on male rat sexual behaviour expression depending on the stimulated sub region. Behavioural Brain Research, 2007, 179, 310-313.	1.2	16
39	α-Adrenergic agents modulate the activity of the spinal pattern generator for ejaculation. International Journal of Impotence Research, 2006, 18, 32-38.	1.0	20
40	Evidence for the presence of the spinal pattern generator involved in the control of the genital ejaculatory pattern in the female rat. Brain Research, 2006, 1084, 54-60.	1.1	8
41	Role of genital sensory information in the control of the functioning of the spinal generator for ejaculation. International Journal of Impotence Research, 2005, 17, 114-120.	1.0	23
42	Evidence for the presence and functioning of the spinal generator for ejaculation in the neonatal male rat. International Journal of Impotence Research, 2005, 17, 270-276.	1.0	21
43	Ejaculation induces long-lasting behavioural changes in male rats in the forced swimming test: evidence for an increased sensitivity to the antidepressant desipramine. Brain Research Bulletin, 2005, 65, 323-329.	1.4	15
44	Aphrodisiac properties of Montanoa tomentosa aqueous crude extract in male rats. Pharmacology Biochemistry and Behavior, 2004, 78, 129-134.	1.3	61
45	Self-injury behaviour induced by intraplantar carrageenan infiltration: a model of tonic nociception. Brain Research Protocols, 2004, 13, 37-44.	1.7	7
46	Sexual behavior reduces hypothalamic androgen receptor immunoreactivity. Psychoneuroendocrinology, 2003, 28, 501-512.	1.3	46
47	Evidence for the involvement of a spinal pattern generator in the control of the genital motor pattern of ejaculation. Brain Research, 2003, 975, 222-228.	1.1	65
48	Pharmacological and physiological aspects of sexual exhaustion in male rats. Scandinavian Journal of Psychology, 2003, 44, 257-263.	0.8	33
49	Yohimbine reverses the exhaustion of the coital reflex in spinal male rats. Behavioural Brain Research, 2003, 141, 43-50.	1.2	34
50	Evidence for changes in brain enkephalin contents associated to male rat sexual activity. Behavioural Brain Research, 2002, 131, 47-55.	1.2	37
51	Participation of 5-HT1B receptors in the inhibitory actions of serotonin on masculine sexual behaviour of mice: pharmacological analysis in 5-HT1B receptor knockout mice. British Journal of Pharmacology, 2002, 136, 1127-1134.	2.7	28
52	Exhaustion of the coital reflex in spinal male rats is reversed by the serotonergic agonist 8-OH-DPAT. Behavioural Brain Research, 2001, 118, 161-168.	1.2	14
53	Stimulation of the medial preoptic area facilitates sexual behavior but does not reverse sexual satiation Behavioral Neuroscience, 2000, 114, 553-560.	0.6	55
54	Gender differences in the cardiovascular responses to morphine and naloxone in spinal rats. European Journal of Pharmacology, 2000, 397, 121-128.	1.7	15

#	Article	IF	CITATIONS
55	Sensory and motor aspects of the coital reflex in the spinal male rat. Behavioural Brain Research, 2000, 108, 97-103.	1.2	36
56	Stimulation of the medical preoptic area facilitates sexual behavior but does not reverse sexual satiation. Behavioral Neuroscience, 2000, 114, 553-60.	0.6	11
57	Yohimbine interacts with the dopaminergic system to reverse sexual satiation: further evidence for a role of sexual motivation in sexual exhaustion. European Journal of Pharmacology, 1999, 372, 1-8.	1.7	45
58	Blockade of the establishment of the sexual inhibition resulting from sexual exhaustion by the Coolidge effect. Behavioural Brain Research, 1999, 100, 245-254.	1.2	30
59	Anxiolytic-Like Effect of Ejaculation Under Various Sexual Behavior Conditions in the Male Rat. Physiology and Behavior, 1999, 67, 651-657.	1.0	50
60	Reversal of progesterone-induced sequential inhibition by progesterone metabolites. Journal of Physiology (Paris), 1997, 91, 57-62.	2.1	0
61	8-OH-DPAT and Male Rat Sexual Behavior: Partial Blockade by Noradrenergic Lesion and Sexual Exhaustion. Pharmacology Biochemistry and Behavior, 1997, 56, 111-116.	1.3	30
62	Opioid antagonists and the sexual satiation phenomenon. Psychopharmacology, 1995, 122, 131-136.	1.5	63
63	Participation of the central noradrenergic system in the reestablishment of copulatory behavior of sexually exhausted rats by yohimbine, naloxone, and 8-OH-DPAT. Brain Research Bulletin, 1995, 38, 399-404.	1.4	62
64	Reversal of sexual exhaustion by serotonergic and noradrenergic agents. Behavioural Brain Research, 1994, 62, 127-134.	1.2	110
65	Further evidence showing that the inhibitory action of serotonin on rat masculine sexual behavior is mediated after the stimulation of 5-HT1B receptors. Pharmacology Biochemistry and Behavior, 1992, 42, 529-533.	1.3	34
66	Facilitation of lordosis behavior in ovariectomized estrogen-primed rats by medial preoptic implantation of 5l², 3l², pregnanolone: A ring A reduced progesterone metabolite. Physiology and Behavior, 1986, 36, 277-281.	1.0	19
67	Effect of progesterone upon adenylate cyclase activity and cAMP levels on brain areas. Pharmacology Biochemistry and Behavior, 1985, 23, 501-504.	1.3	33
68	Effect of guanine derivatives on lordosis behavior in estrogen primed rats. Physiology and Behavior, 1983, 31, 589-92.	1.0	25
69	Induction of female sexual behavior by GTP in ovariectomized estrogen primed rats. Physiology and Behavior, 1982, 28, 1073-1076.	1.0	19