

Qiongfeng Shi

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5257442/qiongfeng-shi-publications-by-citations.pdf>
Version: 2024-04-04

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

76 papers	3,800 citations	38 h-index	61 g-index
88 ext. papers	5,456 ext. citations	11.5 avg, IF	6.41 L-index

#	Paper	IF	Citations
76	Haptic-feedback smart glove as a creative human-machine interface (HMI) for virtual/augmented reality applications. <i>Science Advances</i> , 2020 , 6, eaaz8693	14.3	177
75	More than energy harvesting [Combining triboelectric nanogenerator and flexible electronics technology for enabling novel micro-/nano-systems. <i>Nano Energy</i> , 2019 , 57, 851-871	17.1	177
74	Self-Powered and Self-Functional Cotton Sock Using Piezoelectric and Triboelectric Hybrid Mechanism for Healthcare and Sports Monitoring. <i>ACS Nano</i> , 2019 , 13, 1940-1952	16.7	144
73	Progress in wearable electronics/photonicsMoving toward the era of artificial intelligence and internet of things. <i>Information Materials</i> , 2020 , 2, 1131-1162	23.1	143
72	Machine Learning Glove Using Self-Powered Conductive Superhydrophobic Triboelectric Textile for Gesture Recognition in VR/AR Applications. <i>Advanced Science</i> , 2020 , 7, 2000261	13.6	127
71	Beyond energy harvesting - multi-functional triboelectric nanosensors on a textile. <i>Nano Energy</i> , 2019 , 57, 338-352	17.1	119
70	Triboelectric Self-Powered Wearable Flexible Patch as 3D Motion Control Interface for Robotic Manipulator. <i>ACS Nano</i> , 2018 , 12, 11561-11571	16.7	118
69	Self-powered liquid triboelectric microfluidic sensor for pressure sensing and finger motion monitoring applications. <i>Nano Energy</i> , 2016 , 30, 450-459	17.1	116
68	Self-Sustainable Wearable Textile Nano-Energy Nano-System (NENS) for Next-Generation Healthcare Applications. <i>Advanced Science</i> , 2019 , 6, 1901437	13.6	108
67	MEMS Based Broadband Piezoelectric Ultrasonic Energy Harvester (PUEH) for Enabling Self-Powered Implantable Biomedical Devices. <i>Scientific Reports</i> , 2016 , 6, 24946	4.9	103
66	Self-powered triboelectric nanogenerator buoy ball for applications ranging from environment monitoring to water wave energy farm. <i>Nano Energy</i> , 2017 , 40, 203-213	17.1	96
65	Minimalist and multi-functional human machine interface (HMI) using a flexible wearable triboelectric patch. <i>Nano Energy</i> , 2019 , 62, 355-366	17.1	92
64	A rotational pendulum based electromagnetic/triboelectric hybrid-generator for ultra-low-frequency vibrations aiming at human motion and blue energy applications. <i>Nano Energy</i> , 2019 , 63, 103871	17.1	92
63	Deep learning enabled smart mats as a scalable floor monitoring system. <i>Nature Communications</i> , 2020 , 11, 4609	17.4	92
62	Self-powered glove-based intuitive interface for diversified control applications in real/cyber space. <i>Nano Energy</i> , 2019 , 58, 641-651	17.1	89
61	Self-Powered Bio-Inspired Spider-Net-Coding Interface Using Single-Electrode Triboelectric Nanogenerator. <i>Advanced Science</i> , 2019 , 6, 1900617	13.6	89
60	Development of battery-free neural interface and modulated control of tibialis anterior muscle via common peroneal nerve based on triboelectric nanogenerators (TENGs). <i>Nano Energy</i> , 2017 , 33, 1-11	17.1	85

59	A non-resonant rotational electromagnetic energy harvester for low-frequency and irregular human motion. <i>Applied Physics Letters</i> , 2018 , 113, 203901	3.4	85
58	Broadband Energy Harvester Using Non-linear Polymer Spring and Electromagnetic/Triboelectric Hybrid Mechanism. <i>Scientific Reports</i> , 2017 , 7, 41396	4.9	82
57	Self-Powered Dual-Mode Amenity Sensor Based on the Water-Air Triboelectric Nanogenerator. <i>ACS Nano</i> , 2017 , 11, 10337-10346	16.7	81
56	Controlling Surface Charge Generated by Contact Electrification: Strategies and Applications. <i>Advanced Materials</i> , 2018 , 30, e1802405	24	81
55	Technology evolution from self-powered sensors to AIoT enabled smart homes. <i>Nano Energy</i> , 2021 , 79, 105414	17.1	77
54	Deep learning-enabled triboelectric smart socks for IoT-based gait analysis and VR applications. <i>Npj Flexible Electronics</i> , 2020 , 4,	10.7	76
53	Development Trends and Perspectives of Future Sensors and MEMS/NEMS. <i>Micromachines</i> , 2019 , 11,	3.3	74
52	From flexible electronics technology in the era of IoT and artificial intelligence toward future implanted body sensor networks. <i>APL Materials</i> , 2019 , 7, 031302	5.7	73
51	Self-Powered Gyroscope Ball Using a Triboelectric Mechanism. <i>Advanced Energy Materials</i> , 2017 , 7, 1701300	10.8	68
50	Study of thin film blue energy harvester based on triboelectric nanogenerator and seashore IoT applications. <i>Nano Energy</i> , 2019 , 66, 104167	17.1	66
49	Wearable Triboelectric-Human-Machine Interface (THMI) Using Robust Nanophotonic Readout. <i>ACS Nano</i> , 2020 , 14, 8915-8930	16.7	63
48	Battery-free neuromodulator for peripheral nerve direct stimulation. <i>Nano Energy</i> , 2018 , 50, 148-158	17.1	63
47	Self-powered multifunctional monitoring system using hybrid integrated triboelectric nanogenerators and piezoelectric microsensors. <i>Nano Energy</i> , 2019 , 58, 612-623	17.1	58
46	Progress in TENG technology: A journey from energy harvesting to nanoenergy and nanosystem. <i>EcoMat</i> , 2020 , 2, e12058	9.4	57
45	Battery-free short-range self-powered wireless sensor network (SS-WSN) using TENG based direct sensory transmission (TDST) mechanism. <i>Nano Energy</i> , 2020 , 67, 104266	17.1	52
44	A novel hybridized blue energy harvester aiming at all-weather IoT applications. <i>Nano Energy</i> , 2020 , 76, 105052	17.1	50
43	Novel augmented reality interface using a self-powered triboelectric based virtual reality 3D-control sensor. <i>Nano Energy</i> , 2018 , 51, 162-172	17.1	47
42	Triboelectric single-electrode-output control interface using patterned grid electrode. <i>Nano Energy</i> , 2019 , 60, 545-556	17.1	44

41	Smart materials for smart healthcare—moving from sensors and actuators to self-sustained nanoenergy nanosystems. <i>Smart Materials in Medicine</i> , 2020 , 1, 92-124	12.9	41
40	Artificial Intelligence of Things (AIoT) Enabled Virtual Shop Applications Using Self-Powered Sensor Enhanced Soft Robotic Manipulator. <i>Advanced Science</i> , 2021 , 8, e2100230	13.6	41
39	Wearable Triboelectric/Aluminum Nitride Nano-Energy-Nano-System with Self-Sustainable Photonic Modulation and Continuous Force Sensing. <i>Advanced Science</i> , 2020 , 7, 1903636	13.6	38
38	Sensors and Control Interface Methods Based on Triboelectric Nanogenerator in IoT Applications. <i>IEEE Access</i> , 2019 , 7, 92745-92757	3.5	36
37	Hybridized wearable patch as a multi-parameter and multi-functional human-machine interface. <i>Nano Energy</i> , 2021 , 81, 105582	17.1	36
36	Intuitive-augmented human-machine multidimensional nano-manipulation terminal using triboelectric stretchable strip sensors based on minimalist design. <i>Nano Energy</i> , 2019 , 60, 440-448	17.1	34
35	Continuous direct current by charge transportation for next-generation IoT and real-time virtual reality applications. <i>Nano Energy</i> , 2020 , 73, 104760	17.1	34
34	Investigation of geometric design in piezoelectric microelectromechanical systems diaphragms for ultrasonic energy harvesting. <i>Applied Physics Letters</i> , 2016 , 108, 193902	3.4	33
33	A self-powered 3D activity inertial sensor using hybrid sensing mechanisms. <i>Nano Energy</i> , 2019 , 56, 651-661	6.1	33
32	Triboelectric Nanogenerators and Hybridized Systems for Enabling Next-Generation IoT Applications. <i>Research</i> , 2021 , 2021, 6849171	7.8	26
31	Technology evolution from micro-scale energy harvesters to nanogenerators. <i>Journal of Micromechanics and Microengineering</i> , 2021 , 31, 093002	2	25
30	Shadow enhanced self-charging power system for wave and solar energy harvesting from the ocean. <i>Nature Communications</i> , 2021 , 12, 616	17.4	23
29	Investigation of Position Sensing and Energy Harvesting of a Flexible Triboelectric Touch Pad. <i>Nanomaterials</i> , 2018 , 8,	5.4	21
28	Investigation of Broadband Characteristics of Multi-Frequency Piezoelectric Micromachined Ultrasonic Transducer (MF-pMUT). <i>IEEE Sensors Journal</i> , 2019 , 19, 860-867	4	20
27	Development of a Highly Sensitive Humidity Sensor Based on a Piezoelectric Micromachined Ultrasonic Transducer Array Functionalized with Graphene Oxide Thin Film. <i>Sensors</i> , 2018 , 18,	3.8	20
26	Artificial Intelligence of Things (AIoT) Enabled Floor Monitoring System for Smart Home Applications. <i>ACS Nano</i> , 2021 ,	16.7	16
25	Self-Powered Cursor Using a Triboelectric Mechanism. <i>Small Methods</i> , 2018 , 2, 1800078	12.8	15
24	Magnetic-interaction assisted hybridized triboelectric-electromagnetic nanogenerator for advanced human-machine interfaces. <i>Nano Energy</i> , 2021 , 86, 106154	17.1	15

23	A hybridized electromagnetic-triboelectric nanogenerator designed for scavenging biomechanical energy in human balance control. <i>Nano Research</i> , 2021 , 14, 4227	10	13
22	Piezoelectric MEMS Evolution from sensing technology to diversified applications in the 5G / Internet of Things (IoT) era. <i>Journal of Micromechanics and Microengineering</i> ,	2	12
21	Artificial intelligence of toilet (AI-Toilet) for an integrated health monitoring system (IHMS) using smart triboelectric pressure sensors and image sensor. <i>Nano Energy</i> , 2021 , 90, 106517	17.1	12
20	A Self-Powered Six-Axis Tactile Sensor by Using Triboelectric Mechanism. <i>Nanomaterials</i> , 2018 , 8,	5.4	11
19	All in One, Self-Powered Bionic Artificial Nerve Based on a Triboelectric Nanogenerator. <i>Advanced Science</i> , 2021 , 8, 2004727	13.6	11
18	Inkjet 3D Printed MEMS Vibrational Electromagnetic Energy Harvester. <i>Energies</i> , 2020 , 13, 2800	3.1	10
17	A Motion-Balanced Sensor Based on the Triboelectricity of Nano-iron Suspension and Flexible Polymer. <i>Nanomaterials</i> , 2019 , 9,	5.4	8
16	Versatile microfluidic platform embedded with sidewall three-dimensional electrodes for cell manipulation. <i>Biomedical Physics and Engineering Express</i> , 2019 , 5, 055003	1.5	7
15	Biometrics-protected optical communication enabled by deep learning-enhanced triboelectric/photonic synergistic interface.. <i>Science Advances</i> , 2022 , 8, eabl9874	14.3	7
14	Development of a Thermoelectric and Electromagnetic Hybrid Energy Harvester from Water Flow in an Irrigation System. <i>Micromachines</i> , 2018 , 9,	3.3	7
13	A Two-Degree-of-Freedom Cantilever-Based Vibration Triboelectric Nanogenerator for Low-Frequency and Broadband Operation. <i>Electronics (Switzerland)</i> , 2019 , 8, 1526	2.6	6
12	Noncontact Human-Machine Interface Using Complementary Information Fusion Based on MEMS and Triboelectric Sensors.. <i>Advanced Science</i> , 2022 , e2201056	13.6	4
11	Progress of Advanced Devices and Internet of Things Systems as Enabling Technologies for Smart Homes and Health Care. <i>ACS Materials Au</i> ,		3
10	MEMS based piezoelectric ultrasonic energy harvester for self-powered under-water applications 2016 ,		2
9	Combining neural electrodes and triboelectric nanogenerators (TENGS) to enable a self-sustainable platform for neuromodulation 2017 ,		2
8	Constructing highly tribopositive elastic yarn through interfacial design and assembly for efficient energy harvesting and human-interactive sensing. <i>Nano Energy</i> , 2022 , 94, 106956	17.1	2
7	A humidity resistant and high performance triboelectric nanogenerator enabled by vortex-induced vibration for scavenging wind energy. <i>Nano Research</i> , 2022 , 15, 3246-3253	10	2
6	Nanowire Electrodes Integrated on Tip of Microwire for Peripheral Nerve Stimulation. <i>Journal of Microelectromechanical Systems</i> , 2017 , 26, 921-925	2.5	1

5	Triboelectric and microfluidic integrated self-generated tactile sensor 2017 ,		1
4	Triboelectric Balls as Three-Dimensional Vibrational Energy Harvesters and Self-Powered Sensors 2018 ,		1
3	Self-Powered Triboelectric Inertial Sensor Ball for IoT and Wearable Applications. <i>Journal of Physics: Conference Series</i> , 2018 , 1052, 012030	0.3	1
2	Transferred Laser-Scribed Graphene-Based Durable and Permeable Strain Sensor. <i>Advanced Materials Interfaces</i> , 2021 , 8, 2100625	4.6	1
1	High density nanowire electrodes for intracortical microstimulation. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2019 , 2019, 5657-5660	0.9	