

Wei-Sheng Feng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5261435/publications.pdf>

Version: 2024-02-01

148
papers

1,786
citations

331670

21
h-index

454955

30
g-index

165
all docs

165
docs citations

165
times ranked

1926
citing authors

#	ARTICLE	IF	CITATIONS
1	A new flavonoid from the thorn of <i>Gleditsia sinensis</i> Lam. Natural Product Research, 2023, 37, 283-288.	1.8	3
2	Alkaloids from the stem of <i>Ephedra equisetina</i> . Journal of Asian Natural Products Research, 2023, 25, 238-244.	1.4	2
3	Two new guaianolide-type sesquiterpenoids with NO inhibitory activity from <i>Chrysanthemum indicum</i> . Journal of Asian Natural Products Research, 2023, 25, 316-323.	1.4	4
4	Renoprotective activity of a new amide and a new hydroxycinnamic acid derivative from the fresh roots of <i>Rehmannia glutinosa</i> . Journal of Asian Natural Products Research, 2022, 24, 163-169.	1.4	4
5	Oleic acid alleviates LPS-induced acute kidney injury by restraining inflammation and oxidative stress via the Ras/MAPKs/PPAR- γ signaling pathway. Phytomedicine, 2022, 94, 153818.	5.3	34
6	Bimetallic Cd/Zr-UiO-66 material as a turn-on/off probe for As ⁵⁺ /Fe ³⁺ in organic media. Chemosphere, 2022, 291, 132827.	8.2	7
7	An electrochemical biosensor based on ARGET ATRP with DSN-assisted target recycling for sensitive detection of tobacco mosaic virus RNA. Bioelectrochemistry, 2022, 144, 108037.	4.6	12
8	Diarylheptanoid glycosides from <i>Zingiber officinale</i> peel and their anti-apoptotic activity. <i>Fä-toterapÄ-Äç</i> , 2022, 157, 105109.	2.2	2
9	Five new compounds from <i>Zingiberis Rhizoma Recens</i> and their anti-apoptotic activity. Journal of Asian Natural Products Research, 2022, , 1-10.	1.4	0
10	Four New Benzoylamide Derivatives Isolated from the Seeds of <i>Lepidium apetalum</i> Willd. and Ameliorated LPS-Induced NRK52e Cells via Nrf2/Keap1 Pathway. Molecules, 2022, 27, 722.	3.8	2
11	Cytotoxic Polyhydroxylated Oleanane Triterpenoids from <i>Cissampelos pareira</i> var. <i>hirsuta</i> . Molecules, 2022, 27, 1183.	3.8	4
12	LSD1 inhibitors from the roots of <i>Pueraria lobata</i> . Journal of Asian Natural Products Research, 2022, , 1-9.	1.4	1
13	Hypeisoxazole A, a Racemic Pair of Tetrahydroisoxazole-Fused Benzylisoquinoline Alkaloids from <i>Hypocoum erectum</i> and Structural Revision of Hypecoleptopine. Organic Letters, 2022, 24, 1476-1480.	4.6	4
14	Extract of <i>Coraliodiscus flabellata</i> attenuates renal fibrosis in SAMP8 mice via the Wnt/ β -catenin/RAS signaling pathway. BMC Complementary Medicine and Therapies, 2022, 22, 52.	2.7	6
15	Metabolomic strategies and biochemical analysis of the effect of processed <i>Rehmanniae radix</i> extract on a blood-deficient rat model. BMC Complementary Medicine and Therapies, 2022, 22, 89.	2.7	4
16	Pseudoephedrine Nanoparticles Alleviate Adriamycin-Induced Reproductive Toxicity Through the GnRhR Signaling Pathway. International Journal of Nanomedicine, 2022, Volume 17, 1549-1566.	6.7	2
17	Total flavonoids of <i>Selaginella tamariscina</i> (P.Beauv.) Spring ameliorates doxorubicin-induced cardiotoxicity by modulating mitochondrial dysfunction and endoplasmic reticulum stress via activating MFN2/PERK. Phytomedicine, 2022, 100, 154065.	5.3	11
18	Eriodictyol and Homoeriodictyol Improve Memory Impairment in A β ²⁵⁻³⁵ -Induced Mice by Inhibiting the NLRP3 Inflammasome. Molecules, 2022, 27, 2488.	3.8	13

#	ARTICLE	IF	CITATIONS
19	Lignans and terpenoids from the stem of <i>Ephedra equisetina</i> Bunge. <i>Phytochemistry</i> , 2022, 200, 113230.	2.9	3
20	Structure elucidation of linear triquinane sesquiterpenoids, hirsutuminoids A-Q, from the fungus <i>Stereum hirsutum</i> and their activities. <i>Phytochemistry</i> , 2022, 200, 113227.	2.9	3
21	Ten undescribed diterpenoid quinones derived from the <i>Salvia miltiorrhiza</i> . <i>Phytochemistry</i> , 2022, 200, 113224.	2.9	6
22	Chemical Constituents from the Flowers of <i>Carthamus tinctorius</i> L. and Their Lung Protective Activity. <i>Molecules</i> , 2022, 27, 3573.	3.8	5
23	β -Sitosterol inhibits ovalbumin-induced asthma-related inflammation by regulating dendritic cells. <i>Immunopharmacology and Immunotoxicology</i> , 2022, 44, 1013-1021.	2.4	4
24	Sesquiterpenoids from <i>Artemisia argyi</i> and their NO production inhibitory activity in RAW264.7 cells. <i>Natural Product Research</i> , 2021, 35, 2887-2894.	1.8	10
25	Two new flavonoid glucosides from the fruits of <i>Sinopodophyllum hexandrum</i> . <i>Natural Product Research</i> , 2021, 35, 2164-2169.	1.8	2
26	Two new phenylpropanoids and a new dihydrostilbenoid from the flower buds of <i>Magnolia biondii</i> pamp and their acetylcholinesterase inhibitory activities. <i>Natural Product Research</i> , 2021, 35, 3233-3240.	1.8	2
27	Two new norsesquiterpenoids with estrogenic activity from the stems and leaves of <i>Dioscorea oppositifolia</i> L. <i>Natural Product Research</i> , 2021, 35, 3018-3025.	1.8	9
28	Anti-inflammatory Dendranacetylene A, a new polyacetylene glucoside from the flower of <i>Chrysanthemum morifolium</i> Ramat. <i>Natural Product Research</i> , 2021, 35, 5692-5698.	1.8	6
29	1,10-seco guaianolide-type sesquiterpenoids from <i>Chrysanthemum indicum</i> . <i>Journal of Asian Natural Products Research</i> , 2021, 23, 877-883.	1.4	5
30	Qualitative analysis on chemical constituents from different polarity extracted fractions of the pulp and peel of ginger rhizomes by ultra-high performance liquid chromatography coupled with electrospray ionization quadrupole time-of-flight tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2021, 35, e9029.	1.5	7
31	De novo genome assembly of the potent medicinal plant <i>Rehmannia glutinosa</i> using nanopore technology. <i>Computational and Structural Biotechnology Journal</i> , 2021, 19, 3954-3963.	4.1	26
32	Saffloflavone, a new flavonoid from the flowers of <i>Carthamus tinctorius</i> L. and its cardioprotective activity. <i>Natural Product Research</i> , 2021, , 1-6.	1.8	3
33	Amentoflavone Ameliorates Memory Deficits and Abnormal Autophagy in $\text{A}\beta_{25-35}$ -Induced Mice by mTOR Signaling. <i>Neurochemical Research</i> , 2021, 46, 921-934.	3.3	30
34	Structure and absolute configuration assignments of ochracines F-L, chamigrane and cadinane sesquiterpenes from the basidiomycete <i>Steccherinum ochraceum</i> HFG119. <i>RSC Advances</i> , 2021, 11, 18693-18701.	3.6	8
35	Neuroinflammatory inhibitors from <i>Gardneria nutans</i> Siebold & Zuccarini. <i>RSC Advances</i> , 2021, 11, 27085-27091.	3.6	5
36	Two New Terpenoids From the Fruits of <i>Chaenomeles sinensis</i> (Thouin) Koehne. <i>Natural Product Communications</i> , 2021, 16, 1934578X2199615.	0.5	2

#	ARTICLE	IF	CITATIONS
37	In vitro Non-Small Cell Lung Cancer Inhibitory Effect by New Diphenylethane Isolated From Stems and Leaves of <i>Dioscorea oppositifolia</i> L. via ER ^{1/2} -STAT3 Pathway. <i>Frontiers in Pharmacology</i> , 2021, 12, 622681.	3.5	4
38	Arbutin attenuates LPS-induced acute kidney injury by inhibiting inflammation and apoptosis via the PI3K/Akt/Nrf2 pathway. <i>Phytomedicine</i> , 2021, 82, 153466.	5.3	54
39	Electrochemiluminescence immunosensor for cytokeratin fragment antigen 21-1 detection using electrochemically mediated atom transfer radical polymerization. <i>Mikrochimica Acta</i> , 2021, 188, 115.	5.0	14
40	Geniposide from <i>Gardenia jasminoides</i> var. <i>radicans</i> Makino Attenuates Myocardial Injury in Spontaneously Hypertensive Rats via Regulating Apoptotic and Energy Metabolism Signalling Pathway. <i>Drug Design, Development and Therapy</i> , 2021, Volume 15, 949-962.	4.3	8
41	Correlation analysis between extracts and endogenous metabolites to characterise the influence of salt-processing on compatibility mechanism of <i>Psoraleae Fructus</i> & <i>Foeniculi Fructus</i> . <i>Journal of Ethnopharmacology</i> , 2021, 270, 113782.	4.1	5
42	A UPLC-Q-TOF/MS-Based Metabolomics Study on the Effect of <i>Corallodiscus flabellatus</i> (Craib) B. L. Burt Extract on Alzheimer's Disease. <i>Evidence-based Complementary and Alternative Medicine</i> , 2021, 2021, 1-11.	1.2	1
43	Acetone Extract of <i>Cornus officinalis</i> Leaves Exerts Anti-Melanoma Effects via Inhibiting STAT3 Signaling. <i>OncoTargets and Therapy</i> , 2021, Volume 14, 3487-3501.	2.0	7
44	The nephroprotective effects and mechanisms of rehmapicrogenin include ROS inhibition via an oestrogen-like pathway both in vivo and in vitro. <i>Biomedicine and Pharmacotherapy</i> , 2021, 138, 111305.	5.6	10
45	Comparative transcriptome analysis of the hyperaccumulator plant <i>Phytolacca americana</i> in response to cadmium stress. <i>3 Biotech</i> , 2021, 11, 327.	2.2	14
46	A new quinic acid derivative with α -glucosidase inhibitory activity from the fruit of <i>Gardenia jasminoides</i> J.Ellis. <i>Natural Product Research</i> , 2021, , 1-7.	1.8	2
47	Two New Coumarins from the Aerial Part of <i>Gendarussa vulgaris</i> . <i>Chemistry of Natural Compounds</i> , 2021, 57, 631-634.	0.8	0
48	Two new diarylheptanoids and a new phenylhexanol derivative from the bulbils of <i>Dioscorea opposita</i> Thunb. and their α -glucosidase inhibitory activity. <i>Phytochemistry Letters</i> , 2021, 44, 142-148.	1.2	1
49	Chemical constituents from <i>Gendarussa vulgaris</i> Nees and their chemotaxonomic significance. <i>Biochemical Systematics and Ecology</i> , 2021, 97, 104296.	1.3	0
50	Three New 2,2-Difurylketone Derivatives and Two New Chromones from the <i>Rehmanniae Radix</i> Praeparata. <i>Chemistry and Biodiversity</i> , 2021, 18, e2100237.	2.1	3
51	Structural characterization and immunomodulatory activities of two polysaccharides from <i>Rehmanniae Radix</i> Praeparata. <i>International Journal of Biological Macromolecules</i> , 2021, 186, 385-395.	7.5	27
52	Inhibitory activity of acteoside in melanoma via regulation of the ER ^{1/2} -Ras/Raf1-STAT3 pathway. <i>Archives of Biochemistry and Biophysics</i> , 2021, 710, 108978.	3.0	9
53	Two new flavonoids from the thorns of <i>Gleditsia sinensis</i> . <i>Phytochemistry Letters</i> , 2021, 45, 168-170.	1.2	0
54	Iridoid glycosides and lignans from the fruits of <i>Gardenia jasminoides</i> Eills. <i>Phytochemistry</i> , 2021, 190, 112893.	2.9	11

#	ARTICLE	IF	CITATIONS
55	Photoinduced atom transfer radical polymerization combined with click chemistry for highly sensitive detection of tobacco mosaic virus RNA. <i>Talanta</i> , 2021, 235, 122803.	5.5	11
56	Lycibarbarines A–C, Three Tetrahydroquinoline Alkaloids Possessing a Spiro-Heterocycle Moiety from the Fruits of <i>Lycium barbarum</i> . <i>Organic Letters</i> , 2021, 23, 858-862.	4.6	14
57	Phenolic Compounds from Mori Cortex Ameliorate Sodium Oleate-Induced Epithelial–Mesenchymal Transition and Fibrosis in NRK-52e Cells through CD36. <i>Molecules</i> , 2021, 26, 6133.	3.8	3
58	Two new ionones from the fresh roots of <i>Rehmannia glutinosa</i> . <i>Phytochemistry Letters</i> , 2021, 46, 114-118.	1.2	6
59	Investigating the basis for the antidepressant effects of using an integrated metabolomic strategy. <i>Iranian Journal of Basic Medical Sciences</i> , 2021, 24, 524-530.	1.0	1
60	Fissisternoids A and B, two 2,5-quinodihydrochalcone-based meroterpenoid enantiomers with unusual carbon skeletons from <i>Fissistigma bracteolatum</i> . <i>Organic Chemistry Frontiers</i> , 2021, 9, 190-196.	4.5	2
61	Cytotoxic polyhydroxylated pregnane glycosides from <i>Cissampelos pareira</i> var. <i>hirsuta</i> . <i>RSC Advances</i> , 2021, 12, 498-508.	3.6	4
62	Solanrubiellin A, a hydroanthraquinone dimer with antibacterial and cytotoxic activity from <i>Solanum lyratum</i> . <i>Natural Product Research</i> , 2020, 34, 3176-3181.	1.8	10
63	Four C-geranyl flavonoids from the flowers of <i>Paulownia fortunei</i> and their anti-inflammatory activity. <i>Natural Product Research</i> , 2020, 34, 3189-3198.	1.8	12
64	Ultrasensitive fluorescent detection of HTLV-II DNA based on magnetic nanoparticles and atom transfer radical polymerization signal amplification. <i>Talanta</i> , 2020, 207, 120290.	5.5	20
65	Dual signal amplification by polysaccharide and eATRP for ultrasensitive detection of CYFRA 21–1 DNA. <i>Biosensors and Bioelectronics</i> , 2020, 150, 111895.	10.1	32
66	Protopine Protects Mice against LPS-Induced Acute Kidney Injury by Inhibiting Apoptosis and Inflammation via the TLR4 Signaling Pathway. <i>Molecules</i> , 2020, 25, 15.	3.8	46
67	Oligosaccharides composition of <i>Descurainia sophia</i> exerts anti-heart failure by improving heart function and water-liquid metabolism in rats with heart failure. <i>Biomedicine and Pharmacotherapy</i> , 2020, 129, 110487.	5.6	4
68	A new bisepoxylignan dendranlignan A isolated from Chrysanthemum Flower inhibits the production of inflammatory mediators via the TLR4 pathway in LPS-induced H9c2 cardiomyocytes. <i>Archives of Biochemistry and Biophysics</i> , 2020, 690, 108506.	3.0	10
69	Dual atom transfer radical polymerization for ultrasensitive electrochemical DNA detection. <i>Bioelectrochemistry</i> , 2020, 133, 107462.	4.6	12
70	A metabolomic study on the anti-depressive effects of two active components from Chrysanthemum morifolium. <i>Artificial Cells, Nanomedicine and Biotechnology</i> , 2020, 48, 718-727.	2.8	12
71	A New C13-Norisoprenoid from the Fruits of <i>Chaenomeles sinensis</i> . <i>Chemistry of Natural Compounds</i> , 2020, 56, 1064-1067.	0.8	0
72	Four New Prenylated Flavonoids from the Fruits of <i>Sinopodophyllum hexandrum</i> . <i>Chemistry of Natural Compounds</i> , 2020, 56, 827-831.	0.8	2

#	ARTICLE	IF	CITATIONS
73	Geniposide in <i>Gardenia jasminoides</i> var. <i>radicans</i> Makino modulates blood pressure via inhibiting WNK pathway mediated by the estrogen receptors. <i>Journal of Pharmacy and Pharmacology</i> , 2020, 72, 1956-1969.	2.4	6
74	Iridoid glycosides isolated from <i>Nardostachys chinensis</i> Batal with NO production inhibitory activity. <i>Natural Product Research</i> , 2020, , 1-7.	1.8	1
75	Acacetin improves endothelial dysfunction and aortic fibrosis in insulin-resistant SHR rats by estrogen receptors. <i>Molecular Biology Reports</i> , 2020, 47, 6899-6918.	2.3	24
76	NBS-activated cross-dehydrogenative esterification of carboxylic acids with DMSO. <i>Organic Chemistry Frontiers</i> , 2020, 7, 2719-2724.	4.5	7
77	Taxifolin improves disorders of glucose metabolism and water-salt metabolism in kidney via PI3K/AKT signaling pathway in metabolic syndrome rats. <i>Life Sciences</i> , 2020, 263, 118713.	4.3	27
78	Effect of processing on the reduction of pesticide residues in a traditional Chinese medicine (TCM). <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2020, 37, 1156-1164.	2.3	13
79	Alkaloids and lignans with acetylcholinesterase inhibitory activity from the flower buds of <i>Magnolia biondii</i> Pamp. <i>New Journal of Chemistry</i> , 2020, 44, 10309-10316.	2.8	10
80	Raw and salt-processed <i>Achyranthes bidentata</i> attenuate LPS-induced acute kidney injury by inhibiting ROS and apoptosis via an estrogen-like pathway. <i>Biomedicine and Pharmacotherapy</i> , 2020, 129, 110403.	5.6	43
81	Duzhong Butiansu Prescription Improves Heat Stress-Induced Spermatogenic Dysfunction by Regulating Sperm Formation and Heat Stress Pathway. <i>Evidence-based Complementary and Alternative Medicine</i> , 2020, 2020, 1-11.	1.2	6
82	<i>Corallodiscus flabellata</i> B.L. Burt Extracts Stimulate Diuretic Activity and Regulate the Renal Expression of Aquaporins. <i>Evidence-based Complementary and Alternative Medicine</i> , 2020, 2020, 1-10.	1.2	4
83	Renoprotective Mono- and Triterpenoids from the Fruit of <i>Gardenia jasminoides</i> . <i>Journal of Natural Products</i> , 2020, 83, 1118-1130.	3.0	16
84	Helveticoside Exhibited p53-dependent Anticancer Activity Against Colorectal Cancer. <i>Archives of Medical Research</i> , 2020, 51, 224-232.	3.3	8
85	Effect of phenylacetamide isolated from <i>Lepidium apetalum</i> on myocardial injury in spontaneously hypertensive rats and its possible mechanism. <i>Pharmaceutical Biology</i> , 2020, 58, 597-609.	2.9	2
86	Oleanolic acid derivative isolated from <i>Gardenia jasminoides</i> var. <i>radicans</i> alleviates LPS-induced acute kidney injury in mice by reducing oxidative stress and inflammatory responses via the TLR4/NF- κ B/NLRP3 signaling pathway. <i>New Journal of Chemistry</i> , 2020, 44, 2091-2101.	2.8	9
87	5-O-methylidihydroquercetin and ciliicone B isolated from <i>Spina Gleditsiae</i> ameliorate lipopolysaccharide-induced acute kidney injury in mice by inhibiting inflammation and oxidative stress via the TLR4/MyD88/TRIF/NLRP3 signaling pathway. <i>International Immunopharmacology</i> , 2020, 80, 106194.	3.8	18
88	Isolation of endophytic bacteria from <i>Rehmannia glutinosa</i> Libosch and their potential to promote plant growth. <i>Journal of General and Applied Microbiology</i> , 2020, 66, 279-288.	0.7	13
89	B. L. Burt extract alleviates lipopolysaccharide/D-galactosamine-induced acute liver failure and brain injury by inhibiting oxidative stress, apoptosis, and inflammation. <i>Iranian Journal of Basic Medical Sciences</i> , 2020, 23, 1445-1452.	1.0	2
90	Antihyperlipidemic glycosides from the root bark of <i>Lycium chinense</i> . <i>Natural Product Research</i> , 2019, 33, 2655-2661.	1.8	8

#	ARTICLE	IF	CITATIONS
91	Integrated metabolomics and 16S rRNA sequencing to investigate the regulation of Chinese yam on antibiotic-induced intestinal dysbiosis in rats. <i>Artificial Cells, Nanomedicine and Biotechnology</i> , 2019, 47, 3382-3390.	2.8	17
92	Dual Roles of tert-Butyl Nitrite in the Transition Metal- and External Oxidant-Free Trifluoromethyloximation of Alkenes. <i>ChemSusChem</i> , 2019, 12, 3960-3966.	6.8	17
93	Ochracines A-E, chamigrane-related norsesquiterpene derivatives from the basidiomycete <i>Steccherinum ochraceum</i> HFG119. <i>Fungal Biology</i> , 2019, 139, 104362.	2.2	4
94	An electrochemical aptasensor based on eATRP amplification for the detection of bisphenol A. <i>Analyst</i> , 2019, 144, 5691-5699.	3.5	15
95	The protective effect and mechanism of catalpol on high glucose-induced podocyte injury. <i>BMC Complementary and Alternative Medicine</i> , 2019, 19, 244.	3.7	35
96	Sixteen New Prenylated Flavonoids from the Fruit of <i>Sinopodophyllum hexandrum</i> . <i>Molecules</i> , 2019, 24, 3196.	3.8	12
97	Quantitative analysis, pharmacokinetics and metabolomics study for the comprehensive characterization of the salt-processing mechanism of <i>Psoraleae Fructus</i> . <i>Scientific Reports</i> , 2019, 9, 661.	3.3	11
98	Adenosine Attenuates LPS-Induced Cardiac Dysfunction by Inhibition of Mitochondrial Function via the ER Pathway. <i>Evidence-based Complementary and Alternative Medicine</i> , 2019, 2019, 1-10.	1.2	8
99	Antidiabetic Activity and Potential Mechanism of Amentoflavone in Diabetic Mice. <i>Molecules</i> , 2019, 24, 2184.	3.8	36
100	Rosmarinic inhibits cell proliferation, invasion and migration via up-regulating miR-506 and suppressing MMP2/16 expression in pancreatic cancer. <i>Biomedicine and Pharmacotherapy</i> , 2019, 115, 108878.	5.6	36
101	Integrating strategies of chemistry, biochemistry and metabolomics for characterization of the medication principle of treating cold/heat syndrome with hot/cold herbs. <i>Journal of Ethnopharmacology</i> , 2019, 239, 111899.	4.1	22
102	Six New Coumarin Glycosides from the Aerial Parts of <i>Gendarussa vulgaris</i> . <i>Molecules</i> , 2019, 24, 1456.	3.8	10
103	Iridium(III)-Catalyzed C-H Amidation of Nitrones with Dioxazolones. <i>Journal of Organic Chemistry</i> , 2019, 84, 5305-5312.	3.2	27
104	Chinese yam extract and adenosine attenuated LPS-induced cardiac dysfunction by inhibiting RAS and apoptosis via the ER-mediated activation of SHC/Ras/Raf1 pathway. <i>Phytomedicine</i> , 2019, 61, 152857.	5.3	17
105	Catalpol Ameliorates Podocyte Injury by Stabilizing Cytoskeleton and Enhancing Autophagy in Diabetic Nephropathy. <i>Frontiers in Pharmacology</i> , 2019, 10, 1477.	3.5	43
106	Unusual constituents from the medicinal mushroom <i>Ganoderma lingzhi</i> . <i>RSC Advances</i> , 2019, 9, 36931-36939.	3.6	6
107	Epigenetic Targets and their Inhibitors in Cancer Therapy. <i>Current Topics in Medicinal Chemistry</i> , 2019, 18, 2395-2419.	2.1	33
108	Different meridian tropism in three Chinese medicines: Tinglizi (Semen <i>Lepidii Apetali</i>), Yiyiren (Semen) <i>Tj ETQq000rgBT/Overlock 10 T</i>	0.2	2

#	ARTICLE	IF	CITATIONS
109	Ethanol extract of <i>Rehmannia glutinosa</i> exerts antidepressant-like effects on a rat chronic unpredictable mild stress model by involving monoamines and BDNF. <i>Metabolic Brain Disease</i> , 2018, 33, 885-892.	2.9	30
110	Two new phenolic constituents from the root bark of <i>Morus alba</i> L. and their cardioprotective activity. <i>Natural Product Research</i> , 2018, 32, 391-398.	1.8	18
111	Homoisoflavanones with estrogenic activity from the rhizomes of <i>Polygonatum sibiricum</i> . <i>Journal of Asian Natural Products Research</i> , 2018, 20, 92-100.	1.4	12
112	Lepidumuridine A: A New Natural Uridine Derivative as a Phytoestrogen Isolated from the Seeds of <i>Lepidium apetalum</i> Willd.. <i>Evidence-based Complementary and Alternative Medicine</i> , 2018, 2018, 1-7.	1.2	2
113	An integrated metabolomic strategy for the characterization of the effects of Chinese yam and its three active components on septic cardiomyopathy. <i>Food and Function</i> , 2018, 9, 4989-4997.	4.6	14
114	2-Phenylacetamide Isolated from the Seeds of <i>Lepidium apetalum</i> and Its Estrogen-Like Effects In Vitro and In Vivo. <i>Molecules</i> , 2018, 23, 2293.	3.8	15
115	Two New Biflavonoids from the Roots and Rhizomes of <i>Sinopodophyllum emodi</i> . <i>Chemistry of Natural Compounds</i> , 2018, 54, 649-653.	0.8	3
116	Uridine derivatives from the seeds of <i>Lepidium apetalum</i> Willd. and their estrogenic effects. <i>Phytochemistry</i> , 2018, 155, 45-52.	2.9	11
117	Estrogenic Effects of the Extracts from the Chinese Yam (<i>Dioscorea opposita</i> Thunb.) and Its Effective Compounds in Vitro and in Vivo. <i>Molecules</i> , 2018, 23, 11.	3.8	57
118	Mechanism of the diuretic activity of <i>Descurainia sophia</i> seed. <i>Bangladesh Journal of Pharmacology</i> , 2018, 13, 157.	0.4	2
119	Phenolic constituents from the root bark of <i>Morus alba</i> L. and their cardioprotective activity in vitro. <i>Phytochemistry</i> , 2017, 135, 128-134.	2.9	21
120	Lignanamide with potent antihyperlipidemic activities from the root bark of <i>Lycium chinense</i> . <i>FAA-toterap</i> , 2017, 122, 119-125.	2.2	25
121	Two Sulfur Glycoside Compounds Isolated from <i>Lepidium apetalum</i> Willd Protect NRK52e Cells against Hypertonic-Induced Adhesion and Inflammation by Suppressing the MAPK Signaling Pathway and RAAS. <i>Molecules</i> , 2017, 22, 1956.	3.8	12
122	A Metabolomics-Based Strategy for the Mechanism Exploration of Traditional Chinese Medicine: <i>Descurainia sophia</i> Seeds Extract and Fractions as a Case Study. <i>Evidence-based Complementary and Alternative Medicine</i> , 2017, 2017, 1-11.	1.2	16
123	Four New Monoterpenoid Glycosides from the Flower Buds of <i>Magnolia biondii</i> . <i>Molecules</i> , 2016, 21, 728.	3.8	7
124	The Mechanism by Which Amentoflavone Improves Insulin Resistance in HepG2 Cells. <i>Molecules</i> , 2016, 21, 624.	3.8	36
125	Three new sulphur glycosides from the seeds of <i>Descurainia sophia</i> . <i>Natural Product Research</i> , 2016, 30, 1675-1681.	1.8	13
126	Extractions of Oil from <i>Descurainia sophia</i> Seed Using Supercritical CO ₂ , Chemical Compositions by GC-MS and Evaluation of the Anti-Tussive, Expectorant and Anti-Asthmatic Activities. <i>Molecules</i> , 2015, 20, 13296-13312.	3.8	14

#	ARTICLE	IF	CITATIONS
127	A New Ionone Glycoside and Three New Rhemaneolignans from the Roots of <i>Rehmannia glutinosa</i> . <i>Molecules</i> , 2015, 20, 15192-15201.	3.8	14
128	Study on Enhancing the Slurry Performance of Coal-Water Slurry Prepared with Low-Rank Coal. <i>Journal of Dispersion Science and Technology</i> , 2015, 36, 1247-1256.	2.4	24
129	BDNF and COX-2 participate in anti-depressive mechanisms of catalpol in rats undergoing chronic unpredictable mild stress. <i>Physiology and Behavior</i> , 2015, 151, 360-368.	2.1	56
130	Two new ionone glycosides from the roots of <i>Rehmannia glutinosa</i> Libosch.. <i>Natural Product Research</i> , 2015, 29, 59-63.	1.8	20
131	A new kaempferol trioside from <i>Silphium perfoliatum</i> . <i>Journal of Asian Natural Products Research</i> , 2014, 16, 393-399.	1.4	10
132	Adsorption separation of CO ₂ and N ₂ on MIL-101 metal-organic framework and activated carbon. <i>Journal of the Iranian Chemical Society</i> , 2014, 11, 741-749.	2.2	11
133	Isolation of two new prenylated flavonoids from <i>Sinopodophyllum emodi</i> fruit by silica gel column and high-speed counter-current chromatography. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014, 969, 190-198.	2.3	28
134	Sinensioside A, a new sesquiglycerol glycoside from <i>Selaginella sinensis</i> . <i>Chinese Journal of Natural Medicines</i> , 2014, 12, 148-150.	1.3	7
135	Three new ursane-type triterpenes from the leaves of <i>Rehmannia glutinosa</i> . <i>Fä-toterapÄ-t</i> , 2013, 89, 15-19.	2.2	21
136	A new megastigmane from fresh roots of <i>Rehmannia glutinosa</i> . <i>Acta Pharmaceutica Sinica B</i> , 2013, 3, 333-336.	12.0	8
137	A new acylated flavonol glycoside from the aerial parts of <i>Cardamine tangutorum</i> . <i>Journal of Asian Natural Products Research</i> , 2012, 14, 805-810.	1.4	6
138	Two new C-glycosylflavones from <i>Boea hygrometrica</i> . <i>Journal of Asian Natural Products Research</i> , 2011, 13, 618-623.	1.4	8
139	Three new flavonoid glycosides from <i>Pinus tabulaeformis</i> Carr. <i>Journal of Asian Natural Products Research</i> , 2011, 13, 36-41.	1.4	2
140	Two new dihydrobenzofuran lignans from <i>Rabdosia lophanthoides</i> (Buch.-Ham.ex D.Don) Hara. <i>Journal of Asian Natural Products Research</i> , 2010, 12, 557-561.	1.4	14
141	Chemical constituents of <i>Saxifraga stolonifera</i> (L.) Meeb. <i>Yaoxue Xuebao</i> , 2010, 45, 742-6.	0.2	1
142	Two new secolignans from <i>Selaginella sinensis</i> (Desv.) Spring. <i>Journal of Asian Natural Products Research</i> , 2009, 11, 658-662.	1.4	22
143	Chemical constituents from the leaves of <i>Broussonetia papyrifera</i> . <i>Yaoxue Xuebao</i> , 2008, 43, 173-80.	0.2	1
144	Chemical constituents from leaves of <i>Celastrus gemmatus</i> Loes. <i>Yaoxue Xuebao</i> , 2007, 42, 625-30.	0.2	1

#	ARTICLE	IF	CITATIONS
145	Flavanone O-glycosides from the rhizomes of <i>Dryopteris sublaeta</i> . <i>Yaoxue Xuebao</i> , 2007, 42, 867-71.	0.2	3
146	A new flavanone from <i>Dryopteris sublaeta</i> . <i>Yaoxue Xuebao</i> , 2005, 40, 443-6.	0.2	2
147	A new stilbene glycoside from <i>Dryopteris sublaeta</i> . <i>Yaoxue Xuebao</i> , 2005, 40, 1131-4.	0.2	2
148	Enolase, a cadmium resistance related protein from hyperaccumulator plant <i>Phytolacca americana</i> , increase the tolerance of <i>Escherichia coli</i> to cadmium stress. <i>International Journal of Phytoremediation</i> , 0, , 1-10.	3.1	1