

Mao Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5295362/publications.pdf>

Version: 2024-02-01

59
papers

596
citations

623188

14
h-index

713013

21
g-index

71
all docs

71
docs citations

71
times ranked

957
citing authors

#	ARTICLE	IF	CITATIONS
1	Preoperative splenic artery embolism followed by splenectomy is safe and effective in patients with sinistral portal hypertension. <i>Langenbeck's Archives of Surgery</i> , 2022, 407, 313-319.	0.8	6
2	Prognostic value of systemic immune-inflammation index in patients with pancreatic cancer: a meta-analysis. <i>Clinical and Experimental Medicine</i> , 2022, 22, 637-646.	1.9	17
3	Comment on: Impact of enhanced recovery protocols after pancreatoduodenectomy: meta-analysis. <i>British Journal of Surgery</i> , 2022, 109, e89-e89.	0.1	0
4	Nanoparticle encapsulated CQ/TAM combination harmonizes with MSCs in arresting progression of severity in AP mice through iNOS (IDO) signaling. <i>Materials Today Bio</i> , 2022, 14, 100226.	2.6	4
5	Development and validation of a prediction model for moderately severe and severe acute pancreatitis in pregnancy. <i>World Journal of Gastroenterology</i> , 2022, 28, 1588-1600.	1.4	10
6	Comment on "Surgery for Intraductal Papillary Mucinous Neoplasms of the Pancreas: Preoperative Factors Tipping the Scale of Decision-Making". <i>Annals of Surgical Oncology</i> , 2022, , .	0.7	1
7	Fibroblasts in cancer dormancy: foe or friend?. <i>Cancer Cell International</i> , 2021, 21, 184.	1.8	10
8	ETMM-06. ELEVATED MITOCHONDRIAL TOM20 EXPRESSION SUPPRESSES GLIOMA MALIGNANCY BY ENHANCING OXIDATIVE PHOSPHORYLATION. <i>Neuro-Oncology Advances</i> , 2021, 3, i15-i15.	0.4	0
9	Elevated GIGYF2 expression suppresses tumor migration and enhances sensitivity to temozolomide in malignant glioma. <i>Cancer Gene Therapy</i> , 2021, , .	2.2	5
10	Inhibition of DEC2 is necessary for exiting cell dormancy in salivary adenoid cystic carcinoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2021, 40, 169.	3.5	5
11	Clinical characteristics and treatment analysis of pancreatic acinar cell carcinoma: A single institutional comparison to pancreatic ductal adenocarcinoma. <i>Surgical Oncology</i> , 2021, 37, 101528.	0.8	6
12	The germline/somatic DNA damage repair gene mutations modulate the therapeutic response in Chinese patients with advanced pancreatic ductal adenocarcinoma. <i>Journal of Translational Medicine</i> , 2021, 19, 301.	1.8	12
13	Fatty acid oxidation: driver of lymph node metastasis. <i>Cancer Cell International</i> , 2021, 21, 339.	1.8	25
14	BSCI-16. Olfactory receptor 5B21 drives breast cancer metastasis. <i>Neuro-Oncology Advances</i> , 2021, 3, iii4-iii4.	0.4	0
15	Inhibition of mitochondrial carrier homolog 2 (MTCH2) suppresses tumor invasion and enhances sensitivity to temozolomide in malignant glioma. <i>Molecular Medicine</i> , 2021, 27, 7.	1.9	10
16	Comment on: Acute pancreatitis in pregnancy: meta-analysis of maternal and foetal outcomes. <i>British Journal of Surgery</i> , 2021, , .	0.1	0
17	Development and validation of a prediction model for deep vein thrombosis in older non-mild acute pancreatitis patients. <i>World Journal of Gastrointestinal Surgery</i> , 2021, 13, 1258-1266.	0.8	3
18	Role of the microbiome in systemic therapy for pancreatic ductal adenocarcinoma (Review). <i>International Journal of Oncology</i> , 2021, 59, .	1.4	5

#	ARTICLE	IF	CITATIONS
19	EUS-CGN versus EUS-CPN in pancreatic cancer: A qualitative systematic review. <i>Medicine (United States)</i> , 2020, 99, e19504.	0.4	0
20	TAMI-04. OLFACTORY RECEPTOR 5B21 DRIVES BREAST CANCER BRAIN METASTASIS THROUGH STAT3/NF- κ B/CEBP β PATHWAY. <i>Neuro-Oncology</i> , 2021, 23, vi198-vi199.	0.6	0
21	Olfactory receptor 5B21 drives breast cancer metastasis. <i>Science</i> , 2021, 24, 103519.	1.9	4
22	Alteration of Transforming Growth Factor β 2 Signaling Pathway Predicts Worse Prognosis in Pancreatic Ductal Adenocarcinoma. <i>Pancreas</i> , 2020, 49, 534-542.	0.5	2
23	Extracellular Vesicles Induce Mesenchymal Transition and Therapeutic Resistance in Glioblastomas through NF- κ B/STAT3 Signaling. <i>Advanced Biology</i> , 2020, 4, 1900312.	3.0	15
24	Early recurrence detected by 18F-FDG PET/CT in patients with resected pancreatic ductal adenocarcinoma. <i>Medicine (United States)</i> , 2020, 99, e19504.	0.4	5
25	Engrailed 2 (EN2) acts as a glioma suppressor by inhibiting tumor proliferation/invasion and enhancing sensitivity to temozolomide. <i>Cancer Cell International</i> , 2020, 20, 65.	1.8	7
26	HNRNPA1-induced spliceopathy in a transgenic mouse model of myotonic dystrophy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 5472-5477.	3.3	31
27	Risk Factors for Early Mortality Among Patients with Glioma: A Population-Based Study. <i>World Neurosurgery</i> , 2020, 136, e496-e503.	0.7	7
28	An Unexpected Case Report of Adrenal Lymphangioma: Mimicking Metastatic Tumor on Imaging in a Patient With Pancreatic Cancer. <i>Frontiers in Endocrinology</i> , 2020, 11, 610744.	1.5	1
29	Higher expression of cell division cycle-associated protein 5 predicts poorer survival outcomes in hepatocellular carcinoma. <i>Aging</i> , 2020, 12, 14542-14555.	1.4	7
30	Oral microbiome and pancreatic cancer. <i>World Journal of Gastroenterology</i> , 2020, 26, 7679-7692.	1.4	44
31	miR-25 expression is upregulated in pancreatic ductal adenocarcinoma and promotes cell proliferation by targeting ABI2. <i>Experimental and Therapeutic Medicine</i> , 2020, 19, 3384-3390.	0.8	3
32	STEM-15. SMALL BUT FIERCE: THE ROLE OF EXTRACELLULAR VESICLES IN MESENCHYMAL TRANSITION AND THERAPEUTIC RESISTANCE IN GLIOBLASTOMA. <i>Neuro-Oncology</i> , 2020, 22, ii199-ii199.	0.6	0
33	Assessment of preoperative hypercoagulability in patients with pancreatic ductal adenocarcinoma (PDAC) using rapid thromboelastography (r-TEG). <i>Journal of Thrombosis and Thrombolysis</i> , 2019, 48, 648-652.	1.0	1
34	The significance of preoperative hematological inflammatory markers in patients with meningiomas. <i>Clinical Neurology and Neurosurgery</i> , 2019, 182, 1-4.	0.6	18
35	LincRNAs inhibit early stage pancreatic ductal adenocarcinoma growth through TGF β 1 pathway activation. <i>Oncology Letters</i> , 2019, 17, 4633-4639.	0.8	14
36	MIR-20a-5p regulates gemcitabine chemosensitivity by targeting RRM2 in pancreatic cancer cells and serves as a predictor for gemcitabine-based chemotherapy. <i>Bioscience Reports</i> , 2019, 39, .	1.1	25

#	ARTICLE	IF	CITATIONS
37	Incidence, risk factors, and outcomes of venous thromboembolism after oncologic surgery: A systematic review and meta-analysis. <i>Thrombosis Research</i> , 2019, 173, 48-56.	0.8	37
38	Downregulation of LINC01638 lncRNA inhibits migration and invasion of pancreatic ductal adenocarcinoma cells by reducing TGF- β signaling. <i>Molecular Medicine Reports</i> , 2019, 20, 4533-4539.	1.1	6
39	Alteration of TGF- β signaling pathway predicts worse prognosis in pancreatic ductal adenocarcinoma.. <i>Journal of Clinical Oncology</i> , 2019, 37, e13006-e13006.	0.8	0
40	Hybrid capture-based genomic profiling of circulating tumor DNA from patients with advanced hepatocellular carcinoma.. <i>Journal of Clinical Oncology</i> , 2019, 37, e15606-e15606.	0.8	0
41	Significance of systemic immune-inflammation index in the differential diagnosis of high- and low-grade gliomas. <i>Clinical Neurology and Neurosurgery</i> , 2018, 164, 50-52.	0.6	21
42	Circulating Exosomal microRNA Signature As a Noninvasive Biomarker for Diagnosis of Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2018, 132, 5406-5406.	0.6	4
43	Methods to develop a scoring system for disease severity classification: More than clinical experience and expertise. <i>European Journal of Internal Medicine</i> , 2017, 37, e12.	1.0	0
44	Assessment of the circulating cell-free DNA marker association with diagnosis and prognostic prediction in patients with lymphoma: a single-center experience. <i>Annals of Hematology</i> , 2017, 96, 1343-1351.	0.8	27
45	Effects of octreotide on hepatic glycogenesis in rats with high fat diet-induced obesity. <i>Molecular Medicine Reports</i> , 2017, 16, 109-118.	1.1	16
46	The prognostic role of controlling nutritional status scores in patients with solid tumors. <i>Clinica Chimica Acta</i> , 2017, 474, 155-158.	0.5	45
47	Is toll-like receptor-2 really inhibiting FoxP3+ TLR2+ cells and enhancing the anti-tumour response in oral squamous cell carcinoma?. <i>Acta Histochemica</i> , 2017, 119, 766-767.	0.9	0
48	Promoting the Awareness of Hepatitis B Virus Screening in Patients With Lymphoma. <i>American Journal of Therapeutics</i> , 2017, 24, e776-e777.	0.5	0
49	BKM120 sensitizes C6 glioma cells to temozolomide via suppression of the PI3K/Akt/NF- κ B/MGMT signaling pathway. <i>Oncology Letters</i> , 2017, 14, 6597-6603.	0.8	17
50	IDH1 status is significantly different between high-grade thalamic and superficial gliomas. <i>Cancer Biomarkers</i> , 2017, 20, 183-189.	0.8	2
51	Circulating miR-128 as a potential diagnostic biomarker for glioma. <i>Clinical Neurology and Neurosurgery</i> , 2017, 160, 88-91.	0.6	27
52	Significance of Pretreatment Red Blood Cell Distribution Width in Patients with Newly Diagnosed Glioblastoma. <i>Medical Science Monitor</i> , 2017, 23, 3217-3223.	0.5	14
53	Clinical significance of pre-surgical serum lipid levels in patients with glioblastoma. <i>Oncotarget</i> , 2017, 8, 85940-85948.	0.8	7
54	Effect of Octreotide on Hepatic Steatosis in Diet-Induced Obesity in Rats. <i>PLoS ONE</i> , 2016, 11, e0152085.	1.1	20

#	ARTICLE	IF	CITATIONS
55	Determinant-based classification and revision of the Atlanta classification, which one should we choose to categorize acute pancreatitis?. <i>Pancreatology</i> , 2015, 15, 331-336.	0.5	21
56	Meta-analysis of peritumoural rCBV values derived from dynamic susceptibility contrast imaging in differentiating high-grade gliomas from intracranial metastases. <i>International Journal of Clinical and Experimental Medicine</i> , 2014, 7, 2724-9.	1.3	4
57	Potential role of fractional anisotropy derived from diffusion tensor imaging in differentiating high-grade gliomas from low-grade gliomas: a meta-analysis. <i>International Journal of Clinical and Experimental Medicine</i> , 2014, 7, 3647-53.	1.3	6
58	Role of rCBV values derived from dynamic susceptibility contrast-enhanced magnetic resonance imaging in differentiating CNS lymphoma from high grade glioma: a meta-analysis. <i>International Journal of Clinical and Experimental Medicine</i> , 2014, 7, 5573-7.	1.3	8
59	The potential risk factors for atypical and anaplastic meningiomas: clinical series of 1,239 cases. <i>International Journal of Clinical and Experimental Medicine</i> , 2014, 7, 5696-700.	1.3	10