

Johanne H Ellenbroek

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5349970/publications.pdf>

Version: 2024-02-01

14
papers

515
citations

1040056

9
h-index

1281871

11
g-index

14
all docs

14
docs citations

14
times ranked

1077
citing authors

#	ARTICLE	IF	CITATIONS
1	<i>In Vivo</i> Silencing of MicroRNA-132 Reduces Blood Glucose and Improves Insulin Secretion. <i>Nucleic Acid Therapeutics</i> , 2019, 29, 67-72.	3.6	28
2	A systematic review of urinary bladder hypertrophy in experimental diabetes: Part I. Streptozotocin-induced rat models. <i>Neurourology and Urodynamics</i> , 2018, 37, 1212-1219.	1.5	22
3	A systematic review of urinary bladder hypertrophy in experimental diabetes: Part 2. Comparison of animal models and functional consequences. <i>Neurourology and Urodynamics</i> , 2018, 37, 2346-2360.	1.5	28
4	Pancreatic β -cell mass in obesity. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 1810-1813.	4.4	14
5	Chronic hyperglycemia downregulates GLP-1 receptor signaling in pancreatic β -cells via protein kinase A. <i>Molecular Metabolism</i> , 2015, 4, 265-276.	6.5	54
6	Structure-Guided Design of Selective Epac1 and Epac2 Agonists. <i>PLoS Biology</i> , 2015, 13, e1002038.	5.6	68
7	Loss of β -Cell Identity Occurs in Type 2 Diabetes and Is Associated With Islet Amyloid Deposits. <i>Diabetes</i> , 2015, 64, 2928-2938.	0.6	141
8	PKA Enhances the Acute Insulin Response Leading to the Restoration of Glucose Control. <i>Diabetes</i> , 2015, 64, 1688-1697.	0.6	8
9	Long-term ketogenic diet causes glucose intolerance and reduced β - and α -cell mass but no weight loss in mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2014, 306, E552-E558.	3.5	111
10	PS15 - 3. Long-term ketogenic diet leads to weight gain, glucose intolerance and reduced beta-cell mass in mice. <i>Nederlands Tijdschrift Voor Diabetologie</i> , 2013, 11, 189-189.	0.0	0
11	Topologically Heterogeneous Beta Cell Adaptation in Response to High-Fat Diet in Mice. <i>PLoS ONE</i> , 2013, 8, e56922.	2.5	38
12	PS2 - 8. Liraglutide decreases beta-cell mass in normoglycemic and high-fat diet-fed mice. <i>Nederlands Tijdschrift Voor Diabetologie</i> , 2012, 10, 104-105.	0.0	0
13	PS18 - 89. β -cell adaptation is heterogeneous in response to insulin resistance. <i>Nederlands Tijdschrift Voor Diabetologie</i> , 2011, 9, 152-152.	0.0	0
14	Plasma levels of von Willebrand factor, von Willebrand factor propeptide and factor VIII in carriers and patients with nephrogenic diabetes insipidus. <i>Thrombosis Research</i> , 2010, 125, 554-556.	1.7	3