
Tomohiro Mimura

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5506378/publications.pdf Version: 2024-02-01



TOMOHIRO MIMURA

#	Article	IF	CITATIONS
1	Prevalence of thoracic diffuse idiopathic skeletal hyperostosis (DISH) in Japanese: Results of chest CT-based cross-sectional study. Journal of Orthopaedic Science, 2017, 22, 38-42.	1.1	45
2	Multiplanar evaluation of radiological findings associated with acetabular dysplasia and investigation of its prevalence in an Asian population: a CT-based study. BMC Musculoskeletal Disorders, 2017, 18, 50.	1.9	20
3	Spatiotemporal control of proliferation and differentiation of bone marrow–derived mesenchymal stem cells recruited using collagen hydrogel for repair of articular cartilage defects. Journal of Biomedical Materials Research - Part B Applied Biomaterials, 2011, 98B, 360-368.	3.4	18
4	Triple pelvic osteotomy: Report of our mid-term results and review of literature. World Journal of Orthopedics, 2014, 5, 14.	1.8	18
5	Prevalence of pincer, cam, and combined deformities in Japanese hip joints evaluated with the Japanese Hip Society diagnostic guideline for femoroacetabular impingement: A CT-based study. Journal of Orthopaedic Science, 2017, 22, 105-111.	1.1	14
6	Prevalence and morphological features of acetabular dysplasia with coexisting femoroacetabular impingement-related findings in a Japanese population: a computed tomography-based cross-sectional study. Journal of Hip Preservation Surgery, 2018, 5, 137-149.	1.3	11
7	Prevalence of radiological femoroacetabular impingement in Japanese hip joints: detailed investigation with computed tomography. Journal of Orthopaedic Science, 2015, 20, 649-656.	1.1	9
8	Aortic pulsation prevents the development of ossification of anterior longitudinal ligament toward the aorta in patients with diffuse idiopathic skeletal hyperostosis (DISH) in Japanese: Results of chest CT-based cross-sectional study. Journal of Orthopaedic Science, 2019, 24, 30-34.	1.1	9
9	Subchondral Insufficiency Fracture of the Femoral Head in a Pregnant Woman with Pre-existing Anorexia Nervosa. Tohoku Journal of Experimental Medicine, 2018, 245, 1-5.	1.2	8
10	Effects of malalignment and disease activity on osteophyte formation in knees of rheumatoid arthritis patients. Journal of Orthopaedic Surgery, 2020, 28, 230949902091185.	1.0	7
11	A Case Report of Implant Fracture of Extensively Porous-Coated, Distally Fixated Cementless Long Stem: Detailed Course of Stem Bending Development. Case Reports in Orthopedics, 2015, 2015, 1-6.	0.3	4
12	Is the ischiofemoral space value of Japanese hip joints equal to that of Western populations?. Journal of Hip Preservation Surgery, 2019, 6, 390-397.	1.3	3
13	Ischiofemoral impingement between the ischium and the posterior facet of the greater trochanter: A case report. Journal of Orthopaedic Science, 2021, 26, 500-504.	1.1	3
14	Consideration of differences in drug usage between young-onset and elderly-onset rheumatoid arthritis with target of low disease activity. Modern Rheumatology, 2021, 31, 1094-1099.	1.8	3
15	Denosumab Therapy for Giant-cell Tumor of the Lumbar Spine: A Case Report and Immunohistochemical Examination. Journal of Orthopaedic Case Reports, 2020, 10, 76-79.	0.1	2
16	Pigmented Villonodular Synovitis Causing Osteonecrosis of the Femoral Head: A Case Report. Case Reports in Orthopedics, 2013, 2013, 1-4.	0.3	1
17	Late-Emerging Lethal Exacerbation of Cardiomyopathy in a Patient with Mitochondrial Myopathy After Total Hip Arthroplasty. JBJS Case Connector, 2014, 4, e105.	0.3	1
18	Surgical treatment of wrist joint dysfunction in rheumatoid arthritis: A report of two cases. Modern Rheumatology Case Reports, 2021, , .	0.7	1

#	Article	IF	CITATIONS
19	FRI0063â€EFFECTS OF MALALIGNMENT AND DISEASE ACTIVITY ON SECONDARY OSTEOARTHRITIS PROGRESSION IN KNEES OF RHEUMATOID ARTHRITIS PATIENTS. , 2019, , .	DN	0
20	AB0427â€DIFFERENCES IN DRUG USAGE BETWEEN EORA AND YORA PATIENTS WITH TARGET OF LOW DISEASE ACTIVITY. , 2019, , .	2	0
21	β-Angles of hips with femoroacetabular impingement versus asymptomatic normal hips in a Japanese population: A CT-based observational clinical study. Journal of Orthopaedic Science, 2020, 25, 261-266.	1.1	0