

# Robert Pickard

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/551271/publications.pdf>

Version: 2024-02-01

34  
papers

1,360  
citations

516710

16  
h-index

395702

33  
g-index

36  
all docs

36  
docs citations

36  
times ranked

1807  
citing authors

#	ARTICLE	IF	CITATIONS
1	Medical expulsive therapy in adults with ureteric colic: a multicentre, randomised, placebo-controlled trial. <i>Lancet, The</i> , 2015, 386, 341-349.	13.7	289
2	Antimicrobial catheters for reduction of symptomatic urinary tract infection in adults requiring short-term catheterisation in hospital: a multicentre randomised controlled trial. <i>Lancet, The</i> , 2012, 380, 1927-1935.	13.7	203
3	Adherence to European Association of Urology Guidelines on Prophylactic Antibiotics: An Important Step in Antimicrobial Stewardship. <i>European Urology</i> , 2016, 69, 276-283.	1.9	111
4	Continuous low-dose antibiotic prophylaxis for adults with repeated urinary tract infections (AnTIC): a randomised, open-label trial. <i>Lancet Infectious Diseases, The</i> , 2018, 18, 957-968.	9.1	79
5	Ablative therapy for people with localised prostate cancer: a systematic review and economic evaluation. <i>Health Technology Assessment</i> , 2015, 19, 1-490.	2.8	79
6	Adrenergic drugs for urinary incontinence in adults. <i>The Cochrane Library</i> , 2005, , CD001842.	2.8	73
7	Simple urethral dilatation, endoscopic urethrotomy, and urethroplasty for urethral stricture disease in adult men. <i>The Cochrane Library</i> , 2012, 12, CD006934.	2.8	72
8	Possible role of L-form switching in recurrent urinary tract infection. <i>Nature Communications</i> , 2019, 10, 4379.	12.8	65
9	Multipotent Basal Stem Cells, Maintained in Localized Proximal Niches, Support Directed Long-Ranging Epithelial Flows in Human Prostates. <i>Cell Reports</i> , 2017, 20, 1609-1622.	6.4	64
10	Alternative to prophylactic antibiotics for the treatment of recurrent urinary tract infections in women: multicentre, open label, randomised, non-inferiority trial. <i>BMJ, The</i> , 2022, 376, e068229.	6.0	35
11	Outcome of dorsal buccal graft urethroplasty for recurrent bulbar urethral strictures. <i>BJU International</i> , 2008, 102, 1148-1151.	2.5	32
12	Use of drug therapy in the management of symptomatic ureteric stones in hospitalised adults: a multicentre, placebo-controlled, randomised controlled trial and cost-effectiveness analysis of a calcium channel blocker (nifedipine) and an alpha-blocker (tamsulosin) (the SUSPEND trial). <i>Health Technology Assessment</i> , 2015, 19, 1-172.	2.8	27
13	Practicalities of using a modified version of the Cochrane Collaboration risk of bias tool for randomised and non-randomised study designs applied in a health technology assessment setting. <i>Research Synthesis Methods</i> , 2014, 5, 200-211.	8.7	26
14	Alternatives To prophylactic Antibiotics for the treatment of Recurrent urinary tract infection in women (ALTAR): study protocol for a multicentre, pragmatic, patient-randomised, non-inferiority trial. <i>Trials</i> , 2018, 19, 616.	1.6	21
15	Continuous low-dose antibiotic prophylaxis to prevent urinary tract infection in adults who perform clean intermittent self-catheterisation: the AnTIC RCT. <i>Health Technology Assessment</i> , 2018, 22, 1-102.	2.8	21
16	Surgical Treatment for Recurrent Bulbar Urethral Stricture: A Randomised Open-label Superiority Trial of Open Urethroplasty Versus Endoscopic Urethrotomy (the OPEN Trial). <i>European Urology</i> , 2020, 78, 572-580.	1.9	20
17	Asymptomatic Bacteriuria in Clinical Urological Practice: Preoperative Control of Bacteriuria and Management of Recurrent UTI. <i>Pathogens</i> , 2016, 5, 4.	2.8	17
18	Equipose across the patient population: optimising recruitment to a randomised controlled trial. <i>Trials</i> , 2017, 18, 140.	1.6	16

#	ARTICLE	IF	CITATIONS
19	Photodynamic versus white light-guided treatment of non-muscle invasive bladder cancer: a study protocol for a randomised trial of clinical and cost-effectiveness. <i>BMJ Open</i> , 2019, 9, e022268.	1.9	16
20	The clinical and cost effectiveness of surgical interventions for stones in the lower pole of the kidney: the percutaneous nephrolithotomy, flexible ureterorenoscopy and extracorporeal shockwave lithotripsy for lower pole kidney stones randomised controlled trial (PurE RCT) protocol. <i>Trials</i> , 2020, 21, 479.	1.6	16
21	TISU: Extracorporeal shockwave lithotripsy, as first treatment option, compared with direct progression to ureteroscopic treatment, for ureteric stones: study protocol for a randomised controlled trial. <i>Trials</i> , 2018, 19, 286.	1.6	14
22	Open urethroplasty versus endoscopic urethrotomy - clarifying the management of men with recurrent urethral stricture (the OPEN trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2015, 16, 600.	1.6	13
23	How Men Manage Bulbar Urethral Stricture by Concealing Urinary Symptoms. <i>Qualitative Health Research</i> , 2015, 25, 1435-1442.	2.1	11
24	Cost Effectiveness of Antimicrobial Catheters for Adults Requiring Short-term Catheterisation in Hospital. <i>European Urology</i> , 2014, 66, 615-618.	1.9	9
25	Methenamine hippurate compared with antibiotic prophylaxis to prevent recurrent urinary tract infections in women: the ALTAR non-inferiority RCT. <i>Health Technology Assessment</i> , 2022, 26, 1-172.	2.8	8
26	Open urethroplasty versus endoscopic urethrotomy for recurrent urethral stricture in men: the OPEN RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-110.	2.8	7
27	Antibiotic treatment for intermittent bladder catheterisation with once daily prophylaxis (the AnTIC) Tj ETQq1 1 0.784314 rgBT /Over 1.6	1.6	4
28	Using Time Trade-Off Methods to Elicit Short-Term Utilities Associated with Treatments for Bulbar Urethral Stricture. <i>Pharmacoeconomics - Open</i> , 2019, 3, 551-558.	1.8	4
29	Differences in urodynamic voiding variables recorded by conventional cystometry and ambulatory monitoring in symptomatic women. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2014, 40, 666-675.	1.5	2
30	Individualized volume-corrected maximum flow rate correlates with outcome from bladder outlet surgery in men with lower urinary tract symptoms. <i>International Journal of Urology</i> , 2016, 23, 587-592.	1.0	2
31	Editorial Comment to Perioperative management of transurethral surgery for benign prostate hyperplasia: A nationwide survey in Japan. <i>International Journal of Urology</i> , 2011, 18, 311-311.	1.0	1
32	Ureteric colic and clinical evidence - Authors' reply. <i>Lancet, The</i> , 2015, 386, 1823.	13.7	1
33	Valuing interventions for localised prostate cancer. <i>BJU International</i> , 2013, 111, 366-367.	2.5	0
34	Is Robot-assisted Cystectomy Better than Open? - Nearing an Answer after a Decade of Use. <i>European Urology</i> , 2016, 69, 622-623.	1.9	0