

# Maria Regina Barbosa

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/558253/publications.pdf>

Version: 2024-02-01

32  
papers

1,794  
citations

759233

12  
h-index

610901

24  
g-index

32  
all docs

32  
docs citations

32  
times ranked

2141  
citing authors

#	ARTICLE	IF	CITATIONS
1	Growing knowledge: an overview of Seed Plant diversity in Brazil. <i>Rodriguesia</i> , 2015, 66, 1085-1113.	0.9	1,032
2	Brazilian Flora 2020: Innovation and collaboration to meet Target 1 of the Global Strategy for Plant Conservation (GSPC). <i>Rodriguesia</i> , 2018, 69, 1513-1527.	0.9	398
3	Brazilian Flora 2020: Leveraging the power of a collaborative scientific network. <i>Taxon</i> , 2022, 71, 178-198.	0.7	68
4	Do the seasonal forests in northeastern Brazil represent a single floristic unit?. <i>Brazilian Journal of Biology</i> , 2008, 68, 467-475.	0.9	43
5	Radical scavenging, antioxidant and cytotoxic activity of Brazilian Caatinga plants. <i>Farmacoterapia</i> , 2007, 78, 215-218.	2.2	41
6	Flora Paraibana: Annonaceae Juss. <i>Acta Botanica Brasilica</i> , 2004, 18, 281-293.	0.8	33
7	A família Rubiaceae na Reserva Biológica Guaribas, Paraíba, Brasil: subfamílias Antirrhoideae, Cinchonoideae e Ixoroideae. <i>Acta Botanica Brasilica</i> , 2004, 18, 305-318.	0.8	24
8	Nitrogen isotopic patterns in tropical forests along a rainfall gradient in Northeast Brazil. <i>Plant and Soil</i> , 2015, 391, 109-122.	3.7	24
9	From evergreen to deciduous tropical forests: how energy-water balance, temperature, and space influence the tree species composition in a high diversity region. <i>Plant Ecology and Diversity</i> , 2016, 9, 45-54.	2.4	21
10	Eumachia expanded, a pantropical genus distinct from Psychotria (Rubiaceae, Palicoureae). <i>Candollea</i> , 2017, 72, 289.	0.2	16
11	Are nests of <i>Constrictotermes cyphergaster</i> (Isoptera, Termitidae) important in the C cycle in the driest area of semiarid caatinga in northeast Brazil?. <i>Applied Soil Ecology</i> , 2011, 47, 1-5.	4.3	15
12	A família Rubiaceae na Reserva Biológica Guaribas, Paraíba, Brasil: subfamília Rubioideae. <i>Acta Botanica Brasilica</i> , 2006, 20, 455-470.	0.8	13
13	Nest dynamics of <i>Constrictotermes cyphergaster</i> (Termitidae, Nasutitermitinae) and its association with the supporting vegetation in a semiarid area, northeast, Brazil. <i>Journal of Arid Environments</i> , 2013, 91, 1-6.	2.4	12
14	New combinations and taxonomic notes for <i>Tarenaya</i> (Cleomaceae). <i>Acta Botanica Brasilica</i> , 2018, 32, 540-545.	0.8	9
15	Diversification of New World Cleomaceae with emphasis on <i>Tarenaya</i> and the description of <i>Itisiella</i> , a new genus. <i>Taxon</i> , 2020, 69, 321-336.	0.7	8
16	The anti-adherence effect of <i>Lippia sidoides</i> Cham: extract against microorganisms of dental biofilm. <i>Revista Brasileira De Plantas Mediciniais</i> , 2013, 15, 41-46.	0.3	7
17	Spatial-temporal variation in litterfall in seasonally dry tropical forests in Northeastern Brazil. <i>Brazilian Journal of Biology</i> , 2020, 80, 273-284.	0.9	6
18	Cleoserrata (Cleomaceae): taxonomic considerations and a new species. <i>Phytotaxa</i> , 2017, 324, 179.	0.3	5

#	ARTICLE	IF	CITATIONS
19	Two new species of <i>Tarenaya</i> (Cleomaceae) from Brazil. <i>Phytotaxa</i> , 2018, 334, 28.	0.3	5
20	Diversity of trees and lianas in two sites in the coastal Atlantic Forest of Sergipe, northeastern Brazil. <i>Check List</i> , 2014, 10, 709-717.	0.4	5
21	A Well-known "Mussambã" is a New Species of <i>Tarenaya</i> (Cleomaceae) from South America. <i>Systematic Botany</i> , 2019, 44, 686-691.	0.5	4
22	Flora da Usina São Jos, Igarassu, Pernambuco: Sapindaceae. <i>Rodriguesia</i> , 2016, 67, 1047-1059.	0.9	2
23	CHECK-LIST DAS RUBIACEAE DO ESTADO MATO GROSSO DO SUL, BRASIL. <i>Iheringia - Serie Botanica</i> , 2018, 73, 335-341.	0.1	2
24	Taxonomic notes on <i>Chiococca</i> and <i>Salzmannia</i> (Rubiaceae, Chiococceae) in northeastern Brazil, with a new combination and a new species. <i>Phytotaxa</i> , 2015, 202, 15.	0.3	1
25	A new species of <i>Miconia</i> (Melastomataceae, Miconieae) from northeastern Brazil. <i>Brittonia</i> , 2013, 65, 305-309.	0.2	0
26	A new species of <i>Ouratea</i> (Ochnaceae) from the Atlantic Forest in Northeastern Brazil. <i>Phytotaxa</i> , 2018, 373, 86.	0.3	0
27	The Plants associated with aquatic and marshy environments in the state of Paraiba, northeastern Brazil. <i>Acta Brasiliensis</i> , 2021, 5, 13.	0.2	0
28	A new species of <i>Xylopia</i> (Annonaceae) from the Peruvian Amazon. <i>Phytotaxa</i> , 2021, 514, 181-186.	0.3	0
29	First record of <i>Chomelia triflora</i> (J.H. Kirkbr.) Delprete & Achille (Rubiaceae) from Brazil. <i>Check List</i> , 2017, 13, 159-162.	0.4	0
30	Inventário Arboreo das vias pùblicas do Centro de João Pessoa, Paraiba. <i>Revista Ibero-americana De Ciências Ambientais</i> , 2019, 10, 351-362.	0.1	0
31	Rediscovery of <i>Chiococca insularis</i> (Ridley) C.M.Taylor & M.R.V. Barbosa (Rubiaceae), a species presumed extinct, on the island of Fernando de Noronha, Pernambuco, Brazil. <i>Check List</i> , 2020, 16, 1407-1413.	0.4	0
32	Typification of the Linnaean name <i>Cleome heptaphylla</i> (Cleomaceae) and Miller's <i>Cleome erucago</i> . <i>Taxon</i> , 0, , .	0.7	0