

# Chung-Yi Hu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5741147/publications.pdf>

Version: 2024-02-01

31  
papers

593  
citations

686830

13  
h-index

610482

24  
g-index

31  
all docs

31  
docs citations

31  
times ranked

1031  
citing authors

#	ARTICLE	IF	CITATIONS
1	Cardiac-specific microRNA-125b deficiency induces perinatal death and cardiac hypertrophy. <i>Scientific Reports</i> , 2021, 11, 2377.	1.6	11
2	Thromboelastography characterized CD36 null subjects as slow clot formation and indicative of hypocoagulability. <i>Thrombosis Research</i> , 2019, 178, 79-84.	0.8	8
3	Cytarabine-Resistant FLT3-ITD Leukemia Cells are Associated with TP53 Mutation and Multiple Pathway Alterations—Possible Therapeutic Efficacy of Cabozantinib. <i>International Journal of Molecular Sciences</i> , 2019, 20, 1230.	1.8	5
4	Pyruvium Pamoate Overcomes Cabozantinib-Resistance of FLT3-ITD AML Cells through Modulating the Mitochondria Functions and Signaling Pathways. <i>Blood</i> , 2018, 132, 4683-4683.	0.6	1
5	Cabozantinib is selectively cytotoxic in acute myeloid leukemia cells with FLT3-internal tandem duplication (FLT3-ITD). <i>Cancer Letters</i> , 2016, 376, 218-225.	3.2	28
6	An Exploratory Analysis of the Relationship between Cardiometabolic Risk Factors and Cognitive/Academic Performance among Adolescents. <i>BioMed Research International</i> , 2015, 2015, 1-9.	0.9	8
7	MK-2206 induces apoptosis of AML cells and enhances the cytotoxicity of cytarabine. <i>Medical Oncology</i> , 2015, 32, 206.	1.2	18
8	A Double Negative Loop Comprising ETV6/RUNX1 and MIR181A1 Contributes to Differentiation Block in t(12;21)-Positive Acute Lymphoblastic Leukemia. <i>PLoS ONE</i> , 2015, 10, e0142863.	1.1	16
9	Elevated serum level of growth arrest-specific protein 6 (Gas6) in systemic lupus erythematosus patients is associated with nephritis and cutaneous vasculitis. <i>Rheumatology International</i> , 2014, 34, 625-629.	1.5	19
10	A Cysteine-Reactive Alkyl Hydroquinone Modifies Topoisomerase II $\alpha$ , Enhances DNA Breakage, and Induces Apoptosis in Cancer Cells. <i>Chemical Research in Toxicology</i> , 2012, 25, 2340-2351.	1.7	3
11	Genetic polymorphism of the growth arrest-specific 6 gene is associated with cutaneous vasculitis in Taiwanese patients with systemic lupus erythematosus. <i>Clinical Rheumatology</i> , 2012, 31, 1443-1448.	1.0	11
12	Association of polymorphisms in BDNF, MTHFR, and genes involved in the dopaminergic pathway with memory in a healthy Chinese population. <i>Brain and Cognition</i> , 2012, 80, 282-289.	0.8	14
13	Associations of human leukocyte antigen class II genotypes with human papillomavirus 18 infection and cervical intraepithelial neoplasia risk. <i>Cancer</i> , 2012, 118, 223-231.	2.0	13
14	Galectin-3 gene (LGALS3) +292C allele is a genetic predisposition factor for rheumatoid arthritis in Taiwan. <i>Clinical Rheumatology</i> , 2011, 30, 1227-1233.	1.0	51
15	Pharmacogenomic variations in treatment protocols for childhood acute lymphoblastic leukemia. <i>Pediatric Blood and Cancer</i> , 2010, 54, 206-211.	0.8	15
16	Association of polymorphisms in genes involved in the dopaminergic pathway with blood pressure and uric acid levels in Chinese females. <i>Journal of Neural Transmission</i> , 2010, 117, 1371-1376.	1.4	11
17	Expression and prognostic significance of the apoptotic genes BCL2L13, Livin, and CASP8AP2 in childhood acute lymphoblastic leukemia. <i>Leukemia Research</i> , 2010, 34, 18-23.	0.4	34
18	Human leukocyte antigen-DRB1*1101 correlates with less severe hepatitis in Taiwanese male carriers of hepatitis B virus. <i>Journal of Medical Virology</i> , 2009, 81, 588-593.	2.5	6

#	ARTICLE	IF	CITATIONS
19	Association of catechol-O-methyltransferase (COMT) polymorphism and academic achievement in a Chinese cohort. <i>Brain and Cognition</i> , 2009, 71, 300-305.	0.8	35
20	Anti-SSB/La antibody is negatively associated with HLA-DR2 in chronic hepatitis C infection. <i>Clinical Rheumatology</i> , 2008, 27, 365-368.	1.0	7
21	Evaluation of performance for automated differential leucocyte counting on Sysmex NE-8000 by NCCLS recommended protocol, H20-T. <i>International Journal of Laboratory Hematology</i> , 2008, 15, 287-299.	0.2	8
22	The Importance of Pharmacogenomic Variations in the Treatment of Children with Acute Lymphoblastic Leukemia. <i>Blood</i> , 2008, 112, 4847-4847.	0.6	0
23	MicroRNA Expression in Childhood Acute Lymphoblastic Leukemia (ALL). <i>Blood</i> , 2008, 112, 4467-4467.	0.6	0
24	Tumor Suppressor Activity of CCAAT/Enhancer Binding Protein Alpha Is Epigenetically Down-Regulated in Acute Myeloid Leukemia.. <i>Blood</i> , 2007, 110, 2113-2113.	0.6	2
25	Hepatitis C Virus Core Protein Modulates TRAIL-Mediated Apoptosis by Enhancing Bid Cleavage and Activation of Mitochondria Apoptosis Signaling Pathway. <i>Journal of Immunology</i> , 2005, 174, 2160-2166.	0.4	101
26	HLA-Cw6 specificity and polymorphic residues are associated with susceptibility among Chinese psoriatics in Taiwan. <i>Archives of Dermatological Research</i> , 2002, 294, 214-220.	1.1	27
27	REDUCTION OF HUMAN-TO-PIG CELLULAR RESPONSE BY ALTERATION OF PORCINE MHC WITH HUMAN HLA DPW0401 EXOGENES1. <i>Transplantation</i> , 2002, 73, 193-197.	0.5	13
28	Human T-Cell Responses to the Glucosyltransferases of <i>Streptococcus mutans</i> . <i>Vaccine Journal</i> , 2001, 8, 441-445.	2.6	8
29	HLA-DRB1*0701 and DRB1*1401 are associated with genetic susceptibility to psoriasis vulgaris in a Taiwanese population. <i>British Journal of Dermatology</i> , 1998, 139, 978-983.	1.4	26
30	Association of insulin-dependent diabetes mellitus in Taiwan with HLA class II DQB1 and DRB1 alleles. <i>Human Immunology</i> , 1993, 38, 105-114.	1.2	42
31	Characterization of the spectrum of postthymic T-cell malignancies in Taiwan a clinicopathologic study of HTLV-1-positive and HTLV-1-negative cases. <i>Cancer</i> , 1988, 61, 2060-2070.	2.0	52