

Ossi Rahkonen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5842459/publications.pdf>

Version: 2024-02-01

320
papers

8,836
citations

34016

52
h-index

66788

78
g-index

322
all docs

322
docs citations

322
times ranked

9424
citing authors

#	ARTICLE	IF	CITATIONS
1	Socioeconomic status and smoking. <i>European Journal of Public Health</i> , 2005, 15, 262-269.	0.1	271
2	Obesity and loss of disease-free years owing to major non-communicable diseases: a multicohort study. <i>Lancet Public Health</i> , The, 2018, 3, e490-e497.	4.7	241
3	Health behaviours as explanations for educational level differences in cardiovascular and all-cause mortality: a follow-up of 60 000 men and women over 23 years. <i>European Journal of Public Health</i> , 2008, 18, 38-43.	0.1	228
4	Multiple socio-economic circumstances and healthy food habits. <i>European Journal of Clinical Nutrition</i> , 2007, 61, 701-710.	1.3	171
5	Socioeconomic Position and Self-Rated Health: The Contribution of Childhood Socioeconomic Circumstances, Adult Socioeconomic Status, and Material Resources. <i>American Journal of Public Health</i> , 2005, 95, 1403-1409.	1.5	150
6	Associations of job strain and working overtime with adverse health behaviors and obesity: Evidence from the Whitehall II Study, Helsinki Health Study, and the Japanese Civil Servants Study. <i>Social Science and Medicine</i> , 2008, 66, 1681-1698.	1.8	150
7	Past or present? Childhood living conditions and current socioeconomic status as determinants of adult health. <i>Social Science and Medicine</i> , 1997, 44, 327-336.	1.8	146
8	Register-based study among employees showed small nonparticipation bias in health surveys and check-ups. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 900-906.	2.4	142
9	Association of Healthy Lifestyle With Years Lived Without Major Chronic Diseases. <i>JAMA Internal Medicine</i> , 2020, 180, 760.	2.6	140
10	Long working hours and depressive symptoms: systematic review and meta-analysis of published studies and unpublished individual participant data. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018, 44, 239-250.	1.7	135
11	Cohort Profile: The Helsinki Health Study. <i>International Journal of Epidemiology</i> , 2013, 42, 722-730.	0.9	133
12	Occupational class inequalities across key domains of health: Results from the Helsinki Health Study. <i>European Journal of Public Health</i> , 2005, 15, 504-510.	0.1	127
13	Well-being and health behaviour by parental socioeconomic status. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003, 38, 249-255.	1.6	126
14	Social background, adult body-height and health. <i>International Journal of Epidemiology</i> , 1999, 28, 911-918.	0.9	118
15	Working conditions and health behaviours among employed women and men: the Helsinki Health Study. <i>Preventive Medicine</i> , 2004, 38, 48-56.	1.6	116
16	Bidirectional associations between insomnia symptoms and unhealthy behaviours. <i>Journal of Sleep Research</i> , 2013, 22, 89-95.	1.7	114
17	Sociodemographic and socioeconomic differences in sleep duration and insomnia-related symptoms in Finnish adults. <i>BMC Public Health</i> , 2012, 12, 565.	1.2	111
18	Working conditions as risk factors for disability retirement: a longitudinal register linkage study. <i>BMC Public Health</i> , 2012, 12, 309.	1.2	109

#	ARTICLE	IF	CITATIONS
19	Multiple measures of socioeconomic circumstances and common mental disorders. <i>Social Science and Medicine</i> , 2006, 63, 1383-1399.	1.8	106
20	Gender differences in sickness absence – the contribution of occupation and workplace. <i>Scandinavian Journal of Work, Environment and Health</i> , 2010, 36, 394-403.	1.7	104
21	Socioeconomic circumstances and common mental disorders among Finnish and British public sector employees: evidence from the Helsinki Health Study and the Whitehall II Study. <i>International Journal of Epidemiology</i> , 2007, 36, 776-786.	0.9	101
22	Sleep complaints in middle-aged women and men: the contribution of working conditions and work-family conflicts. <i>Journal of Sleep Research</i> , 2010, 19, 466-477.	1.7	100
23	Does social support affect the relationship between socioeconomic status and depression? A longitudinal study from adolescence to adulthood. <i>Journal of Affective Disorders</i> , 2007, 100, 55-64.	2.0	93
24	Work Arrangements, Physical Working Conditions, and Psychosocial Working Conditions as Risk Factors for Sickness Absence: Bayesian Analysis of Prospective Data. <i>Annals of Epidemiology</i> , 2010, 20, 332-338.	0.9	93
25	Explanations for gender differences in sickness absence: evidence from middle-aged municipal employees from Finland. <i>Occupational and Environmental Medicine</i> , 2008, 65, 325-330.	1.3	89
26	Interrelationships between education, occupational class, income and sickness absence. <i>European Journal of Public Health</i> , 2010, 20, 276-280.	0.1	87
27	Occupational social class and disability retirement among municipal employees – the contribution of health behaviors and working conditions. <i>Scandinavian Journal of Work, Environment and Health</i> , 2011, 37, 464-472.	1.7	87
28	Social participation, trust and self-rated health: A study among ageing people in urban, semi-urban and rural settings. <i>Health and Place</i> , 2008, 14, 243-253.	1.5	79
29	Understanding Income Inequalities in Health among Men and Women in Britain and Finland. <i>International Journal of Health Services</i> , 2000, 30, 27-47.	1.2	75
30	Risk factors of chronic neck pain: A prospective study among middle-aged employees. <i>European Journal of Pain</i> , 2012, 16, 911-920.	1.4	75
31	Health-related behaviours and sickness absence from work. <i>Occupational and Environmental Medicine</i> , 2009, 66, 840-847.	1.3	74
32	Workplace bullying and subsequent sleep problems – the Helsinki Health Study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2011, 37, 204-212.	1.7	73
33	Influence of parental education, childhood adversities, and current living conditions on daily smoking in early adulthood. <i>European Journal of Public Health</i> , 2006, 16, 617-626.	0.1	71
34	Physical and psychosocial working conditions as explanations for occupational class inequalities in self-rated health. <i>European Journal of Public Health</i> , 2009, 19, 458-463.	0.1	70
35	Job control, job demands, or social class? The impact of working conditions on the relation between social class and health. <i>Journal of Epidemiology and Community Health</i> , 2006, 60, 50-54.	2.0	69
36	Self-Rated Health as a Predictor of Disability Retirement – The Contribution of Ill-Health and Working Conditions. <i>PLoS ONE</i> , 2011, 6, e25004.	1.1	69

#	ARTICLE	IF	CITATIONS
37	Sleep and Sickness Absence: A Nationally Representative Register-Based Follow-Up Study. <i>Sleep</i> , 2014, 37, 1413-1425.	0.6	68
38	Smoking and SF-36 health functioning. <i>Preventive Medicine</i> , 2006, 42, 206-209.	1.6	65
39	Associations of psychosocial working conditions with self-rated general health and mental health among municipal employees. <i>International Archives of Occupational and Environmental Health</i> , 2006, 79, 205-212.	1.1	65
40	The impact of physical activity on sickness absence. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2010, 20, 191-199.	1.3	64
41	Association of sleep duration with weight and weight gain: a prospective follow-up study. <i>Journal of Sleep Research</i> , 2011, 20, 298-302.	1.7	63
42	Trends in socioeconomic differences in Finnish perinatal health 1991-2006. <i>Journal of Epidemiology and Community Health</i> , 2009, 63, 420-425.	2.0	62
43	Determinants of health in early adulthood: what is the role of parental education, childhood adversities and own education?. <i>European Journal of Public Health</i> , 2006, 16, 305-314.	0.1	61
44	Subjective social status and health in young people. <i>Sociology of Health and Illness</i> , 2011, 33, 372-383.	1.1	61
45	Socio-demographic and behavioral variation in barriers to leisure-time physical activity. <i>Scandinavian Journal of Public Health</i> , 2016, 44, 62-69.	1.2	60
46	Work-family conflicts and drinking behaviours among employed women and men. <i>Drug and Alcohol Dependence</i> , 2006, 83, 49-56.	1.6	57
47	Trends and educational disparities in functional capacity among people aged 65-84 years. <i>International Journal of Epidemiology</i> , 2006, 35, 1255-1261.	0.9	57
48	Workplace bullying and common mental disorders: a follow-up study. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, e3-e3.	2.0	56
49	Socioeconomic status as a cause and consequence of psychosomatic symptoms from adolescence to adulthood. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 580-587.	1.6	55
50	The association of income with fresh fruit and vegetable consumption at different levels of education. <i>European Journal of Clinical Nutrition</i> , 2010, 64, 324-327.	1.3	55
51	Health, lifestyle, family and school factors in adolescence: predicting adult educational level. <i>Educational Research</i> , 2006, 48, 41-53.	0.9	54
52	Trends of socioeconomic differences in daily vegetable consumption, 1979-2002. <i>European Journal of Clinical Nutrition</i> , 2008, 62, 823-833.	1.3	54
53	Factors associated with health survey response among young employees: a register-based study using online, mailed and telephone interview data collection methods. <i>BMC Public Health</i> , 2020, 20, 184.	1.2	53
54	Drinking habits and sickness absence: The contribution of working conditions. <i>Scandinavian Journal of Public Health</i> , 2009, 37, 846-854.	1.2	52

#	ARTICLE	IF	CITATIONS
55	Influence of material and behavioural factors on occupational class differences in health. <i>Journal of Epidemiology and Community Health</i> , 2005, 59, 163-169.	2.0	49
56	Work-family conflicts and self-rated health among middle-aged municipal employees in Finland. <i>International Journal of Behavioral Medicine</i> , 2006, 13, 276-285.	0.8	49
57	The associations of household wealth and income with self-rated health – A study on economic advantage in middle-aged Finnish men and women. <i>Social Science and Medicine</i> , 2010, 71, 1018-1026.	1.8	49
58	Sleep problems and major weight gain: a follow-up study. <i>International Journal of Obesity</i> , 2011, 35, 109-114.	1.6	49
59	Sleep Problems and Disability Retirement: A Register-based Follow-up Study. <i>American Journal of Epidemiology</i> , 2011, 173, 871-881.	1.6	49
60	Associations of childhood circumstances with physical and mental functioning in adulthood. <i>Social Science and Medicine</i> , 2006, 62, 1831-1839.	1.8	48
61	Pain and disability retirement: A prospective cohort study. <i>Pain</i> , 2012, 153, 526-531.	2.0	47
62	Associations of functional ability with health-related behavior and body mass index among the elderly. <i>Archives of Gerontology and Geriatrics</i> , 2005, 40, 185-199.	1.4	46
63	Explaining occupational class differences in sickness absence: results from middle-aged municipal employees. <i>Journal of Epidemiology and Community Health</i> , 2010, 64, 802-807.	2.0	46
64	Sex inequalities in physical and mental functioning of British, Finnish, and Japanese civil servants: Role of job demand, control and work hours. <i>Social Science and Medicine</i> , 2011, 73, 595-603.	1.8	46
65	Associations of SF-36 mental health functioning and work and family related factors with intentions to retire early among employees. <i>Occupational and Environmental Medicine</i> , 2006, 63, 558-563.	1.3	45
66	Changes in occupational class differences in leisure-time physical activity: a follow-up study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011, 8, 14.	2.0	44
67	A 26-Year Follow-Up Study of Heavy Drinking Trajectories from Adolescence to Mid-Adulthood and Adult Disadvantage. <i>Alcohol and Alcoholism</i> , 2013, 48, 452-457.	0.9	43
68	Leisure-Time Physical Activity and All-Cause Mortality. <i>PLoS ONE</i> , 2014, 9, e101548.	1.1	43
69	Home ownership and mortality: a register-based follow-up study of 300 000 Finns. <i>Journal of Epidemiology and Community Health</i> , 2008, 62, 293-297.	2.0	42
70	The contribution of musculoskeletal disorders and physical workload to socioeconomic inequalities in health. <i>European Journal of Public Health</i> , 2007, 17, 145-150.	0.1	41
71	Smoking Status and Relative Weight by Educational Level in Finland, 1978–1995. <i>Preventive Medicine</i> , 1998, 27, 431-437.	1.6	40
72	Economic difficulties and common mental disorders among Finnish and British white-collar employees: the contribution of social and behavioural factors. <i>Journal of Epidemiology and Community Health</i> , 2009, 63, 439-446.	2.0	39

#	ARTICLE	IF	CITATIONS
73	Insomnia symptoms and mortality: a register-linked study among women and men from Finland, Norway and Lithuania. <i>Journal of Sleep Research</i> , 2016, 25, 96-103.	1.7	38
74	Sleep problems and sickness absence among middle-aged employees. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012, 38, 47-55.	1.7	38
75	The impact of physical activity on physical health functioning – A prospective study among middle-aged employees. <i>Preventive Medicine</i> , 2010, 50, 246-250.	1.6	37
76	Drinking habits and disability retirement. <i>Addiction</i> , 2012, 107, 2128-2136.	1.7	37
77	Household economic resources, labour-market advantage and health problems – A study on causal relationships using prospective register data. <i>Social Science and Medicine</i> , 2012, 75, 1303-1310.	1.8	37
78	Occupational class differences in diagnostic-specific sickness absence: a register-based study in the Finnish population, 2005–2014. <i>BMC Public Health</i> , 2017, 17, 670.	1.2	37
79	Relative weight and disability retirement: a prospective cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2013, 39, 259-267.	1.7	37
80	The contribution of lone parenthood and economic difficulties to smoking. <i>Social Science and Medicine</i> , 2005, 61, 211-216.	1.8	36
81	Explaining educational differences in leisure-time physical activity in Europe: the contribution of work-related factors. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2012, 22, 439-447.	1.3	36
82	Joint associations of sleep duration and insomnia symptoms with subsequent sickness absence: The Helsinki Health Study. <i>Scandinavian Journal of Public Health</i> , 2013, 41, 516-523.	1.2	36
83	Common mental disorders and cause-specific disability retirement. <i>Occupational and Environmental Medicine</i> , 2015, 72, 181-187.	1.3	36
84	Long-term exposure to heavy physical work, disability pension due to musculoskeletal disorders and all-cause mortality: 20-year follow-up – introducing Helsinki Health Study job exposure matrix. <i>International Archives of Occupational and Environmental Health</i> , 2019, 92, 337-345.	1.1	36
85	Smoking and alcohol consumption among the elderly: trends and associations, 1985–2001. <i>Preventive Medicine</i> , 2004, 39, 413-418.	1.6	35
86	Social class differences in health behaviours among employees from Britain, Finland and Japan: The influence of psychosocial factors. <i>Health and Place</i> , 2010, 16, 61-70.	1.5	35
87	Mother's Education and Perinatal Problems in Finland. <i>International Journal of Epidemiology</i> , 1992, 21, 720-724.	0.9	34
88	Economic difficulties and subsequent sleep problems: Evidence from British and Finnish occupational cohorts. <i>Sleep Medicine</i> , 2012, 13, 680-685.	0.8	34
89	Widening or narrowing inequalities in health? Comparing Britain and Finland from the 1980s to the 1990s. <i>Sociology of Health and Illness</i> , 2000, 22, 110-136.	1.1	32
90	Complaints of insomnia among midlife employed people: The contribution of childhood and present socioeconomic circumstances. <i>Sleep Medicine</i> , 2010, 11, 828-836.	0.8	32

#	ARTICLE	IF	CITATIONS
91	Changes in healthy food habits after transition to old age retirement. <i>European Journal of Public Health</i> , 2012, 22, 582-586.	0.1	31
92	All in the Family? The Structure and Meaning of Family Life among Young People. <i>Journal of Youth Studies</i> , 2007, 10, 477-493.	1.5	30
93	Changes in working conditions and subsequent sickness absence. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014, 40, 82-88.	1.7	30
94	Interrelationships between education, occupational class and income as determinants of sickness absence among young employees in 2002–2007 and 2008–2013. <i>BMC Public Health</i> , 2015, 15, 332.	1.2	29
95	Long working hours and change in body weight: analysis of individual-participant data from 19 cohort studies. <i>International Journal of Obesity</i> , 2020, 44, 1368-1375.	1.6	29
96	Trends in socioeconomic differences in sickness absence among Finnish municipal employees 1990–99. <i>Scandinavian Journal of Public Health</i> , 2007, 35, 348-355.	1.2	28
97	Working Conditions and Major Weight Gain—A Prospective Cohort Study. <i>Archives of Environmental and Occupational Health</i> , 2013, 68, 166-172.	0.7	28
98	Different measures of body weight as predictors of sickness absence. <i>Scandinavian Journal of Public Health</i> , 2013, 41, 25-31.	1.2	28
99	Cognitive stimulation in the workplace, plasma proteins, and risk of dementia: three analyses of population cohort studies. <i>BMJ</i> , 2021, 374, n1804.	3.0	28
100	The joint association of sleep duration and insomnia symptoms with disability retirement—a longitudinal, register-linked study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012, 38, 427-435.	1.7	28
101	Trends in Drinking Habits Among Finnish Youth from 1973 to 1987. <i>Addiction</i> , 1989, 84, 1075-1083.	1.7	26
102	The Effects of Childhood Circumstances, Adult Socioeconomic Status, and Material Circumstances on Physical and Mental Functioning: A Structural Equation Modelling Approach. <i>Annals of Epidemiology</i> , 2007, 17, 431-439.	0.9	26
103	Intentions to retire, life dissatisfaction and the subsequent risk of disability retirement. <i>Scandinavian Journal of Public Health</i> , 2009, 37, 252-259.	1.2	26
104	Risk factors of sciatic pain: A prospective study among middle-aged employees. <i>European Journal of Pain</i> , 2011, 15, 584-590.	1.4	26
105	Changes in leisure-time physical activity and subsequent sickness absence: A prospective cohort study among middle-aged employees. <i>Preventive Medicine</i> , 2012, 55, 618-622.	1.6	26
106	Joint associations of smoking and physical activity with disability retirement: a register-linked cohort study. <i>BMJ Open</i> , 2015, 5, e006988.	0.8	26
107	Mother's Social Class and Perinatal Problems in a Low-Problem Area. <i>International Journal of Epidemiology</i> , 1990, 19, 983-990.	0.9	25
108	Social Class Differences in Health and Functional Disability among Older Men and Women. <i>International Journal of Health Services</i> , 1998, 28, 511-524.	1.2	25

#	ARTICLE	IF	CITATIONS
109	Leisure-time physical activity and psychotropic medication: A prospective cohort study. <i>Preventive Medicine</i> , 2013, 57, 173-177.	1.6	25
110	Sickness absence due to different musculoskeletal diagnoses by occupational class: a register-based study among 1.2 million Finnish employees. <i>Occupational and Environmental Medicine</i> , 2018, 75, 296-302.	1.3	25
111	Health-related social mobility. <i>Scandinavian Journal of Public Health</i> , 1997, 25, 83-92.	0.6	24
112	Associations of relative weight with subsequent changes over time in insomnia symptoms: A follow-up study among middle-aged women and men. <i>Sleep Medicine</i> , 2012, 13, 1271-1279.	0.8	23
113	Changes Over Time in Absolute and Relative Socioeconomic Differences in Smoking: A Comparison of Cohort Studies From Britain, Finland, and Japan. <i>Nicotine and Tobacco Research</i> , 2016, 18, 1697-1704.	1.4	23
114	Introduction. <i>Social Science and Medicine</i> , 1997, 44, 721-722.	1.8	22
115	The joint contribution of cardiovascular disease and socioeconomic status to disability retirement: A register linkage study. <i>International Journal of Cardiology</i> , 2017, 230, 222-227.	0.8	22
116	Occupational class differences in long sickness absence: a register-based study of 2.1 million Finnish women and men in 1996â€“2013. <i>BMJ Open</i> , 2017, 7, e014325.	0.8	22
117	Explaining educational differences in sickness absence: a population-based follow-up study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015, 41, 338-346.	1.7	22
118	Smoking in context â€“ a multilevel approach to smoking among females in Helsinki. <i>BMC Public Health</i> , 2008, 8, 134.	1.2	21
119	High mortality among people suspected of drunk-driving. An 18-year register-based follow-up. <i>Drug and Alcohol Dependence</i> , 2010, 110, 80-84.	1.6	21
120	The Association between Social Determinants and Drunken Driving: A 15-Year Register-based Study of 81,125 Suspects. <i>Alcohol and Alcoholism</i> , 2011, 46, 721-728.	0.9	21
121	Leisure-Time Physical Activity and Disability Retirement: A Prospective Cohort Study. <i>Journal of Physical Activity and Health</i> , 2013, 10, 669-675.	1.0	21
122	Conflicts Between Work and Family Life and Subsequent Sleep Problems Among Employees from Finland, Britain, and Japan. <i>International Journal of Behavioral Medicine</i> , 2014, 21, 310-318.	0.8	21
123	Short sickness absence and subsequent sickness absence due to mental disorders - a follow-up study among municipal employees. <i>BMC Public Health</i> , 2017, 17, 15.	1.2	21
124	Thirty-eight-year trends of educational differences in smoking in Finland. <i>International Journal of Public Health</i> , 2019, 64, 853-860.	1.0	21
125	Lifestyle, Social Class and Health-Related Behaviour: A Cross-Cultural Comparison of 15 Year Olds in Glasgow and Helsinki. <i>Journal of Youth Studies</i> , 2001, 4, 393-413.	1.5	20
126	Mortality and causes of death among drugged drivers. <i>Journal of Epidemiology and Community Health</i> , 2010, 64, 506-512.	2.0	20

#	ARTICLE	IF	CITATIONS
127	Relationship between educational status, gender and smoking in Finland, 1978–1992. <i>Health Promotion International</i> , 1995, 10, 115-120.	0.9	19
128	Can children's health be predicted by perinatal health?. <i>International Journal of Epidemiology</i> , 1999, 28, 276-280.	0.9	19
129	Multiple socioeconomic determinants of weight gain: the Helsinki Health Study. <i>BMC Public Health</i> , 2013, 13, 259.	1.2	19
130	Weight change and sickness absence—a prospective study among middle-aged employees. <i>European Journal of Public Health</i> , 2015, 25, 263-267.	0.1	19
131	Pathways from problems in adolescent family relationships to midlife mental health via early adulthood disadvantages – a 26-year longitudinal study. <i>PLoS ONE</i> , 2017, 12, e0178136.	1.1	19
132	Changes in working conditions and physical health functioning among midlife and ageing employees. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015, 41, 511-518.	1.7	19
133	The Myth of Gender Differences in Health: Social Structural Determinants across Adult Ages in Britain and Finland. <i>Current Sociology</i> , 2001, 49, 31-54.	0.8	18
134	Associations of multiple socio-economic circumstances with physical functioning among Finnish and British employees. <i>European Journal of Public Health</i> , 2008, 19, 38-45.	0.1	18
135	The effect of trust and change in trust on self-rated health: A longitudinal study among aging people. <i>Archives of Gerontology and Geriatrics</i> , 2009, 49, 339-342.	1.4	18
136	Changes in socio-economic differences in food habits over time. <i>Public Health Nutrition</i> , 2011, 14, 1919-1926.	1.1	18
137	Consumption patterns of critical fat sources among adolescents in 1977–1985. <i>Nutrition Research</i> , 1986, 6, 485-498.	1.3	17
138	Sickness absence among young employees: trends from 2002 to 2013. <i>Journal of Occupational Health</i> , 2015, 57, 474-481.	1.0	17
139	Statutory retirement and changes in self-reported leisure-time physical activity: a follow-up study with three time-points. <i>BMC Public Health</i> , 2017, 17, 528.	1.2	17
140	Changes in leisure-time physical activity and physical and mental health functioning: a follow-up study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2017, 27, 1785-1792.	1.3	17
141	Common Mental Disorders and Sickness Absence. <i>Journal of Occupational and Environmental Medicine</i> , 2018, 60, 569-575.	0.9	17
142	Past and present socioeconomic circumstances and psychotropic medication: a register-linkage study. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, 1143-1151.	2.0	16
143	School performance, school segregation, and stress-related symptoms: comparing Helsinki and Stockholm. <i>School Effectiveness and School Improvement</i> , 2015, 26, 467-486.	1.4	16
144	Secular trends and educational differences in the incidence of type 2 diabetes in Finland, 1972–2007. <i>European Journal of Epidemiology</i> , 2015, 30, 649-659.	2.5	16

#	ARTICLE	IF	CITATIONS
145	Changes in leisure time physical activity and subsequent disability retirement: A register-linked cohort study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016, 13, 99.	2.0	16
146	Changes in physical and mental health functioning during retirement transition: a register-linkage follow-up study. <i>European Journal of Public Health</i> , 2018, 28, 805-809.	0.1	16
147	Physical working conditions and subsequent disability retirement due to any cause, mental disorders and musculoskeletal diseases: does the risk vary by common mental disorders?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 1021-1029.	1.6	16
148	Changes in fruit, vegetable and fish consumption after statutory retirement: a prospective cohort study. <i>British Journal of Nutrition</i> , 2020, 123, 1390-1395.	1.2	16
149	Lifestyles, social background and eating patterns of 15-year-old boys and girls in Finland. <i>Journal of Youth Studies</i> , 2004, 7, 331-349.	1.5	14
150	Socio-economic determinants of drugged driving – a register-based study. <i>Addiction</i> , 2011, 106, 1448-1459.	1.7	14
151	Occupational Class Differences in Body Mass Index and Weight Gain in Japan and Finland. <i>Journal of Epidemiology</i> , 2013, 23, 443-450.	1.1	14
152	Educational differences in sickness absence trends among young employees from 2002 to 2013 in Helsinki, Finland. <i>BMJ Open</i> , 2016, 6, e008550.	0.8	14
153	Changes in psychosocial and physical working conditions and common mental disorders. <i>European Journal of Public Health</i> , 2016, 26, 458-463.	0.1	14
154	Pathways from poor family relationships in adolescence to economic adversity in mid-adulthood. <i>Advances in Life Course Research</i> , 2017, 32, 65-78.	0.8	14
155	The association between alcohol drinking and self-reported mental and physical functioning: a prospective cohort study among City of Helsinki employees. <i>BMJ Open</i> , 2017, 7, e014368.	0.8	14
156	Unhealthy lifestyle and sleep problems as risk factors for increased direct employers'™ cost of short-term sickness absence. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018, 44, 192-201.	1.7	14
157	Determinants of health inequalities by income from the 1980s to the 1990s in Finland. <i>Journal of Epidemiology and Community Health</i> , 2002, 56, 442-443.	2.0	13
158	Educational differences in disability retirement among young employees in Helsinki, Finland. <i>European Journal of Public Health</i> , 2016, 26, 318-322.	0.1	13
159	Obesity, change of body mass index and subsequent physical and mental health functioning: a 12-year follow-up study among ageing employees. <i>BMC Public Health</i> , 2017, 17, 744.	1.2	13
160	Work participation trajectories among 1,098,748 Finns: reasons for premature labour market exit and the incidence of sickness absence due to mental disorders and musculoskeletal diseases. <i>BMC Public Health</i> , 2019, 19, 1418.	1.2	13
161	Common mental disorders and trajectories of work disability among midlife public sector employees – A 10-year follow-up study. <i>Journal of Affective Disorders</i> , 2019, 247, 66-72.	2.0	13
162	Job Strain as a Risk Factor for Peripheral Artery Disease: A Multi-Cohort Study. <i>Journal of the American Heart Association</i> , 2020, 9, e013538.	1.6	13

#	ARTICLE	IF	CITATIONS
163	Lifestyle Risk Factors Increase the Risk of Hospitalization for Sciatica: Findings of Four Prospective Cohort Studies. <i>American Journal of Medicine</i> , 2017, 130, 1408-1414.e6.	0.6	13
164	Social class inequalities in health among occupational cohorts from Finland, Britain and Japan: A follow up study. <i>Health and Place</i> , 2015, 31, 173-179.	1.5	12
165	Changes in alcohol drinking and subsequent sickness absence. <i>Scandinavian Journal of Public Health</i> , 2015, 43, 364-372.	1.2	12
166	Bidirectional longitudinal relationship between leisure-time physical activity and psychotropic medication usage: A register linked follow-up study. <i>Psychiatry Research</i> , 2017, 247, 208-213.	1.7	12
167	Changes in psychosocial and physical working conditions and psychotropic medication in ageing public sector employees: a record-linkage follow-up study. <i>BMJ Open</i> , 2017, 7, e015573.	0.8	12
168	Occupational social class trajectories in physical functioning among employed women from midlife to retirement. <i>BMC Public Health</i> , 2019, 19, 1525.	1.2	12
169	Ageing shift workers'™ sleep and working-hour characteristics after implementing ergonomic shift-scheduling rules. <i>Journal of Sleep Research</i> , 2021, 30, e13227.	1.7	12
170	Grocery purchase data in the study of alcohol use – A validity study. <i>Drug and Alcohol Dependence</i> , 2020, 214, 108145.	1.6	12
171	Pre-retirement physical working conditions and changes in physical health functioning during retirement transition process. <i>Scandinavian Journal of Work, Environment and Health</i> , 2016, 42, 405-412.	1.7	12
172	Changes of occupational class differences in physical functioning: a panel study among employees (2000–2007). <i>Journal of Epidemiology and Community Health</i> , 2012, 66, 265-270.	2.0	11
173	Leisure-time physical activity and direct cost of short-term sickness absence among Finnish municipal employees. <i>Archives of Environmental and Occupational Health</i> , 2017, 72, 93-98.	0.7	11
174	The Magnitude of Occupational Class Differences in Sickness Absence: 15-Year Trends among Young and Middle-Aged Municipal Employees. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 625.	1.2	11
175	36-year trends in educational inequalities in self-rated health among Finnish adults. <i>SSM - Population Health</i> , 2019, 9, 100504.	1.3	11
176	Intergenerational social mobility, smoking and smokeless tobacco (snus) use among adolescents during 2008–2017. <i>Addictive Behaviors</i> , 2019, 98, 106022.	1.7	11
177	The joint contribution of physical activity, insomnia symptoms, and smoking to the cost of short-term sickness absence. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2019, 29, 440-449.	1.3	11
178	Recurrent pain and work disability: a record linkage study. <i>International Archives of Occupational and Environmental Health</i> , 2020, 93, 421-432.	1.1	11
179	Socioeconomic Differences in Occupational Health Service Utilization and Sickness Absence Due to Mental Disorders: A Register-Based Retrospective Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2064.	1.2	11
180	Association between educational level and smoking cessation in an 11-year follow-up study of a national health survey. <i>Scandinavian Journal of Public Health</i> , 2021, 49, 951-960.	1.2	11

#	ARTICLE	IF	CITATIONS
181	Changes and associations in healthy diet among the Finnish elderly, 1985-2001. <i>Age and Ageing</i> , 2003, 32, 394-400.	0.7	10
182	Association of smoking status with obesity and diabetes among elderly people. <i>Archives of Gerontology and Geriatrics</i> , 2007, 45, 159-167.	1.4	10
183	Sex differences in child and adolescent mortality by parental education in the Nordic countries. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, 57-63.	2.0	10
184	Associations between Childhood Disadvantage and Adult Body Mass Index Trajectories: A Follow-Up Study among Midlife Finnish Municipal Employees. <i>Obesity Facts</i> , 2019, 12, 564-574.	1.6	10
185	Alcohol expenditure in grocery stores and their associations with tobacco and food expenditures. <i>BMC Public Health</i> , 2019, 19, 787.	1.2	10
186	Trajectories of multisite musculoskeletal pain in midlife: Associations with common mental disorders. <i>European Journal of Pain</i> , 2020, 24, 364-373.	1.4	10
187	Predictors of working days lost due to sickness absence and disability pension. <i>International Archives of Occupational and Environmental Health</i> , 2021, 94, 843-854.	1.1	10
188	Physical working conditions and subsequent sickness absence: a record linkage follow-up study among 19-39-year-old municipal employees. <i>International Archives of Occupational and Environmental Health</i> , 2022, 95, 489-497.	1.1	10
189	Eighteen-year trends in obesity among the elderly. <i>Age and Ageing</i> , 2004, 33, 632-635.	0.7	9
190	Ten year trends in health inequalities among older people, 1993-2003. <i>Age and Ageing</i> , 2009, 38, 613-617.	0.7	9
191	Physical and mental health functioning after all-cause and diagnosis-specific sickness absence: a register-linkage follow-up study among ageing employees. <i>BMC Public Health</i> , 2017, 17, 114.	1.2	9
192	Changes in common mental disorders and diagnosis-specific sickness absence: a register-linkage follow-up study among Finnish municipal employees. <i>Occupational and Environmental Medicine</i> , 2019, 76, 230-235.	1.3	9
193	Changes in economic difficulties and subsequent sickness absence: a prospective register-linkage study. <i>BMJ Open</i> , 2013, 3, e002212.	0.8	8
194	Separate and combined associations of pain and emotional exhaustion with sickness absence. <i>Pain</i> , 2016, 157, 186-193.	2.0	8
195	The contribution of smoking to mortality during working age at different levels of leisure-time physical activity. <i>European Journal of Public Health</i> , 2016, 26, 826-830.	0.1	8
196	Joint associations between smoking and obesity as determinants of premature mortality among midlife employees. <i>European Journal of Public Health</i> , 2016, 27, ckw111.	0.1	8
197	Class and health in changing societies: the need for novel approaches. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, 1-2.	2.0	8
198	Incidence trends and risk factors of lung cancer in never smokers: Pooled analyses of seven cohorts. <i>International Journal of Cancer</i> , 2021, 149, 2010-2019.	2.3	8

#	ARTICLE	IF	CITATIONS
199	Food insecurity among Finnish private service sector workers: validity, prevalence and determinants. <i>Public Health Nutrition</i> , 2022, 25, 829-840.	1.1	8
200	Value orientations among late modern youth – a cross-cultural study. <i>Journal of Youth Studies</i> , 2012, 15, 33-52.	1.5	7
201	Insomnia symptoms and subsequent psychotropic medication: a register-linked study with 5-year follow-up. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1993-2002.	1.6	7
202	Changes in Leisure-Time Physical Activity and Subsequent Sickness Absence Due to Any Cause, Musculoskeletal, and Mental Causes. <i>Journal of Physical Activity and Health</i> , 2016, 13, 867-873.	1.0	7
203	The joint associations of smoking and obesity with subsequent short and long sickness absence: a five year follow-up study with register-linkage. <i>BMC Public Health</i> , 2017, 17, 978.	1.2	7
204	Weight change among normal weight, overweight and obese employees and subsequent diagnosis-specific sickness absence: A register-linked follow-up study. <i>Scandinavian Journal of Public Health</i> , 2020, 48, 155-163.	1.2	7
205	Excess Body Mass and Leisure Time Physical Activity in the Incidence and Persistence of Chronic Pain. <i>Pain Medicine</i> , 2020, 21, 3094-3101.	0.9	7
206	Contributions of childhood adversities to chronic pain among mid-life employees. <i>Scandinavian Journal of Public Health</i> , 2022, 50, 333-339.	1.2	7
207	Implications of integrated nature conservation for human reproductive health: a case study from Ranomafana National Park, Madagascar. <i>Development Southern Africa</i> , 2004, 21, 603-621.	1.1	6
208	Job strain and symptoms of angina pectoris among British and Finnish middle-aged employees. <i>Journal of Epidemiology and Community Health</i> , 2009, 63, 980-985.	2.0	6
209	Household income and health problems during a period of labour-market change and widening income inequalities – A study among the Finnish population between 1987 and 2007. <i>Social Science and Medicine</i> , 2014, 100, 84-92.	1.8	6
210	Economic difficulties and subsequent disability retirement. <i>Scandinavian Journal of Public Health</i> , 2015, 43, 169-175.	1.2	6
211	Within-individual analysis of pain and sickness absence among employees from low and high occupational classes: a record linkage study. <i>BMJ Open</i> , 2019, 9, e026994.	0.8	6
212	Association between socioeconomic position and occupational health service utilisation trajectories among young municipal employees in Finland. <i>BMJ Open</i> , 2019, 9, e028742.	0.8	6
213	Body Mass Index Trajectory – Specific Changes in Economic Circumstances: A Person-Oriented Approach Among Midlife and Ageing Finns. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3668.	1.2	6
214	Intergenerational social mobility and body mass index trajectories – A follow-up study from Finland. <i>SSM - Population Health</i> , 2021, 13, 100723.	1.3	6
215	Persisting health inequalities: social class differentials in illness in the Scandinavian countries. <i>Journal of Public Health Policy</i> , 1993, 14, 66-81.	1.0	6
216	Socioeconomic differences in health check-ups and medically certified sickness absence: a 10-year follow-up among middle-aged municipal employees in Finland. <i>Journal of Epidemiology and Community Health</i> , 2017, 71, 390-395.	2.0	5

#	ARTICLE	IF	CITATIONS
217	10-year trends of educational differences in long sickness absence due to mental disorders. <i>Journal of Occupational Health</i> , 2017, 59, 352-355.	1.0	5
218	Occupational Class Differences in Trajectories of Working Conditions in Women. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 790.	1.2	5
219	Occupational class inequalities in disability retirement after hospitalisation. <i>Scandinavian Journal of Public Health</i> , 2018, 46, 331-339.	1.2	5
220	Who maintains good health functioning? The contribution of social, work-related and behavioural factors to mental and physical health functioning trajectories in ageing employees. <i>Occupational and Environmental Medicine</i> , 2020, 77, 478-487.	1.3	5
221	Working conditions and antidepressant medication use: A prospective study among 18 to 39-year-old municipal employees. <i>Psychiatry Research</i> , 2021, 305, 114213.	1.7	5
222	Changes in working conditions and major weight gain among normal- and overweight midlife employees. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017, 43, 587-594.	1.7	5
223	Mental symptoms and cause-specific mortality among midlife employees. <i>BMC Public Health</i> , 2016, 16, 1142.	1.2	4
224	Joint Association of Overweight and Common Mental Disorders With Diagnosis-Specific Disability Retirement. <i>Journal of Occupational and Environmental Medicine</i> , 2018, 60, 979-984.	0.9	4
225	Childhood adversities, parental education and disability retirement among Finnish municipal employees. <i>PLoS ONE</i> , 2019, 14, e0219421.	1.1	4
226	The contribution of physical working conditions to sickness absence of varying length among employees with and without common mental disorders. <i>Scandinavian Journal of Public Health</i> , 2021, 49, 141-148.	1.2	4
227	Body mass and social class: a comparison of Finland and Sweden in the 1990s. <i>Journal of Public Health Policy</i> , 1998, 19, 88-105.	1.0	4
228	Pairwise association of key lifestyle factors and risk of colorectal cancer: a prospective pooled multicohort study. <i>Cancer Reports</i> , 2022, 5, e1612.	0.6	4
229	Changes in alcohol purchases from grocery stores after authorising the sale of stronger beverages: The case of the Finnish alcohol legislation reform in 2018. <i>NAD Nordic Studies on Alcohol and Drugs</i> , 2022, 39, 589-604.	0.7	4
230	Association of alcohol use with years lived without major chronic diseases: A multicohort study from the IPD-Work consortium and UK Biobank. <i>Lancet Regional Health - Europe</i> , 2022, 19, 100417.	3.0	4
231	Consumption patterns of some sugar-containing foods among Finnish adolescents in 1981-1985. <i>Nutrition Research</i> , 1988, 8, 3-11.	1.3	3
232	The Place of Medical Sociology. <i>Scandinavian Journal of Public Health</i> , 1988, 16, 283-285.	0.6	3
233	Drinking, Self-Reported Health and Strenuous Life-Style among Young People in Finland. <i>Addiction Research</i> , 1993, 1, 169-176.	0.6	3
234	Job decision latitude as a potential modifier of the contribution of physical workload to poor functioning in middle-aged employees. <i>International Archives of Occupational and Environmental Health</i> , 2008, 81, 975-982.	1.1	3

#	ARTICLE	IF	CITATIONS
235	Obesity and psychotropic medication: a prospective register linkage study among midlife women and men. <i>BMC Psychiatry</i> , 2016, 16, 185.	1.1	3
236	Associations of changes in diet and leisure-time physical activity with employer's direct cost of short-term sickness absence. <i>European Journal of Sport Science</i> , 2020, 20, 240-248.	1.4	3
237	Frequent short sickness absence, occupational health service utilisation and long-term sickness absence due to mental disorders among young employees. <i>International Archives of Occupational and Environmental Health</i> , 2021, 94, 1549-1558.	1.1	3
238	Changes in leisure-time physical activity and subsequent common mental disorders among ageing employees. <i>European Journal of Public Health</i> , 2017, 27, 765-767.	0.1	2
239	Variations in older people's use of general practitioner consultations and the relationship with mortality rate in Vantaa, Finland in 2003-2014. <i>Scandinavian Journal of Primary Health Care</i> , 2019, 37, 452-458.	0.6	2
240	Joint contribution of rotation of the back and repetitive movements to disability pension using job exposure matrix data. <i>European Journal of Public Health</i> , 2019, 29, 1079-1084.	0.1	2
241	Lifestyle and cancer—a joint pairwise association of lifestyle habits with subsequent cancer diagnosis. <i>European Journal of Public Health</i> , 2019, 29, 340-345.	0.1	2
242	Favourable changes in physical working conditions and the risk of all-cause sickness absence: a pseudo-experiment. <i>European Journal of Public Health</i> , 2020, 30, 253-259.	0.1	2
243	Timing of Entry into Paid Employment, Adverse Physical Work Exposures and Health: The Young Helsinki Health Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7854.	1.2	2
244	OUP accepted manuscript. <i>European Journal of Public Health</i> , 2021, , .	0.1	2
245	Multiple Socioeconomic Circumstances and Initiation of Cardiovascular Medication among Ageing Employees. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10148.	1.2	2
246	Food insecurity among Finnish private sector service workers and food pantry clients. <i>European Journal of Public Health</i> , 2020, 30, .	0.1	2
247	Life-course socioeconomic circumstances in acute, chronic and disabling pain among young employees: a double suffering. <i>Scandinavian Journal of Public Health</i> , 2023, 51, 257-267.	1.2	2
248	Trajectories of Insomnia Symptoms Among Aging Employees and Their Associations With Memory, Learning Ability, and Concentration After Retirement - A Prospective Cohort Study (2000-2017). <i>Journal of Aging and Health</i> , 2022, 34, 916-928.	0.9	2
249	Associations of childhood and adult socioeconomic circumstances with recommended food habits among young and midlife Finnish employees. <i>BMC Nutrition</i> , 2022, 8, .	0.6	2
250	SELECTION TO COFFEE DRINKING BY HEALTH—WHO BECOMES AN ADOLESCENT COFFEE DRINKER?1. <i>American Journal of Epidemiology</i> , 1988, 127, 1088-1090.	1.6	1
251	Interactions of smoking, alcohol use, overweight and physical inactivity as predictors of cancer. <i>European Journal of Public Health</i> , 2018, 28, .	0.1	1
252	Occupational Class Differences in Long-Term Sickness Absence Due to Breast Cancer during 2005-2013: A Population-Based Study among Finnish Women. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 3477.	1.2	1

#	ARTICLE	IF	CITATIONS
253	Monitoring inequalities in self-rated health over 36 years among Finnish women and men. <i>European Journal of Public Health</i> , 2019, 29, .	0.1	1
254	Diagnosis-Specific Sickness Absence and Subsequent Common Mental Disorders: A Register-Linkage Cohort Study among Finnish Public Sector Employees. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 782.	1.2	1
255	Pain in Multiple Sites and Clusters of Cause-Specific Work Disability Development among Midlife Municipal Employees. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3375.	1.2	1
256	The influence of electronic reminders on recording diagnoses in a primary health care emergency department: a register-based study in a Finnish town. <i>Scandinavian Journal of Primary Health Care</i> , 2021, 39, 113-122.	0.6	1
257	Do electronic reminders alter recorded diagnoses in primary care office-hours practices of health centers: A register-based study in a Finnish city. <i>SAGE Open Medicine</i> , 2021, 9, 205031212110361.	0.7	1
258	Effectiveness of internet-delivered cognitive behavioural therapy in reducing sickness absence among young employees with depressive symptoms: study protocol for a large-scale pragmatic randomised controlled trial. <i>BMJ Open</i> , 2019, 9, e032119.	0.8	1
259	Intervention targeted at physicians' treatment of musculoskeletal disorders and sickness certification: an interrupted time series analysis. <i>BMJ Open</i> , 2021, 11, e047018.	0.8	1
260	A longitudinal study of changes in interactional justice and subsequent short-term sickness absence among municipal employees. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021, 47, 136-144.	1.7	1
261	Development of office-hours use of primary health centers in the early years of the 21st century: a 13-year longitudinal follow-up study. <i>International Journal of Circumpolar Health</i> , 2022, 81, 2033405.	0.5	1
262	Joint association of socioeconomic circumstances and minor mental health problems with antidepressant medication. <i>European Journal of Public Health</i> , 2022, 32, 535-541.	0.1	1
263	Changes in leisure-time physical activity and subsequent sickness absence. <i>Journal of Science and Medicine in Sport</i> , 2012, 15, S237-S238.	0.6	0
264	Leisure-time physical activity and mortality. <i>European Journal of Public Health</i> , 2013, 23, .	0.1	0
265	Occupational Class Inequalities in Sickness Absence after Hospitalization. <i>European Journal of Public Health</i> , 2013, 23, .	0.1	0
266	Three decades of work ability and its main determinants. <i>European Journal of Public Health</i> , 2013, 23, .	0.1	0
267	A Finnish 26-year follow-up study of different pathways from family conditions in adolescence to mental health and economic situation in mid-adulthood. <i>European Journal of Public Health</i> , 2013, 23, .	0.1	0
268	The associations among psychosocial working conditions and change in common mental disorders: a follow up study. <i>European Journal of Public Health</i> , 2013, 23, .	0.1	0
269	A follow-up study of physical activity and changes in health functioning among middle-aged Finnish, British and Japanese women and men. <i>European Journal of Public Health</i> , 2013, 23, .	0.1	0
270	Associations between alcohol drinking and mental health – a prospective study among ageing employees. <i>European Journal of Public Health</i> , 2013, 23, .	0.1	0

#	ARTICLE	IF	CITATIONS
271	Common mental disorders and subsequent disability retirement. European Journal of Public Health, 2013, 23, .	0.1	0
272	Insomnia symptoms and mortality. European Journal of Public Health, 2013, 23, .	0.1	0
273	The association of weight change with subsequent insomnia symptoms among middle-aged Finnish employees in 2000–2007. European Journal of Public Health, 2013, 23, .	0.1	0
274	Joint associations of smoking and physical activity with disability retirement. European Journal of Public Health, 2014, 24, .	0.1	0
275	The effect of changes in household income on subsequent sickness over different time lags – tests with panel data of 18 repeated measurements. European Journal of Public Health, 2014, 24, .	0.1	0
276	Joint associations of smoking and physical activity with all-cause mortality among employees of the City of Helsinki in 2000-2012. European Journal of Public Health, 2014, 24, .	0.1	0
277	Trends in sickness absence among young municipal employees 2002-2013. European Journal of Public Health, 2014, 24, .	0.1	0
278	Changes in physical activity and subsequent long-term sickness absence. European Journal of Public Health, 2014, 24, .	0.1	0
279	Changes in leisure-time physical activity and subsequent disability retirement. European Journal of Public Health, 2014, 24, .	0.1	0
280	Working conditions and subsequent drinking habits. European Journal of Public Health, 2014, 24, .	0.1	0
281	Changes in working conditions and physical functioning in ageing employees in Finland. European Journal of Public Health, 2015, 25, .	0.1	0
282	Changes in physical activity and subsequent changes in health related functioning. European Journal of Public Health, 2015, 25, .	0.1	0
283	Changes in physical activity and subsequent mental disorders among aging Finnish employees 2000–2012. European Journal of Public Health, 2015, 25, .	0.1	0
284	Short sickness absence spells and long mental sickness absence in 10-year follow-up. European Journal of Public Health, 2016, 26, .	0.1	0
285	Occupational class differences in sickness absence: a register study of 2.3 million Finns, 1995-2013. European Journal of Public Health, 2016, 26, .	0.1	0
286	Occupational class trajectories in physical health functioning among ageing female employees. European Journal of Public Health, 2016, 26, .	0.1	0
287	Changes in educational differences in leisure-time physical activity – A 12 year follow-up study. European Journal of Public Health, 2016, 26, .	0.1	0
288	Drinking habits and subsequent antidepressant medication among middle-aged employees. European Journal of Public Health, 2016, 26, .	0.1	0

#	ARTICLE	IF	CITATIONS
289	Socio-economic position, surgical operations, and disability pension due to musculoskeletal disease. European Journal of Public Health, 2016, 26, .	0.1	0
290	Gender differences in diagnosis-specific sickness absence in middle-aged Finnish working population. European Journal of Public Health, 2017, 27, .	0.1	0
291	Weight gain and subsequent diagnosis-specific sickness absence: A register-linked follow-up study. European Journal of Public Health, 2017, 27, .	0.1	0
292	Healthy behaviours and health functioning: a follow-up study among middle-aged employees. European Journal of Public Health, 2017, 27, .	0.1	0
293	Sickness absence due to musculoskeletal diagnoses by occupational class in Finland: a register study. European Journal of Public Health, 2017, 27, .	0.1	0
294	Common mental disorders and sickness absence: a register-linkage study among Finnish employees. European Journal of Public Health, 2017, 27, .	0.1	0
295	36-year trends in socioeconomic differences in self-rated health among Finnish adults. European Journal of Public Health, 2017, 27, .	0.1	0
296	Childhood conditions and midlife disability retirement due to mental disorders. European Journal of Public Health, 2018, 28, .	0.1	0
297	Socioeconomic differences in paid sickness allowances in Finland. European Journal of Public Health, 2019, 29, .	0.1	0
298	Work participation trajectories in 1098748 Finns: determinants and the incidence of sickness absence. European Journal of Public Health, 2019, 29, .	0.1	0
299	Healthy behaviours and risk of all-cause mortality. European Journal of Public Health, 2019, 29, .	0.1	0
300	Joint associations of fruit and vegetable consumption and physical activity with mortality risk. European Journal of Public Health, 2019, 29, .	0.1	0
301	Childhood adversities and chronic pain among midlife employees. European Journal of Public Health, 2019, 29, .	0.1	0
302	Trajectories of musculoskeletal pain among midlife employees. European Journal of Public Health, 2019, 29, .	0.1	0
303	Associations of Sleep and Health Functioning with Premature Exit from Work: A Cohort Study with a Methodological Emphasis. International Journal of Environmental Research and Public Health, 2021, 18, 1725.	1.2	0
304	Seeing an occupational health psychologist reduces sickness absence due to mental disorders: A quasi-experimental study. Preventive Medicine, 2021, 149, 106611.	1.6	0
305	Socioeconomic differences in smoking declining? Result from population-based surveys in 1978 - 2016 in Finland. Tobacco Induced Diseases, 2018, 16, .	0.3	0
306	Changes in alcohol drinking before and after the statutory retirement: a longitudinal cohort study. European Journal of Public Health, 2018, 28, .	0.1	0

#	ARTICLE	IF	CITATIONS
307	Joint association of overweight and common mental disorders with disability retirement in Finland. European Journal of Public Health, 2018, 28, .	0.1	0
308	Sickness absence due to breast cancer by occupational class among Finnish women during 2005–2013. European Journal of Public Health, 2018, 28, .	0.1	0
309	Sleep, functioning and premature exit from labour market: repeated measures latent class analysis. European Journal of Public Health, 2018, 28, .	0.1	0
310	Alcohol purchases from a large Finnish retail chain before and after a change in alcohol legislation. European Journal of Public Health, 2020, 30, .	0.1	0
311	A longitudinal study of changes in interactional justice and subsequent short-term sickness absence among municipal employees. Scandinavian Journal of Work, Environment and Health, 2021, 47, 136-144.	1.7	0
312	Does seeing a psychologist reduce sickness absence due to mental disorders? A quasi-experiment. European Journal of Public Health, 2020, 30, .	0.1	0
313	The emergence of international comparisons of health inequalities as reflected in the Scandinavian Journal of Public Health during its five decades. Scandinavian Journal of Public Health, 2022, , 140349482210790.	1.2	0
314	Commercialization challenges open science. European Journal of Public Health, 2022, , .	0.1	0
315	What's in a shopping basket? Alcohol and grocery purchases among Finnish loyalty-card holders. European Journal of Public Health, 2018, 28, .	0.1	0
316	Joint association of overweight and common mental disorders with disability retirement in Finland. European Journal of Public Health, 2018, 28, .	0.1	0
317	Childhood Adversities and Socioeconomic Position as Predictors of Leisure-Time Physical Inactivity in Early Adulthood. Journal of Physical Activity and Health, 2015, 12, 193-199.	1.0	0
318	Associations between low parental education, childhood adversities and sickness absence in midlife public sector employees. Scandinavian Journal of Public Health, 2022, , 140349482210879.	1.2	0
319	Sosioekonomisten tekijöiden yhteydet ruokatottumuksiin vanhuuseläkkeelle siirtymisen jälkeen: Helsinki Health Study. Sosiaalilaaketieteellinen Aikakauslehti, 2022, 59, .	0.0	0
320	Development of the use of primary health care emergency departments after interventions aimed at decreasing overcrowding: a longitudinal follow-up study. BMC Emergency Medicine, 2022, 22, .	0.7	0