

Fumiaki Mori

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5892628/publications.pdf>

Version: 2024-02-01

8
papers

47
citations

1684188
5
h-index

1720034
7
g-index

8
all docs

8
docs citations

8
times ranked

85
citing authors

#	ARTICLE	IF	CITATIONS
1	Hypoxic water mass in the highly turbid well-mixed macrotidal Rokkaku River Estuary, Ariake Sea, Japan. <i>Estuarine, Coastal and Shelf Science</i> , 2019, 219, 210-222.	2.1	14
2	Effects of bottom-water hypoxia on sediment bacterial community composition in a seasonally hypoxic enclosed bay (Omura Bay, West Kyushu, Japan). <i>FEMS Microbiology Ecology</i> , 2018, 94, .	2.7	9
3	Comparison of planktonic microbial abundance and dissolved oxygen consumption between the aquaculture ponds of mudskippers and shrimps in the Mekong Delta, southern Vietnam. <i>Fisheries Science</i> , 2016, 82, 787-797.	1.6	6
4	Response of nematode community structure to hypoxia in an enclosed coastal sea, Omura Bay, for three consecutive years. <i>Plankton and Benthos Research</i> , 2018, 13, 59-65.	0.6	6
5	Dynamics of Sulfate-Reducing Bacteria Community Structure in Surface Sediment of a Seasonally Hypoxic Enclosed Bay. <i>Microbes and Environments</i> , 2018, 33, 378-384.	1.6	5
6	Potential oxygen consumption and community composition of sediment bacteria in a seasonally hypoxic enclosed bay. <i>PeerJ</i> , 2021, 9, e11836.	2.0	4
7	Simple In-liquid Staining of Microbial Cells for Flow Cytometry Quantification of the Microbial Population in Marine Subseafloor Sediments. <i>Microbes and Environments</i> , 2021, 36, n/a.	1.6	3
8	Construction of Aerobic/Anaerobic-Substrate-Induced Gene Expression Procedure for Exploration of Metagenomes From Subseafloor Sediments. <i>Frontiers in Microbiology</i> , 2021, 12, 726024.	3.5	0