

Mari Nishio

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5943017/publications.pdf>

Version: 2024-02-01

27
papers

853
citations

567144

15
h-index

580701

25
g-index

27
all docs

27
docs citations

27
times ranked

1196
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical Impact of Different Reconstruction Methods on Remnant Gastric Cancer at the Anastomotic Site after Distal Gastrectomy. <i>Clinical Endoscopy</i> , 2022, 55, 86-94.	0.6	0
2	S100A8/A9 Induced by Interaction with Macrophages in Esophageal Squamous Cell Carcinoma Promotes the Migration and Invasion of Cancer Cells via Akt and p38 MAPK Pathways. <i>American Journal of Pathology</i> , 2022, 192, 536-552.	1.9	14
3	The significance of intratumoural CD163 ⁺ macrophages in oral malignant melanoma: A preliminary study. <i>Oral Diseases</i> , 2022, , .	1.5	0
4	PAI-1 derived from cancer-associated fibroblasts in esophageal squamous cell carcinoma promotes the invasion of cancer cells and the migration of macrophages. <i>Laboratory Investigation</i> , 2021, 101, 353-368.	1.7	32
5	Homology-Based Image Processing for Automatic Classification of Histopathological Images of Lung Tissue. <i>Cancers</i> , 2021, 13, 1192.	1.7	44
6	Chemokine (C-C Motif) Ligand 1 Derived from Tumor-Associated Macrophages Contributes to Esophageal Squamous Cell Carcinoma Progression via CCR8-Mediated Akt/Proline-Rich Akt Substrate of 40 kDa/Mammalian Target of Rapamycin Pathway. <i>American Journal of Pathology</i> , 2021, 191, 686-703.	1.9	13
7	Alteration of Macrophage Infiltrating Compartment: A Novel View on Oral Carcinogenesis. <i>Pathobiology</i> , 2021, 88, 327-337.	1.9	7
8	Tongue Cancer Cell-Derived CCL20 Induced by Interaction With Macrophages Promotes CD163 Expression on Macrophages. <i>Frontiers in Oncology</i> , 2021, 11, 667174.	1.3	3
9	Metallothionein 2A Expression in Cancer-Associated Fibroblasts and Cancer Cells Promotes Esophageal Squamous Cell Carcinoma Progression. <i>Cancers</i> , 2021, 13, 4552.	1.7	19
10	Growth Differentiation Factor 15 Promotes Progression of Esophageal Squamous Cell Carcinoma via TGF- β 2 Type II Receptor Activation. <i>Pathobiology</i> , 2020, 87, 100-113.	1.9	17
11	Intraepithelial CD163 + macrophages in tongue leukoplakia biopsy: A promising tool for cancer screening. <i>Oral Diseases</i> , 2020, 26, 527-536.	1.5	9
12	CCL3-CCR5 axis contributes to progression of esophageal squamous cell carcinoma by promoting cell migration and invasion via Akt and ERK pathways. <i>Laboratory Investigation</i> , 2020, 100, 1140-1157.	1.7	45
13	CD163+ Foamy Macrophages Are Associated with the Morphogenesis of Oral Verruciform Xanthoma through Angiogenesis by VEGF Expression: An Immunohistochemical Study. <i>Dentistry Journal</i> , 2020, 8, 18.	0.9	1
14	CD163 + macrophages infiltration correlates with the immunosuppressive cytokine interleukin 10 expression in tongue leukoplakia. <i>Clinical and Experimental Dental Research</i> , 2019, 5, 627-637.	0.8	16
15	Fibroblast activation protein-positive fibroblasts promote tumor progression through secretion of CCL2 and interleukin-6 in esophageal squamous cell carcinoma. <i>Laboratory Investigation</i> , 2019, 99, 777-792.	1.7	96
16	ANXA10 induction by interaction with tumor-associated macrophages promotes the growth of esophageal squamous cell carcinoma. <i>Pathology International</i> , 2019, 69, 135-147.	0.6	22
17	Cardiac metastasis in a living patient with oral cancer. <i>Auris Nasus Larynx</i> , 2019, 46, 902-906.	0.5	5
18	Cancer as a tissue: The significance of cancer-stromal interactions in the development, morphogenesis and progression of human upper digestive tract cancer. <i>Pathology International</i> , 2018, 68, 334-352.	0.6	28

#	ARTICLE	IF	CITATIONS
19	Clinical outcomes of deep invasive submucosal colorectal cancer after ESD. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018, 32, 2123-2130.	1.3	33
20	CXCL8 derived from tumor-associated macrophages and esophageal squamous cell carcinomas contributes to tumor progression by promoting migration and invasion of cancer cells. <i>Oncotarget</i> , 2017, 8, 106071-106088.	0.8	50
21	Automated prediction of emphysema visual score using homology-based quantification of low-attenuation lung region. <i>PLoS ONE</i> , 2017, 12, e0178217.	1.1	9
22	NCAM- and FGF-2-mediated FGFR1 signaling in the tumor microenvironment of esophageal cancer regulates the survival and migration of tumor-associated macrophages and cancer cells. <i>Cancer Letters</i> , 2016, 380, 47-58.	3.2	63
23	Software-assisted morphometric and phenotype analyses of human peripheral blood monocyte-derived macrophages induced by a microenvironment model of human esophageal squamous cell carcinoma. <i>Pathology International</i> , 2016, 66, 83-93.	0.6	12
24	Cyr61 promotes <i>CD</i> 204 expression and the migration of macrophages via <i>MEK</i> / <i>ERK</i> pathway in esophageal squamous cell carcinoma. <i>Cancer Medicine</i> , 2015, 4, 437-446.	1.3	47
25	GDF15 derived from both tumor-associated macrophages and esophageal squamous cell carcinomas contributes to tumor progression via Akt and Erk pathways. <i>Laboratory Investigation</i> , 2015, 95, 491-503.	1.7	72
26	Tumor associated macrophage expressing <i>CD</i> 204 is associated with tumor aggressiveness of esophageal squamous cell carcinoma. <i>Cancer Science</i> , 2013, 104, 1112-1119.	1.7	172
27	Leukemic Manifestation of Blastic Plasmacytoid Dendritic Cell Neoplasm Lacking Skin Lesion : A Borderline Case between Acute Monocytic Leukemia. <i>Journal of Clinical and Experimental Hematopathology: JCEH</i> , 2012, 52, 107-111.	0.3	24