
Min Jung

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5997580/publications.pdf Version: 2024-02-01



MINLUNC

#	Article	IF	CITATIONS
1	Outpatient-based diagnostic criteria for partial ACL injury: clinical outcomes of non-operative treatment and radiographic predictor. Archives of Orthopaedic and Trauma Surgery, 2023, 143, 2027-2036.	1.3	1
2	Graft isometry during anatomical ACL reconstruction has little effect on surgical outcomes. Knee Surgery, Sports Traumatology, Arthroscopy, 2022, 30, 1594-1604.	2.3	2
3	Effects of the Anterolateral Ligament and Anterior Cruciate Ligament on Knee Joint Mechanics: A Biomechanical Study Using Computational Modeling. Orthopaedic Journal of Sports Medicine, 2022, 10, 232596712210849.	0.8	3
4	The orientation of the ALL femoral tunnel to minimize collision with the ACL tunnel depends on the need or not of far-cortex drilling. Knee Surgery, Sports Traumatology, Arthroscopy, 2022, 30, 3805-3817.	2.3	1
5	An Increase in Medial Joint Space Width After Medial Open-Wedge High Tibial Osteotomy Is Associated With an Increase in the Postoperative Weight-Bearing Line Ratio Rather Than With Cartilage Regeneration: Comparative Analysis of Patients Who Underwent Second-Look Arthroscopic Assessment, Arthroscopy - Journal of Arthroscopic and Related Surgery, 2021, 37, 657-668,e4.	1.3	18
6	Factors Related to Meniscal Extrusion and Cartilage Lesions in Medial Meniscus Root Tears. Journal of Knee Surgery, 2021, 34, 178-186.	0.9	14
7	The Effect of Cartilage Lesion in the Lateral Compartment of the Knee on the Surgical Outcome of Medial Open-Wedge High Tibial Osteotomy. Journal of Knee Surgery, 2021, 34, 538-545.	0.9	9
8	Mild to Moderate Varus Alignment in Relation to Surgical Repair of a Medial Meniscus Root Tear: A Matched-Cohort Controlled Study With 2 Years of Follow-up. American Journal of Sports Medicine, 2021, 49, 1005-1016.	1.9	20
9	Effect of the Osteotomy Inclination Angle in the Sagittal Plane on the Posterior Tibial Slope of the Tibiofemoral Joint in Medial Open-Wedge High Tibial Osteotomy: Three-Dimensional Computed Tomography Analysis. Journal of Clinical Medicine, 2021, 10, 4272.	1.0	4
10	The Graft Insertion Length in the Femoral Tunnel During Anterior Cruciate Ligament Reconstruction With Suspensory Fixation and Tibialis Anterior Allograft Does Not Affect Surgical Outcomes but Is Negatively Correlated With Tunnel Widening. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2021, 37, 2903-2914.e1.	1.3	6
11	Early Surgical Repair of Medial Meniscus Posterior Root Tear Minimizes the Progression of Meniscal Extrusion: Response. American Journal of Sports Medicine, 2021, 49, NP3-NP5.	1.9	3
12	Radiographic Prognostic Factors Relevant to Surgical Outcomes of Arthroscopic Partial Medial Meniscectomy in Elderly Patients with Mild Osteoarthritis. Journal of Knee Surgery, 2021, 34, 1189-1195.	0.9	0
13	Evaluation of the reliability of lower extremity alignment measurements using EOS imaging system while standing in an even weight-bearing posture. Scientific Reports, 2021, 11, 22039.	1.6	11
14	Arthroscopic gel-type autologous chondrocyte implantation presents histologic evidence of regenerating hyaline-like cartilage in the knee with articular cartilage defect. Knee Surgery, Sports Traumatology, Arthroscopy, 2020, 28, 941-951.	2.3	11
15	Adequate protection rather than knee flexion prevents popliteal vascular injury during high tibial osteotomy: analysis of three-dimensional knee models in relation to knee flexion and osteotomy techniques. Knee Surgery, Sports Traumatology, Arthroscopy, 2020, 28, 1425-1435.	2.3	12
16	The Relationship Between Lateral Femoral Anatomic Structures and the Femoral Tunnel Outlet in Anterior Cruciate Ligament Reconstruction Using the Transportal Technique: A 3-Dimensional Simulation Analysis. Orthopaedic Journal of Sports Medicine, 2020, 8, 232596712095278.	0.8	5
17	The effect of knee joint rotation in the sagittal and axial plane on the measurement accuracy of coronal alignment of the lower limb. BMC Musculoskeletal Disorders, 2020, 21, 470.	0.8	22
18	Early Surgical Repair of Medial Meniscus Posterior Root Tear Minimizes the Progression of Meniscal Extrusion: 2-Year Follow-up of Clinical and Radiographic Parameters After Arthroscopic Transtibial Pull-out Repair. American Journal of Sports Medicine, 2020, 48, 2692-2702.	1.9	47

Min Jung

#	Article	IF	CITATIONS
19	Medial Meniscal Posterior Horn Tears Are Associated With Increased Posterior Tibial Slope: A Case-Control Study. American Journal of Sports Medicine, 2020, 48, 1702-1710.	1.9	25
20	Repair versus nonrepair of medial meniscus posterior root tear. Medicine (United States), 2020, 99, e19499.	0.4	17
21	Graft bending angle of the reconstructed posterior cruciate ligament gradually decreases as knee flexion increases. Knee Surgery, Sports Traumatology, Arthroscopy, 2020, 28, 2626-2633.	2.3	5
22	The Fate of the Contralateral Knee in Patients With a Lateral Discoid Meniscus. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2019, 35, 500-506.	1.3	9
23	Effect of Medial Open-Wedge High Tibial Osteotomy on the Patellofemoral Joint According to Postoperative Realignment. American Journal of Sports Medicine, 2019, 47, 1863-1873.	1.9	37
24	The anterolateral ligament is a secondary stabilizer in the knee joint. Bone and Joint Research, 2019, 8, 509-517.	1.3	14
25	Do Rotation and Measurement Methods Affect Reliability of Anterior Cruciate Ligament Tunnel Position on 3D Reconstructed Computed Tomography?. Orthopaedic Journal of Sports Medicine, 2019, 7, 232596711988588.	0.8	12
26	The effect of medial open wedge high tibial osteotomy on the patellofemoral joint: comparative analysis according to the preexisting cartilage status. BMC Musculoskeletal Disorders, 2019, 20, 607.	0.8	14
27	Does Knee Flexion Influence the Relationship between the Femoral Tunnel and the Lateral Anatomic Structures During ACL Reconstruction?. Clinical Orthopaedics and Related Research, 2019, 477, 2228-2239.	0.7	5
28	Clinical and diagnostic outcomes in arthroscopic treatment for posterolateral plicae impingement within the radiocapitellar joint. Medicine (United States), 2019, 98, e15497.	0.4	9
29	Anterior Cruciate Ligament Reconstruction Using Bone-Patellar Tendon-Bone Autograft with Remnant Preservation: Comparison of Outcomes According to the Amount of Remnant Tissue. Journal of Knee Surgery, 2019, 32, 847-859.	0.9	10
30	Minimum Two-Year Follow-up of Anterior Cruciate Ligament Reconstruction in Patients with Generalized Joint Laxity. Journal of Bone and Joint Surgery - Series A, 2018, 100, 278-287.	1.4	16
31	Bone–patellar tendon–bone autograft could be recommended as a superior graft to hamstring autograft for ACL reconstruction in patients with generalized joint laxity: 2- and 5-year follow-up study. Knee Surgery, Sports Traumatology, Arthroscopy, 2018, 26, 2568-2579.	2.3	30
32	The percutaneous pie-crusting medial release during arthroscopic procedures of the medial meniscus does neither affect valgus laxity nor clinical outcome. Knee Surgery, Sports Traumatology, Arthroscopy, 2018, 26, 2912-2919.	2.3	21
33	Concomitant coracoplasty during arthroscopic subscapularis repair does not yield better clinical outcomes and structural integrity. Knee Surgery, Sports Traumatology, Arthroscopy, 2018, 26, 56-62.	2.3	24
34	Influence of knee flexion angle and transverse drill angle on creation of femoral tunnels in double-bundle anterior cruciate ligament reconstruction using the transportal technique: Three-dimensional computed tomography simulation analysis. Knee, 2018, 25, 99-108.	0.8	6
35	The Effects of Smoking on Anterior Cruciate Ligament Reconstruction Outcomes. , 2018, , 495-498.e1.		1
36	Preoperative Diagnosis and Treatment Outcomes of Incarcerated Inferiorly Displaced Flap Tear of the Medial Meniscus: Comparison between Flap Tears with and without Incarcerated Fragment. BioMed Research International, 2018, 2018, 1-9.	0.9	4

Μιν Jung

#	Article	IF	CITATIONS
37	Optimal Condition to Create Femoral Tunnel Considering Combined Influence of Knee Flexion and Transverse Drill Angle in Anatomical Single-Bundle ACL Reconstruction Using Medial Portal Technique: 3D Simulation Study. BioMed Research International, 2018, 2018, 1-10.	0.9	11
38	Anterior cruciate ligament reconstruction with bone-patellar tendon-bone grafts: a prospective comparative study of femoral cortical suspensory fixation and interference screw fixation. Arthroscopy and Orthopedic Sports Medicine, 2018, 5, 19-28.	0.1	0
39	Arthroscopic Repair of Anterosuperior Massive Rotator Cuff Tears: Does Repair Integrity Affect Outcomes?. American Journal of Sports Medicine, 2017, 45, 1762-1768.	1.9	31
40	Relationship Between Preoperative Extrusion of the Medial Meniscus and Surgical Outcomes After Partial Meniscectomy. American Journal of Sports Medicine, 2017, 45, 1864-1871.	1.9	31
41	Isolated Subscapularis Repair in Irreparable Posterosuperior Massive Rotator Cuff Tears Involving the Subscapularis Tendon. American Journal of Sports Medicine, 2017, 45, 1269-1275.	1.9	14
42	Outcomes of Arthroscopic Decompression of Spinoglenoid Cysts Through a Subacromial Approach. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2017, 33, 62-67.	1.3	7
43	Single-leaf partial meniscectomy in extensive horizontal tears of the discoid lateral meniscus: Does decreased peripheral meniscal thickness affect outcomes? (Mean four-year follow-up). Knee, 2016, 23, 472-477.	0.8	14
44	Arthroscopic repair of a significant (>50%) partial-thickness subscapularis tear concomitant with a full-thickness supraspinatus tear: technical considerations for subscapularis repair (transtendon) Tj ETQq0 0 0 rg	BT1/Øverlo	ck2380 Tf 50 4
45	Does Decreased Meniscal Thickness Affect Surgical Outcomes After Medial Meniscectomy?. American Journal of Sports Medicine, 2015, 43, 937-944.	1.9	17
46	Does Sequence of Graft Tensioning Affect Outcomes in Combined Anterior and Posterior Cruciate Ligament Reconstructions?. Clinical Orthopaedics and Related Research, 2015, 473, 235-243.	0.7	19
47	Graft Selection in Anterior Cruciate Ligament Reconstruction for Smoking Patients. American Journal of Sports Medicine, 2014, 42, 166-172.	1.9	39
48	Arthroscopic Repair of Anterosuperior Rotator Cuff Tears: In-Continuity Technique Vs. Disruption of Subscapularis-Supraspinatus Tear Margin. Journal of Bone and Joint Surgery - Series A, 2014, 96, 2056-2061.	1.4	45
49	Effect of Cigarette Smoking on the Clinical Outcomes of ACL Reconstruction. Journal of Bone and Joint Surgery - Series A, 2014, 96, 1007-1013.	1.4	32
50	Does Anterior Laxity of the Uninjured Knee Influence Clinical Outcomes of ACL Reconstruction?. Journal of Bone and Joint Surgery - Series A, 2014, 96, 543-548.	1.4	18
51	Clinical Outcomes for Reconstruction of the Posterolateral Corner and Posterior Cruciate Ligament in Injuries With Mild Grade 2 or Less Posterior Translation. American Journal of Sports Medicine, 2013, 41, 1613-1620.	1.9	24
52	Anterolateral Transtibial Posterior Cruciate Ligament Reconstruction Combined With Anatomical Reconstruction of Posterolateral Corner Insufficiency. American Journal of Sports Medicine, 2011, 39, 481-489.	1.9	57
53	Is the transglenoid suture technique recommendable for recurrent shoulder dislocation? A minimum 5-year follow-up in 59 non-athletic shoulders. Knee Surgery, Sports Traumatology, Arthroscopy, 2009, 17, 1458-1462.	2.3	14
54	A Comparison of Bone Mineral Density between Adolescent Idiopathic Scoliosis and Neuromuscular Scoliosis. Journal of Korean Society of Spine Surgery, 2007, 14, 17.	0.3	0