

Maria Lorena Abate

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6037922/publications.pdf>

Version: 2024-02-01

33
papers

1,519
citations

361296
20
h-index

395590
33
g-index

33
all docs

33
docs citations

33
times ranked

2739
citing authors

#	ARTICLE	IF	CITATIONS
1	Crosstalk between Irisin Levels, Liver Fibrogenesis and Liver Damage in Non-Obese, Non-Diabetic Individuals with Non-Alcoholic Fatty Liver Disease. <i>Journal of Clinical Medicine</i> , 2022, 11, 635.	1.0	12
2	Clinical Application of Droplet Digital PCR for Hepatitis Delta Virus Quantification. <i>Biomedicines</i> , 2022, 10, 792.	1.4	4
3	Cooperative Role of Thrombopoietin and Vascular Endothelial Growth Factor-A in the Progression of Liver Cirrhosis to Hepatocellular Carcinoma. <i>International Journal of Molecular Sciences</i> , 2021, 22, 1818.	1.8	6
4	The Clinical Role of Serum Epidermal Growth Factor Receptor 3 in Hepatitis C Virus-Infected Patients with Early Hepatocellular Carcinoma. <i>Biology</i> , 2021, 10, 215.	1.3	4
5	Dual proteotoxic stress accelerates liver injury via activation of p62^{Nrf2} . <i>Journal of Pathology</i> , 2021, 254, 80-91.	2.1	1
6	Biomarkers of Oncogenesis, Adipose Tissue Dysfunction and Systemic Inflammation for the Detection of Hepatocellular Carcinoma in Patients with Nonalcoholic Fatty Liver Disease. <i>Cancers</i> , 2021, 13, 2305.	1.7	24
7	Prognostic Role of Serum Cytokeratin-19 Fragment (CYFRA 21-1) in Patients with Hepatocellular Carcinoma. <i>Cancers</i> , 2020, 12, 2776.	1.7	14
8	Interplay between Oxidative Stress and Metabolic Derangements in Non-Alcoholic Fatty Liver Disease: The Role of Selenoprotein P. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8838.	1.8	22
9	Clinical Response and Changes of Cytokines and Zonulin Levels in Patients with Diarrhoea-Predominant Irritable Bowel Syndrome Treated with Bifidobacterium Longum ES1 for 8 or 12 Weeks: A Preliminary Report. <i>Journal of Clinical Medicine</i> , 2020, 9, 2353.	1.0	18
10	Alpha-Fetoprotein, Protein Induced by Vitamin K Absence or Antagonist II and Glypican-3 for the Detection and Prediction of Hepatocellular Carcinoma in Patients with Cirrhosis of Viral Etiology. <i>Cancers</i> , 2020, 12, 3218.	1.7	27
11	On-Treatment Decrease of Serum Interleukin-6 as a Predictor of Clinical Response to Biologic Therapy in Patients with Inflammatory Bowel Diseases. <i>Journal of Clinical Medicine</i> , 2020, 9, 800.	1.0	29
12	Crosstalk between adipose tissue insulin resistance and liver macrophages in non-alcoholic fatty liver disease. <i>Journal of Hepatology</i> , 2019, 71, 1012-1021.	1.8	128
13	A variant in the MICA gene is associated with liver fibrosis progression in chronic hepatitis C through TGF- β 1 dependent mechanisms. <i>Scientific Reports</i> , 2019, 9, 1439.	1.6	7
14	Clinical outcomes in chronic hepatitis C long-term responders to pre-direct antiviral agents: a single-center retrospective study. <i>Minerva Medica</i> , 2019, 110, 401-409.	0.3	22
15	Performance of protein induced by vitamin K absence or antagonist-II assessed by chemiluminescence enzyme immunoassay for hepatocellular carcinoma detection: a meta-analysis. <i>Scandinavian Journal of Gastroenterology</i> , 2018, 53, 734-740.	0.6	34
16	Quantitation of HBV cccDNA in anti-HBc-positive liver donors by droplet digital PCR: A new tool to detect occult infection. <i>Journal of Hepatology</i> , 2018, 69, 301-307.	1.8	126
17	Hypoxia-inducible factor 2^{H} drives nonalcoholic fatty liver progression by triggering hepatocyte release of histidine-rich glycoprotein. <i>Hepatology</i> , 2018, 67, 2196-2214.	3.6	66
18	Impact of etiology of chronic liver disease on hepatocellular carcinoma biomarkers. <i>Cancer Biomarkers</i> , 2018, 21, 603-612.	0.8	24

#	ARTICLE	IF	CITATIONS
19	Usefulness of the index of <sc>NASH</sc> â€“ <sc>ION</sc> for the diagnosis of steatohepatitis in patients with nonâ€alcoholic fatty liver: An external validation study. <i>Liver International</i> , 2018, 38, 715-723.	1.9	22
20	Altered amino acid concentrations in NAFLD: Impact of obesity and insulin resistance. <i>Hepatology</i> , 2018, 67, 145-158.	3.6	296
21	The membraneâ€bound Oâ€acyltransferase domainâ€containing 7 variant rs641738 increases inflammation and fibrosis in chronic hepatitis B. <i>Hepatology</i> , 2017, 65, 1840-1850.	3.6	74
22	IFN-Î»3, not IFN-Î»4, likely mediates IFNL3â€IFNL4 haplotypeâ€dependent hepatic inflammation and fibrosis. <i>Nature Genetics</i> , 2017, 49, 795-800.	9.4	86
23	Hepatitis B coreâ€related antigen kinetics in chronic hepatitis B virus genotype Dâ€infected patients treated with nucleos(t)ide analogues or pegylatedâ€interferonâ€±. <i>Hepatology Research</i> , 2017, 47, 747-754.	1.8	20
24	Peripheral insulin resistance predicts liver damage in nondiabetic subjects with nonalcoholic fatty liver disease. <i>Hepatology</i> , 2016, 63, 107-116.	3.6	67
25	Cytokeratin 18-Aspartate396 apoptotic fragment for fibrosis detection in patients with non-alcoholic fatty liver disease and chronic viral hepatitis. <i>Digestive and Liver Disease</i> , 2016, 48, 55-61.	0.4	19
26	MBOAT7 rs641738 increases risk of liver inflammation and transition to fibrosis in chronic hepatitis C. <i>Nature Communications</i> , 2016, 7, 12757.	5.8	104
27	Diverse impacts of the rs58542926 E167K variant in TM6SF2 on viral and metabolic liver disease phenotypes. <i>Hepatology</i> , 2016, 64, 34-46.	3.6	83
28	Highly sensitive alphaâ€fetoprotein, <i>Lens culinaris</i> agglutininâ€reactive fraction of alphaâ€fetoprotein and desâ€gammaâ€carboxyprothrombin for hepatocellular carcinoma detection. <i>Hepatology Research</i> , 2016, 46, E130-5.	1.8	52
29	FibroGENE: A gene-based model for staging liver fibrosis. <i>Journal of Hepatology</i> , 2016, 64, 390-398.	1.8	64
30	Prediction of occult hepatitis B virus infection in liver transplant donors through hepatitis B virus blood markers. <i>Digestive and Liver Disease</i> , 2014, 46, 1020-1024.	0.4	14
31	<i>IL28B</i> polymorphism genotyping as predictor of rapid virologic response during interferon plus ribavirin treatment in hepatitis C virus genotype 1 patients. <i>World Journal of Gastroenterology</i> , 2014, 20, 13146.	1.4	20
32	Multiple courses of G-CSF in patients with decompensated cirrhosis: consistent mobilization of immature cells expressing hepatocyte markers and exploratory clinical evaluation. <i>Hepatology International</i> , 2013, 7, 1075-1083.	1.9	21
33	Occult Hepatitis B Virus Infection in Patients With Chronic Hepatitis C Treated With Antiviral Therapy. <i>Hepatitis Monthly</i> , 2012, 12, e7292.	0.1	9