Eeva-Riitta Savolainen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6064345/publications.pdf

Version: 2024-02-01

20 papers 223 citations

1040056 9 h-index 14 g-index

20 all docs

20 docs citations

20 times ranked 445 citing authors

#	Article	IF	Citations
1	The Standard Point-of-Care Hemochron Jr. ACT+ Test in Monitoring Heparin Administration for Cardiopulmonary Bypass in Severe Factor XII Deficiency. Journal of Cardiothoracic and Vascular Anesthesia, 2021, , .	1.3	1
2	Autograft cellular composition and outcome in myeloma patients: Results of the prospective multicenter GOA study. Transfusion, 2021, 61, 1830-1844.	1.6	11
3	Autograft cellular composition and outcome in NHL patients: results of the prospective multicenter GOA study. Leukemia and Lymphoma, 2020, 61, 2082-2092.	1.3	12
4	CD34+ cell mobilization, blood graft composition, and posttransplant recovery in myeloma patients compared to nonâ€Hodgkin's lymphoma patients: results of the prospective multicenter GOA study. Transfusion, 2020, 60, 1519-1528.	1.6	9
5	Hyperthermic intraperitoneal chemotherapy enhances blood coagulation perioperatively evaluated by thromboelastography: a pilot study. International Journal of Hyperthermia, 2020, 37, 293-300.	2.5	6
6	ERCC6L2 defines a novel entity within inherited acute myeloid leukemia. Blood, 2019, 133, 2724-2728.	1.4	35
7	Blood graft composition and post-transplant recovery in myeloma patients mobilized with plerixafor: a prospective multicenter study. Leukemia and Lymphoma, 2019, 60, 453-461.	1.3	8
8	Expression of a specific extracellular matrix signature is a favorable prognostic factor in acute myeloid leukemia. Leukemia Research Reports, 2018, 9, 9-13.	0.4	9
9	Vanin 1 (<i>VNN1</i>) levels predict poor outcome in acute myeloid leukemia. American Journal of Hematology, 2018, 93, E4-E7.	4.1	8
10	Neutrophil CD64, C-reactive protein, and procalcitonin in the identification of sepsis in the ICU â€" Post-test probabilities. Journal of Critical Care, 2018, 43, 139-142.	2.2	36
11	Thromboelastography Values Remain Hypercoagulative 6ÂMonths After Obesity Surgery: a Pilot Study. Obesity Surgery, 2018, 28, 3943-3949.	2.1	10
12	Monocyte and lymphocyte surface molecules in severe sepsis and nonâ€septic critically ill Patients. Apmis, 2017, 125, 536-543.	2.0	7
13	An extracellular matrix signature in leukemia precursor cells and acute myeloid leukemia. Haematologica, 2017, 102, e245-e248.	3.5	16
14	The impact of sample site and storage on thromboelastography values. American Journal of Hematology, 2017, 92, E160-E162.	4.1	5
15	Cost analysis of a randomized stem cell mobilization study in multiple myeloma. Annals of Hematology, 2016, 95, 1653-1659.	1.8	9
16	The fat mass and obesity-associated (FTO) gene variant rs9939609 predicts long-term incidence of cardiovascular disease and related death independent of the traditional risk factors. Annals of Medicine, 2015, 47, 655-663.	3.8	19
17	TIM-family molecules in embryonic hematopoiesis: Fetal liver TIM-4lo cells have myeloid potential. Experimental Hematology, 2014, 42, 230-240.	0.4	5
18	The IL-8, VEGF, and CFH Polymorphisms and Bevacizumab in Age-related Macular Degeneration. Ophthalmology, 2014, 121, 973-974.e2.	5.2	16

#	Article	IF	CITATIONS
19	Acute Lymphoblastic Leukemia with "Normal―Karyotype is not without Genomic Aberrations Blood, 2008, 112, 1491-1491.	1.4	o
20	Nordic CML Study Group Quality and Standardization Rounds for Quantitative RT-PCR of BCR-ABL To Facilitate Reporting on the International Scale Blood, 2007, 110, 4559-4559.	1.4	1