Lori D Mcleod

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6146225/publications.pdf

Version: 2024-02-01

33 papers 2,028 citations

16 h-index 31 g-index

34 all docs

34 docs citations

times ranked

34

3478 citing authors

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | ISOQOL recommends minimum standards for patient-reported outcome measures used in patient-centered outcomes and comparative effectiveness research. Quality of Life Research, 2013, 22, 1889-1905. | 3.1 | 613 |
| 2 | On the relationship between the higher-order factor model and the hierarchical factor model. Psychometrika, 1999, 64, 113-128. | 2.1 | 335 |
| 3 | Interpreting patient-reported outcome results: US FDA guidance and emerging methods. Expert Review of Pharmacoeconomics and Outcomes Research, 2011, 11, 163-169. | 1.4 | 242 |
| 4 | Using Classical Test Theory, Item Response Theory, and Rasch Measurement Theory to Evaluate Patient-Reported Outcome Measures: A Comparison of Worked Examples. Value in Health, 2015, 18, 25-34. | 0.3 | 234 |
| 5 | Assessing test–retest reliability of patient-reported outcome measures using intraclass correlation coefficients: recommendations for selecting and documenting the analytical formula. Quality of Life Research, 2019, 28, 1029-1033. | 3.1 | 129 |
| 6 | Validation of the Knee Injury and Osteoarthritis Outcome Score Subscales for Patients With Articular Cartilage Lesions of the Knee. American Journal of Sports Medicine, 2012, 40, 2264-2272. | 4.2 | 73 |
| 7 | A Bayesian Method for the Detection of Item Preknowledge in Computerized Adaptive Testing. Applied Psychological Measurement, 2003, 27, 121-137. | 1.0 | 50 |
| 8 | State of the psychometric methods: patient-reported outcome measure development and refinement using item response theory. Journal of Patient-Reported Outcomes, 2019, 3, 50. | 1.9 | 44 |
| 9 | Erection Quality Scale: Initial scale development and validation. Urology, 2004, 64, 351-356. | 1.0 | 32 |
| 10 | The king's foot of patient-reported outcomes: current practices and new developments for the measurement of change. Quality of Life Research, 2011, 20, 1159-1167. | 3.1 | 29 |
| 11 | Secukinumab sustains early patient-reported outcome benefits through 1Âyear: Results from 2 phase III randomized placebo-controlled clinical trials comparing secukinumab with etanercept. Journal of the American Academy of Dermatology, 2017, 76, 655-661. | 1.2 | 28 |
| 12 | Best (but oft-forgotten) practices: expressing and interpreting associations and effect sizes in clinical outcome assessments. American Journal of Clinical Nutrition, 2016, 103, 685-693. | 4.7 | 27 |
| 13 | Detecting Item Memorization in the CAT Environment. Applied Psychological Measurement, 1999, 23, 147-160. | 1.0 | 26 |
| 14 | Evaluating Minimal Clinically Important Differences for the Acne-Specific Quality of Life Questionnaire. Pharmacoeconomics, 2003, 21, 1069-1079. | 3.3 | 25 |
| 15 | Development and preliminary validation of the Menopause Symptoms Treatment Satisfaction Questionnaire (MS-TSQ). Menopause, 2007, 14, 1047-1055. | 2.0 | 24 |
| 16 | Prevalence of Airway Obstruction Assessed by Lung Function Questionnaire. Mayo Clinic Proceedings, 2011, 86, 375-381. | 3.0 | 19 |
| 17 | Projecting to the NAEP Scale: Results from the North Carolina End-of-Grade Testing Program. Journal of Educational Measurement, 1998, 35, 277-296. | 1.2 | 12 |
| 18 | Effects of insulin initiation on patient-reported outcomes in patients with type 2 diabetes: Results from the DURABLE trial. Diabetes Research and Clinical Practice, 2010, 89, 157-166. | 2.8 | 11 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Development and psychometric evaluation of the Bipolar Functional Status Questionnaire (BFSQ). Bipolar Disorders, 2010, 12, 32-44. | 1.9 | 10 |
| 20 | Sphygmomanometry-Evoked Allodynia in Chronic Pain Patients With and Without Fibromyalgia. Nursing Research, 2012, 61, 363-368. | 1.7 | 10 |
| 21 | Evaluating Patient-Reported Outcome Measurement Comparability between Paper and Alternate Versions, Using the Lung Function Questionnaire as an Example. Value in Health, 2011, 14, 712-720. | 0.3 | 9 |
| 22 | Development and psychometric evaluation of a new patient-reported outcome instrument measuring the functional impact of insomnia. Quality of Life Research, 2011, 20, 1457-1468. | 3.1 | 9 |
| 23 | The Burden of Restless Legs Syndrome. Patient, 2008, 1, 201-210. | 2.7 | 8 |
| 24 | Responsiveness and Minimum Important Differences for the Erection Quality Scale. Journal of Urology, 2007, 178, 2076-2081. | 0.4 | 5 |
| 25 | Quantitative challenges facing patient-centered outcomes research. Expert Review of Pharmacoeconomics and Outcomes Research, 2014, 14, 379-386. | 1.4 | 5 |
| 26 | An Expected Response Function Approach to Graphical Differential Item Functioning. Journal of Educational Measurement, 2000, 37, 263-280. | 1,2 | 4 |
| 27 | Advances in the Evaluation of Longitudinal Construct Validity of Clinical Outcome Assessments. Therapeutic Innovation and Regulatory Science, 2015, 49, 805-812. | 1.6 | 4 |
| 28 | Worst itch numerical rating scale for prurigo nodularis: a psychometric evaluation. Journal of the European Academy of Dermatology and Venereology, 2022, 36, 573-581. | 2.4 | 4 |
| 29 | Patient-Reported Outcome Measures: Development and Psychometric Evaluation. ICSA Book Series in Statistics, 2018, , 317-346. | 0.2 | 3 |
| 30 | The Development and Initial Assessment of the Strategy and Leadership Systems Capability Evaluation Survey. Health Care Manager, 2012, 31, 332-341. | 1.3 | 2 |
| 31 | Moving Beyond the Tip of the Iceberg to Incorporate Patients' Perspectives and Outcomes in the Medical Device Regulatory Process. Value in Health, 2020, 23, 298-299. | 0.3 | 1 |
| 32 | Minutes of the Psychometric Society business meeting July 8, 2000. Psychometrika, 2000, 65, 561-562. | 2.1 | 0 |
| 33 | Minutes of the psychometric society Business Meeting June 23, 2001. Psychometrika, 2001, 66, 609-610. | 2.1 | 0 |