

Pontus Naucler

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6312448/publications.pdf>

Version: 2024-02-01

69
papers

2,125
citations

218381

26
h-index

253896

43
g-index

71
all docs

71
docs citations

71
times ranked

3510
citing authors

#	ARTICLE	IF	CITATIONS
1	<i>Klebsiella variicola</i> Is a Frequent Cause of Bloodstream Infection in the Stockholm Area, and Associated with Higher Mortality Compared to <i>K. pneumoniae</i> . <i>PLoS ONE</i> , 2014, 9, e113539.	1.1	143
2	Clinical Utility of PCR for Common Viruses in Acute Respiratory Illness. <i>Pediatrics</i> , 2014, 133, e538-e545.	1.0	139
3	Effects of PCV7 and PCV13 on invasive pneumococcal disease and carriage in Stockholm, Sweden. <i>European Respiratory Journal</i> , 2016, 47, 1208-1218.	3.1	125
4	Comparison of the Impact of Pneumococcal Conjugate Vaccine 10 or Pneumococcal Conjugate Vaccine 13 on Invasive Pneumococcal Disease in Equivalent Populations. <i>Clinical Infectious Diseases</i> , 2017, 65, 1780-1790.e1.	2.9	123
5	Respiratory viruses associated with community-acquired pneumonia in children: matched case-control study. <i>Thorax</i> , 2015, 70, 847-853.	2.7	111
6	Contribution of host, bacterial factors and antibiotic treatment to mortality in adult patients with bacteraemic pneumococcal pneumonia. <i>Thorax</i> , 2013, 68, 571-579.	2.7	98
7	Fecal Carriage of ESBL-Producing <i>E. coli</i> and <i>K. pneumoniae</i> in Children in Guinea-Bissau: A Hospital-Based Cross-Sectional Study. <i>PLoS ONE</i> , 2012, 7, e51981.	1.1	77
8	Outbreak of enterovirus D68 of the new B3 lineage in Stockholm, Sweden, August to September 2016. <i>Eurosurveillance</i> , 2016, 21, .	3.9	73
9	Community carriage of ESBL-producing <i>Escherichia coli</i> is associated with strains of low pathogenicity: a Swedish nationwide study. <i>Journal of Antimicrobial Chemotherapy</i> , 2017, 72, 582-588.	1.3	68
10	Unaltered pneumococcal carriage prevalence due to expansion of non-vaccine types of low invasive potential 8 years after vaccine introduction in Stockholm, Sweden. <i>Vaccine</i> , 2016, 34, 4565-4571.	1.7	64
11	Invasive infection caused by <i>Klebsiella pneumoniae</i> is a disease affecting patients with high comorbidity and associated with high long-term mortality. <i>PLoS ONE</i> , 2018, 13, e0195258.	1.1	63
12	Impact of time to antibiotic therapy on clinical outcome in patients with bacterial infections in the emergency department: implications for antimicrobial stewardship. <i>Clinical Microbiology and Infection</i> , 2021, 27, 175-181.	2.8	59
13	Frequent acquisition of low-virulence strains of ESBL-producing <i>Escherichia coli</i> in travellers. <i>Journal of Antimicrobial Chemotherapy</i> , 2016, 71, 3548-3555.	1.3	55
14	The DENOVA score efficiently identifies patients with monomicrobial <i>Enterococcus faecalis</i> bacteremia where echocardiography is not necessary. <i>Infection</i> , 2019, 47, 45-50.	2.3	49
15	Characteristics and outcomes of patients with COVID-19 admitted to ICU in a tertiary hospital in Stockholm, Sweden. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 76-81.	0.7	45
16	Obesity and Diabetes as Risk Factors for Severe <i>Plasmodium falciparum</i> Malaria: Results From a Swedish Nationwide Study. <i>Clinical Infectious Diseases</i> , 2017, 65, 949-958.	2.9	44
17	Clinical manifestations of invasive pneumococcal disease by vaccine and non-vaccine types. <i>European Respiratory Journal</i> , 2014, 44, 1646-1657.	3.1	43
18	Bacterial co-infections in community-acquired pneumonia caused by SARS-CoV-2, influenza virus and respiratory syncytial virus. <i>BMC Infectious Diseases</i> , 2022, 22, 108.	1.3	42

#	ARTICLE	IF	CITATIONS
19	Management of women with human papillomavirus persistence: long-term follow-up of a randomized clinical trial. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 216, 264.e1-264.e7.	0.7	37
20	Human papillomavirus type-specific risk of cervical cancer in a population with high human immunodeficiency virus prevalence: case-control study. <i>Journal of General Virology</i> , 2011, 92, 2784-2791.	1.3	36
21	Management of community-acquired pneumonia in immunocompetent adults: updated Swedish guidelines 2017. <i>Infectious Diseases</i> , 2018, 50, 247-272.	1.4	36
22	Validation of automated sepsis surveillance based on the Sepsis-3 clinical criteria against physician record review in a general hospital population: observational study using electronic health records data. <i>BMJ Quality and Safety</i> , 2020, 29, 735-745.	1.8	36
23	Risk factors for mortality among patients with <i>Pseudomonas aeruginosa</i> bacteraemia: a retrospective multicentre study. <i>International Journal of Antimicrobial Agents</i> , 2020, 55, 105847.	1.1	33
24	Lumbar Puncture Performed Promptly or After Neuroimaging in Acute Bacterial Meningitis in Adults: A Prospective National Cohort Study Evaluating Different Guidelines. <i>Clinical Infectious Diseases</i> , 2018, 66, 321-328.	2.9	32
25	Temporal Dynamics and Risk Factors for Bloodstream Infection With Extended-spectrum β -Lactamase-producing Bacteria in Previously-colonized Individuals: National Population-based Cohort Study. <i>Clinical Infectious Diseases</i> , 2019, 68, 641-649.	2.9	30
26	Prevalence of community-acquired bacteraemia in Guinea-Bissau: an observational study. <i>BMC Infectious Diseases</i> , 2014, 14, 3859.	1.3	26
27	The changing epidemiology of community-acquired pneumonia: nationwide register-based study in Sweden. <i>Journal of Internal Medicine</i> , 2019, 286, 689-701.	2.7	26
28	PRAISE: providing a roadmap for automated infection surveillance in Europe. <i>Clinical Microbiology and Infection</i> , 2021, 27, S3-S19.	2.8	25
29	Ceftazidime, Carbapenems, or Piperacillin-tazobactam as Single Definitive Therapy for <i>Pseudomonas aeruginosa</i> Bloodstream Infection: A Multisite Retrospective Study. <i>Clinical Infectious Diseases</i> , 2020, 70, 2270-2280.	2.9	24
30	Clinical phenotypes and outcomes of SARS-CoV-2, influenza, RSV and seven other respiratory viruses: a retrospective study using complete hospital data. <i>Thorax</i> , 2022, 77, 1-10.	2.7	24
31	Clinical prediction models for mortality in patients with covid-19: external validation and individual participant data meta-analysis. <i>BMJ</i> , The, 0, , e069881.	3.0	24
32	Coeliac disease and invasive pneumococcal disease: a population-based cohort study. <i>Epidemiology and Infection</i> , 2017, 145, 1203-1209.	1.0	20
33	Combination versus monotherapy as definitive treatment for <i>Pseudomonas aeruginosa</i> bacteraemia: a multicentre retrospective observational cohort study. <i>Journal of Antimicrobial Chemotherapy</i> , 2021, 76, 2172-2181.	1.3	19
34	Duration of residency in a non-endemic area and risk of severe malaria in African immigrants. <i>Clinical Microbiology and Infection</i> , 2015, 21, 494-501.	2.8	18
35	Betamethasone and dexamethasone in adult community-acquired bacterial meningitis: a quality registry study from 1995 to 2014. <i>Clinical Microbiology and Infection</i> , 2016, 22, 814.e1-814.e7.	2.8	18
36	Clinical and Microbiological Factors Associated with High Nasopharyngeal Pneumococcal Density in Patients with Pneumococcal Pneumonia. <i>PLoS ONE</i> , 2015, 10, e0140112.	1.1	18

#	ARTICLE	IF	CITATIONS
37	Risk factors for community-onset bloodstream infection with extended-spectrum β -lactamase-producing Enterobacteriaceae: national population-based case-control study. <i>Clinical Microbiology and Infection</i> , 2019, 25, 1408-1414.	2.8	17
38	Extended-Spectrum- β -Lactamase- and Plasmid AmpC-Producing <i>Escherichia coli</i> Causing Community-Onset Bloodstream Infection: Association of Bacterial Clones and Virulence Genes with Septic Shock, Source of Infection, and Recurrence. <i>Antimicrobial Agents and Chemotherapy</i> , 2020, 64, .	1.4	17
39	Automated surveillance systems for healthcare-associated infections: results from a European survey and experiences from real-life utilization. <i>Journal of Hospital Infection</i> , 2022, 122, 35-43.	1.4	17
40	Adult bacterial meningitis—a quality registry study: earlier treatment and favourable outcome if initial management by infectious diseases physicians. <i>Clinical Microbiology and Infection</i> , 2015, 21, 560-566.	2.8	15
41	Prediction of bloodstream infection caused by extended-spectrum β -lactamase-producing Enterobacteriales in patients with suspected community-onset sepsis. <i>International Journal of Antimicrobial Agents</i> , 2019, 53, 820-829.	1.1	11
42	Cost-effectiveness of pneumococcal vaccination for elderly in Sweden. <i>Vaccine</i> , 2020, 38, 4988-4995.	1.7	11
43	Introducing a New Algorithm for Classification of Etiology in Studies on Pediatric Pneumonia: Protocol for the Trial of Respiratory Infections in Children for Enhanced Diagnostics Study. <i>JMIR Research Protocols</i> , 2019, 8, e12705.	0.5	11
44	Ceftriaxone versus ceftriaxone plus a macrolide for community-acquired pneumonia in hospitalized patients with HIV/AIDS: a randomized controlled trial. <i>Clinical Microbiology and Infection</i> , 2018, 24, 146-151.	2.8	9
45	Etiology, clinical presentation, outcome and the effect of initial management in immunocompromised patients with community acquired bacterial meningitis. <i>Journal of Infection</i> , 2020, 80, 291-297.	1.7	9
46	Etiology of Clinical Community-Acquired Pneumonia in Swedish Children Aged 1–59 Months with High Pneumococcal Vaccine Coverage—The TREND Study. <i>Vaccines</i> , 2021, 9, 384.	2.1	9
47	Peripheral Oxygen Saturation Facilitates Assessment of Respiratory Dysfunction in the Sequential Organ Failure Assessment Score With Implications for the Sepsis-3 Criteria. <i>Critical Care Medicine</i> , 2022, 50, e272-e283.	0.4	9
48	Narrow-spectrum β -lactam monotherapy in hospital treatment of community-acquired pneumonia: a register-based cohort study. <i>Clinical Microbiology and Infection</i> , 2017, 23, 247-252.	2.8	8
49	Chronic Disease and Immunosuppression Increase the Risk for Nonvaccine Serotype Pneumococcal Disease: A Nationwide Population-based Study. <i>Clinical Infectious Diseases</i> , 2022, 74, 1338-1349.	2.9	8
50	Partial oral antibiotic treatment for bacterial brain abscess: an open-label randomized non-inferiority trial (ORAL). <i>Trials</i> , 2021, 22, 796.	0.7	8
51	Bacterial meningitis: Aetiology, risk factors, disease trends and severe sequelae during 50 years in Sweden. <i>Journal of Internal Medicine</i> , 2022, 292, 350-364.	2.7	8
52	Malaria and risk of lymphoid neoplasms and other cancer: a nationwide population-based cohort study. <i>BMC Medicine</i> , 2020, 18, 296.	2.3	7
53	The accuracy of fully automated algorithms for surveillance of healthcare-associated urinary tract infections in hospitalized patients. <i>Journal of Hospital Infection</i> , 2021, 110, 139-147.	1.4	6
54	Treatment of community-acquired bacterial brain abscess: a survey among infectious diseases specialists in France, Sweden, Australia, and Denmark. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2021, 40, 255-260.	1.3	5

#	ARTICLE	IF	CITATIONS
55	Impact of the COVID-19 pandemic on the incidence and mortality of hospital-onset bloodstream infection: a cohort study. <i>BMJ Quality and Safety</i> , 2022, 31, 379-382.	1.8	5
56	Incidence and severity of COVID-19 in adults with and without HIV diagnosis. <i>Journal of Internal Medicine</i> , 2022, 292, 168-171.	2.7	5
57	Myxovirus resistance protein A for discriminating between viral and bacterial lower respiratory tract infections in children – The TREND study. <i>Clinical Microbiology and Infection</i> , 2022, 28, 1251-1257.	2.8	5
58	Screening Algorithm to Perform Transesophageal Echocardiography in Patients With <i>Staphylococcus aureus</i> Bacteremia. <i>Clinical Infectious Diseases</i> , 2015, 61, 1630.1-1630.	2.9	3
59	Meropenem versus Cefotaxime and Ampicillin as Empirical Antibiotic Treatment in Adult Bacterial Meningitis: a Quality Registry Study, 2008 to 2016. <i>Antimicrobial Agents and Chemotherapy</i> , 2019, 63, .	1.4	3
60	Prophylactic anticoagulation with low molecular weight heparin in COVID-19: cohort studies in Denmark and Sweden. <i>Clinical Microbiology and Infection</i> , 2022, 28, 1291.e1-1291.e5.	2.8	3
61	The early impact of vaccination against SARS-CoV-2 in Region Stockholm, Sweden. <i>Vaccine</i> , 2022, 40, 2823-2827.	1.7	3
62	Reply to Theilacker et al. <i>Clinical Infectious Diseases</i> , 2018, 66, 1642-1643.	2.9	2
63	HAI-Proactive: Development of an Automated Surveillance System for Healthcare-Associated Infections in Sweden. <i>Infection Control and Hospital Epidemiology</i> , 2020, 41, s39-s39.	1.0	2
64	SARS-CoV-2 testing in patients with low COVID-19 suspicion at admission to a tertiary care hospital, Stockholm, Sweden, March to September 2020. <i>Eurosurveillance</i> , 2022, 27, .	3.9	2
65	<i>Staphylococcus aureus</i> bacteremia, cardiac implantable electronic device, extraction, and the risk of recurrence. <i>Journal of Infection</i> , 2022, 84, e67-e69.	1.7	2
66	Routine atypical antibiotic coverage is not necessary in hospitalised patients with non-severe community-acquired pneumonia. <i>International Journal of Antimicrobial Agents</i> , 2016, 48, 224-225.	1.1	1
67	Influence of perioperative SARS-CoV-2 infection on mortality in orthopaedic inpatients with surgically treated traumatic fractures. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2023, 33, 1043-1049.	0.6	1
68	The accuracy of fully automated algorithms for surveillance of healthcare-onset <i>Clostridioides difficile</i> infections in hospitalized patients. <i>Antimicrobial Stewardship & Healthcare Epidemiology</i> , 2022, 2, .	0.2	0
69	Pneumococcal urinary antigen testing for antimicrobial guidance in community-acquired pneumonia: a register-based cohort study. <i>Journal of Infection</i> , 2022, , .	1.7	0