## Namki Hong

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6341504/namki-hong-publications-by-year.pdf

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

94 papers 1,345 th-index 9-index g-index 103 the ext. papers 21,817 avg, IF 5.64 the ext. citations 24 the papers 25 the papers 25 the papers 25 the papers 26 the papers 26 the papers 26 the papers 26 the papers 27 the papers

#	Paper	IF	Citations
94	Protective effect of bisphosphonate on the cortical bone at key locations of the femur in aromatase inhibitor-associated bone loss: A three-dimensional cortical bone mapping study <i>Journal of Bone Oncology</i> , <b>2022</b> , 32, 100409	4.5	
93	Low bone mineral density is associated with coronary arterial calcification progression and incident cardiovascular events in patients with chronic kidney disease <i>CKJ: Clinical Kidney Journal</i> , <b>2022</b> , 15, 119	9-4:27	2
92	AIM in Endocrinology <b>2022</b> , 673-688		
91	Comparisons Between Normocalcemic Primary Hyperparathyroidism and Typical Primary Hyperparathyroidism <i>Journal of Korean Medical Science</i> , <b>2022</b> , 37, e99	4.7	О
90	Raloxifene Use After Denosumab Discontinuation Partially Attenuates Bone Loss in the Lumbar Spine in Postmenopausal Osteoporosis <i>Calcified Tissue International</i> , <b>2022</b> , 1	3.9	2
89	Qualitative focus group interview study of communication between patients, dentists and physicians for efficient osteonecrosis of the jaw practices <i>BMJ Open</i> , <b>2022</b> , 12, e051054	3	
88	Germline Mutations Related to Primary Hyperparathyroidism Identified by Next-Generation Sequencing <i>Frontiers in Endocrinology</i> , <b>2022</b> , 13, 853171	5.7	1
87	Parathyroid venous sampling for the preoperative localisation of parathyroid adenoma in patients with primary hyperparathyroidism <i>Scientific Reports</i> , <b>2022</b> , 12, 7058	4.9	О
86	Fall Patterns Predict Mortality After Hip Fracture in Older Adults, Independent of Age, Sex, and Comorbidities. <i>Calcified Tissue International</i> , <b>2021</b> , 109, 372-382	3.9	O
85	Beneficial effects of dipeptidyl peptidase-4 inhibitors in diabetic Parkinson's disease. <i>Brain</i> , <b>2021</b> , 144, 1127-1137	11.2	6
84	Diagnosis for Pheochromocytoma and Paraganglioma: A Joint Position Statement of the Korean Pheochromocytoma and Paraganglioma Task Force. <i>Endocrinology and Metabolism</i> , <b>2021</b> , 36, 322-338	3.5	4
83	Application of the Trabecular Bone Score in Clinical Practice. <i>Journal of Bone Metabolism</i> , <b>2021</b> , 28, 101	-121 <del>7</del> 3	4
82	Comparative Transcriptomic Profiling Revealed Distinctive Patterns in Differentially Expressed Genes Related to Clinicopathologic Features of Parathyroid Carcinoma and Adenoma. <i>Journal of the Endocrine Society</i> , <b>2021</b> , 5, A232-A233	0.4	78
81	Protein Signatures of Parathyroid Carcinomas Using Proteomic Analyses. <i>Journal of the Endocrine Society</i> , <b>2021</b> , 5, A1031-A1031	0.4	78
80	Circulating MicroRNA-23a-5p Is a Potential Biomarker for Recovery of Bone Mass After Parathyroidectomy in Primary Hyperparathyroidism. <i>Journal of the Endocrine Society</i> , <b>2021</b> , 5, A258-A25	58 <sup>0.4</sup>	78
79	Machine Learning-Derived Simple Score Predicts the Risk of Tertiary Hyperparathyroidism Requiring Surgical Treatment Among Kidney Transplant Recipients: The DPC score. <i>Journal of the Endocrine Society</i> , <b>2021</b> , 5, A265-A265	0.4	78
78	Bone Density After Teriparatide Discontinuation With or Without Antiresorptive Therapy in Pregnancy- and Lactation-Associated Osteoporosis. <i>Calcified Tissue International</i> , <b>2021</b> , 109, 544-553	3.9	2

## (2020-2021)

77	Low Serum Vitamin E Level Associated with Low Hand Grip Strength in Community-Dwelling Adults: Korean National Health and Nutrition Examination Survey (KNHANES VII) 2016-2018. <i>Nutrients</i> , <b>2021</b> , 13,	6.7	1
76	Time-Varying Risk of Atrial Fibrillation in Patient With Medically and Surgically Treated Primary Aldosteronism: A Nationwide Cohort Study. <i>Journal of the Endocrine Society</i> , <b>2021</b> , 5, A301-A301	0.4	78
75	Evaluation of the Privacy Risks of Personal Health Identifiers and Quasi-Identifiers in a Distributed Research Network: Development and Validation Study. <i>JMIR Medical Informatics</i> , <b>2021</b> , 9, e24940	3.6	
74	Muscle Function is Associated With Presence, New-onset, or Worsening of Hepatic Steatosis Assessed by Biochemical Parameters, Independent of Muscle Mass. <i>Journal of the Endocrine Society</i> , <b>2021</b> , 5, A295-A296	0.4	78
73	Circulating Lipocalin-2 Predicts Changes in Lumbar Spine Bone Mineral Density After Parathyroidectomy in Primary Hyperparathyroidism. <i>Journal of the Endocrine Society</i> , <b>2021</b> , 5, A273-A27	· <b>3</b> ·4	1
72	Fall Patterns Are Independent Risk Factors for Mortality After Hip Fracture in Older Adults. <i>Journal of the Endocrine Society</i> , <b>2021</b> , 5, A246-A246	0.4	
71	Bone Radiomics Score Derived From DXA Hip Images Enhances Hip Fracture Prediction in Older Women. <i>Journal of Bone and Mineral Research</i> , <b>2021</b> , 36, 1708-1716	6.3	3
70	Time-Dependent Risk of Atrial Fibrillation in Patients With Primary Aldosteronism After Medical or Surgical Treatment Initiation. <i>Hypertension</i> , <b>2021</b> , 77, 1964-1973	8.5	3
69	Risk of Hypothyroidism in Women After Radiation Therapy for Breast Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2021</b> , 110, 462-472	4	3
68	The diagnostic value of phase angle, an integrative bioelectrical marker, for identifying individuals with dysmobility syndrome: the Korean Urban-Rural Elderly study. <i>Osteoporosis International</i> , <b>2021</b> , 32, 939-949	5.3	2
67	Defining an international cut-off of two-legged countermovement jump power for sarcopenia and dysmobility syndrome. <i>Osteoporosis International</i> , <b>2021</b> , 32, 483-493	5.3	3
66	AIM in Endocrinology <b>2021</b> , 1-17		
65	Computed Tomography-Derived Skeletal Muscle Radiodensity Predicts Peak Weight-Corrected Jump Power in Older Adults: The Korean Urban Rural Elderly (KURE) Study. <i>Calcified Tissue International</i> , <b>2021</b> , 108, 764-774	3.9	2
64	Association of Dipeptidyl Peptidase-4 Inhibitor Use and Amyloid Burden in Patients With Diabetes and AD-Related Cognitive Impairment. <i>Neurology</i> , <b>2021</b> , 97, e1110-e1122	6.5	4
63	Deep neural network for automatic volumetric segmentation of whole-body CT images for body composition assessment. <i>Clinical Nutrition</i> , <b>2021</b> , 40, 5038-5046	5.9	8
62	Circulating miR-122-5p and miR-375 as Potential Biomarkers for Bone Mass Recovery after Parathyroidectomy in Patients with Primary Hyperparathyroidism: A Proof-of-Concept Study. <i>Diagnostics</i> , <b>2021</b> , 11,	3.8	1
61	Comparison of Renal Effects of Ezetimibe-Statin Combination versus Statin Monotherapy: A Propensity-Score-Matched Analysis. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	2
60	Benefit of diverse surgical approach on short-term outcomes of MEN1-related hyperparathyroidism. <i>Scientific Reports</i> , <b>2020</b> , 10, 10634	4.9	7

59	Evaluation of an optimal cutoff of parathyroid venous sampling gradient for localizing primary hyperparathyroidism. <i>Journal of Bone and Mineral Metabolism</i> , <b>2020</b> , 38, 570-580	2.9	3
58	Machine Learning Applications in Endocrinology and Metabolism Research: An Overview. <i>Endocrinology and Metabolism</i> , <b>2020</b> , 35, 71-84	3.5	10
57	Heterophile antibody interference associated with natural killer cell therapy. <i>Endocrine Journal</i> , <b>2020</b> , 67, 1187-1192	2.9	1
56	SUN-390 Computed Tomography Derived Skeletal Muscle Radiodensity Is Better Predictor of Muscle Power Than Skeletal Muscle Area in Community-Dwelling Older Adults. <i>Journal of the Endocrine Society</i> , <b>2020</b> , 4,	0.4	78
55	Genetic Analysis and Clinical Characteristics of Hereditary Pheochromocytoma and Paraganglioma Syndrome in Korean Population. <i>Endocrinology and Metabolism</i> , <b>2020</b> , 35, 858-872	3.5	4
54	Skeletal muscle mass effects on estimated glomerular filtration rate decrement after donor nephrectomy. <i>Korean Journal of Transplantation</i> , <b>2020</b> , 34, S29-S29	0.2	
53	Comparison of Vertebral and Femoral Strength Between White and Asian Adults Using Finite Element Analysis of Computed Tomography Scans. <i>Journal of Bone and Mineral Research</i> , <b>2020</b> , 35, 234	15-2 <b>3</b> 54	1 <sup>5</sup>
52	A Simple-to-Use Score for Identifying Individuals at High Risk of Denosumab-Associated Hypocalcemia in Postmenopausal Osteoporosis: A Real-World Cohort Study. <i>Calcified Tissue</i> International, <b>2020</b> , 107, 567-575	3.9	1
51	Effect of Androgen-Deprivation Therapy on Bone Mineral Density in Patients with Prostate Cancer: A Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	20
50	The relationship of comorbidities to mortality and cause of death in patients with differentiated thyroid carcinoma. <i>Scientific Reports</i> , <b>2019</b> , 9, 11435	4.9	14
49	Comparison of Efficacy of Pharmacologic Treatments in Pregnancy- and Lactation-Associated Osteoporosis. <i>Clinical Reviews in Bone and Mineral Metabolism</i> , <b>2019</b> , 17, 86-93	2.5	4
48	The Effectiveness of Intermittent Fasting to Reduce Body Mass Index and Glucose Metabolism: A Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	48
47	MON-548 The Relationship of Comorbidities to Mortality and Cause of Death in Patients with Differentiated Thyroid Carcinoma. <i>Journal of the Endocrine Society</i> , <b>2019</b> , 3,	0.4	78
46	321. Low Volumetric Bone Density at Proximal Femur in HIV-Infected Men and Its Risk Factors: Comparison with Community-Dwelling Non-Infected Men. <i>Open Forum Infectious Diseases</i> , <b>2019</b> , 6, S17	'0 <del>-</del> \$170	) <sup>78</sup>
45	Cohort profile: Korean Urban Rural Elderly (KURE) study, a prospective cohort on ageing and health in Korea. <i>BMJ Open</i> , <b>2019</b> , 9, e031018	3	6
44	Elevated Red Blood Cell Distribution Width Is Associated with Morphometric Vertebral Fracture in Community-Dwelling Older Adults, Independent of Anemia, Inflammation, and Nutritional Status: The Korean Urban Rural Elderly (KURE) Study. <i>Calcified Tissue International</i> , <b>2019</b> , 104, 26-33	3.9	3
43	Hormonal aggressiveness according to the expression of cellular markers in corticotroph adenomas. <i>Endocrine</i> , <b>2019</b> , 64, 147-156	4	4
42	Changes of computed tomography-based body composition after adrenalectomy in patients with endogenous hypercortisolism. <i>Clinical Endocrinology</i> , <b>2019</b> , 90, 267-276	3.4	9

41	Familial clustering of vitamin D deficiency via shared environment: The Korean National Health and Nutrition Examination Survey 2008-2012. <i>European Journal of Clinical Nutrition</i> , <b>2018</b> , 72, 1700-1708	5.2	4
40	Clinical and laboratory features of patients with osteomalacia initially presenting with neurological manifestations. <i>Osteoporosis International</i> , <b>2018</b> , 29, 1617-1626	5.3	3
39	Changes in bone mineral density and bone turnover markers during treatment with teriparatide in pregnancy- and lactation-associated osteoporosis. <i>Clinical Endocrinology</i> , <b>2018</b> , 88, 652-658	3.4	36
38	Teriparatide therapy for severe, refractory osteoradionecrosis of the jaw. <i>Osteoporosis International</i> , <b>2018</b> , 29, 987-992	5.3	8
37	Low peak jump power is associated with elevated odds of dysmobility syndrome in community-dwelling elderly individuals: the Korean Urban Rural Elderly (KURE) study. <i>Osteoporosis International</i> , <b>2018</b> , 29, 1427-1436	5.3	13
36	Contrast-free (Zero-contrast) TAVR for Severe Aortic Stenosis in Patient with Chronic Kidney Disease. <i>Journal of Lipid and Atherosclerosis</i> , <b>2018</b> , 7, 62	3	1
35	Comparison of the Effects of Ezetimibe-Statin Combination Therapy on Major Adverse Cardiovascular Events in Patients with and without Diabetes: A Meta-Analysis. <i>Endocrinology and Metabolism</i> , <b>2018</b> , 33, 219-227	3.5	9
34	Elevated urinary N-acetyl-D-glucosaminidase is associated with high glycoalbumin-to-hemoglobin A1c ratio in type 1 diabetes patients with early diabetic kidney disease. <i>Scientific Reports</i> , <b>2018</b> , 8, 6710	4.9	7
33	Differential association of ezetimibe-simvastatin combination with major adverse cardiovascular events in patients with or without diabetes: a retrospective propensity score-matched cohort study. <i>Scientific Reports</i> , <b>2018</b> , 8, 11925	4.9	5
32	Dysmobility syndrome is associated with prevalent morphometric vertebral fracture in older adults: the Korean Urban-Rural Elderly (KURE) study. <i>Archives of Osteoporosis</i> , <b>2018</b> , 13, 86	2.9	9
31	Association of Insulin Resistance with Lower Bone Volume and Strength Index of the Proximal Femur in Nondiabetic Postmenopausal Women. <i>Journal of Bone Metabolism</i> , <b>2018</b> , 25, 123-132	2.7	12
30	Elevated N-acetyl-Ed-glucosaminidase, a urinary tubular damage marker, is a significant predictor of carotid artery atherosclerosis in type 1 diabetes, independent of albuminuria: A cross-sectional study. <i>Journal of Diabetes and Its Complications</i> , <b>2018</b> , 32, 777-783	3.2	4
29	Effects of Altered Calcium Metabolism on Cardiac Parameters in Primary Aldosteronism. Endocrinology and Metabolism, <b>2018</b> , 33, 485-492	3.5	О
28	Effects of Serum Albumin, Calcium Levels, Cancer Stage and Performance Status on Weight Loss in Parathyroid Hormone-Related Peptide Positive or Negative Patients with Cancer. <i>Endocrinology and Metabolism</i> , <b>2018</b> , 33, 97-104	3.5	О
27	C-Arm Computed Tomography-Assisted Adrenal Venous Sampling Improved Right Adrenal Vein Cannulation and Sampling Quality in Primary Aldosteronism. <i>Endocrinology and Metabolism</i> , <b>2018</b> , 33, 236-244	3.5	4
26	Localization of Oncogenic Osteomalacia by Systemic Venous Sampling of Fibroblast Growth Factor 23. <i>Yonsei Medical Journal</i> , <b>2017</b> , 58, 981-987	3	8
25	Different patterns in the risk of newly developed fatty liver and lipid changes with tamoxifen versus aromatase inhibitors in postmenopausal women with early breast cancer: A propensity score-matched cohort study. <i>European Journal of Cancer</i> , <b>2017</b> , 82, 103-114	7.5	17
24	Osteosarcoma in a Patient With Pseudohypoparathyroidism Type 1b Due to Paternal Uniparental Disomy of Chromosome 20q. <i>Journal of Bone and Mineral Research</i> , <b>2017</b> , 32, 770-775	6.3	6

23	Low Plasma Level of Leucine-Rich Repeat-Containing 17 (LRRc17) Is an Independent and Additive Risk Factor for Osteoporotic Fractures in Postmenopausal Women. <i>Journal of Bone and Mineral Research</i> , <b>2016</b> , 31, 2106-2114	6.3	7
22	Association between dietary acid load and the risk of cardiovascular disease: nationwide surveys (KNHANES 2008-2011). <i>Cardiovascular Diabetology</i> , <b>2016</b> , 15, 122	8.7	38
21	Serum PTHrP Predicts Weight Loss in Cancer Patients Independent of Hypercalcemia, Inflammation, and Tumor Burden. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2016</b> , 101, 1207-14	5.6	21
20	Fecal Transplantation using a Nasoenteric Tube during an Initial Episode of Severe Clostridium difficile Infection. <i>Infection and Chemotherapy</i> , <b>2016</b> , 48, 31-5	3.9	4
19	Clinical benefit of spironolactone in patients with acute decompensated heart failure and severe renal dysfunction: Data from the Korean Heart Failure Registry. <i>American Heart Journal</i> , <b>2015</b> , 169, 713-	120.e	3 <sup>9</sup>
18	Exercise capacity independently predicts bone mineral density and proximal femoral geometry in patients with acute decompensated heart failure. <i>Osteoporosis International</i> , <b>2015</b> , 26, 2121-9	5.3	4
17	Gamma-glutamyl transferase is associated with sarcopenia and sarcopenic obesity in community-dwelling older adults: results from the Fifth Korea National Health and Nutrition Examination Survey, 2010-2011. <i>Endocrine Journal</i> , <b>2015</b> , 62, 585-92	2.9	11
16	Comparison of pooled cohort risk equations and Framingham risk score for metabolic syndrome in a Korean community-based population. <i>International Journal of Cardiology</i> , <b>2014</b> , 176, 1154-5	3.2	6
15	Effect of high-dose statin loading on biomarkers related to inflammation and renal injury in patients hospitalized with acute heart failure. Randomized, controlled, open-label, prospective pilot study. <i>Circulation Journal</i> , <b>2014</b> , 78, 2447-54	2.9	6
14	Red cell distribution width as an independent predictor of exercise intolerance and ventilatory inefficiency in patients with chronic heart failure. <i>Yonsei Medical Journal</i> , <b>2014</b> , 55, 635-43	3	2
13	Prognostic value of new-onset anemia as a marker of hemodilution in patients with acute decompensated heart failure and severe renal dysfunction. <i>Journal of Cardiology</i> , <b>2014</b> , 64, 43-8	3	8
12	Detailed pathologic evaluation on endomyocardial biopsy provides long-term prognostic information in patients with acute myocarditis. <i>Cardiovascular Pathology</i> , <b>2014</b> , 23, 139-44	3.8	16
11	Authors reply: estimated glomerular filtration rate by two equations and their relationship with metabolic syndrome. <i>Clinica Chimica Acta</i> , <b>2014</b> , 437, 222-3	6.2	
10	Comparison of association of glomerular filtration rate with metabolic syndrome in a community-based population using the CKD-EPI and MDRD study equations. <i>Clinica Chimica Acta</i> , <b>2014</b> , 429, 157-62	6.2	6
9	The CKD-EPI is more accurate in clinical outcome prediction than MDRD equation in acute heart failure: data from the Korean Heart Failure (KorHF) Registry. <i>International Journal of Cardiology</i> , <b>2013</b> , 167, 1084-7	3.2	18
8	Hemoconcentration is a good prognostic predictor for clinical outcomes in acute heart failure: data from the Korean Heart Failure (KorHF) Registry. <i>International Journal of Cardiology</i> , <b>2013</b> , 168, 4739-43	3.2	31
7	Prognostic value of change in red cell distribution width 1 month after discharge in acute decompensated heart failure patients. <i>Circulation Journal</i> , <b>2012</b> , 76, 109-16	2.9	25
6	Red blood cell distribution width predicts early mortality in patients with acute dyspnea. <i>Clinica Chimica Acta</i> , <b>2012</b> , 413, 992-7	6.2	29

## LIST OF PUBLICATIONS

5	Plasma adiponectin concentration and its association with metabolic syndrome in patients with heart failure. <i>Yonsei Medical Journal</i> , <b>2012</b> , 53, 91-8	3	15
4	Ivabradine and outcomes in chronic heart failure. <i>Lancet, The</i> , <b>2010</b> , 376, 2069; author reply 2069-70	40	2
3	Relation between red cell distribution width with echocardiographic parameters in patients with acute heart failure. <i>Journal of Cardiac Failure</i> , <b>2009</b> , 15, 517-22	3.3	45
2	Thrombus aspiration during percutaneous coronary intervention. <i>Lancet, The</i> , <b>2008</b> , 372, 1034; author reply 1034-5	40	
1	Clopidogrel treatment and the MEND-CABG II trial. <i>JAMA - Journal of the American Medical Association</i> , <b>2008</b> , 300, 1021; author reply 1021-2	27.4	