

Shoukui Hu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/640803/publications.pdf>

Version: 2024-02-01

23
papers

430
citations

687220

13
h-index

752573

20
g-index

23
all docs

23
docs citations

23
times ranked

488
citing authors

#	ARTICLE	IF	CITATIONS
1	<i>Escherichia marmotae</i> sp. nov., isolated from faeces of <i>Marmota himalayana</i> . International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 2130-2134.	0.8	75
2	Rapid and Sensitive Detection of <i>Shigella</i> spp. and <i>Salmonella</i> spp. by Multiple Endonuclease Restriction Real-Time Loop-Mediated Isothermal Amplification Technique. Frontiers in Microbiology, 2015, 6, 1400.	1.5	39
3	Multiple Cross Displacement Amplification Coupled With Nanoparticles-Based Lateral Flow Biosensor for Detection of <i>Staphylococcus aureus</i> and Identification of Methicillin-Resistant <i>S. aureus</i> . Frontiers in Microbiology, 2018, 9, 907.	1.5	37
4	<i>Streptococcus pantholops</i> sp. nov., isolated from faeces of the Tibetan antelope (<i>Pantholops</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 622	0.8	35
5	Isothermal amplification and rapid detection of <i>Klebsiella pneumoniae</i> based on the multiple cross displacement amplification (MCDA) and gold nanoparticle lateral flow biosensor (LFB). PLoS ONE, 2018, 13, e0204332.	1.1	27
6	The Novel Multiple Inner Primers-Loop-Mediated Isothermal Amplification (MIP-LAMP) for Rapid Detection and Differentiation of <i>Listeria monocytogenes</i> . Molecules, 2015, 20, 21515-21531.	1.7	23
7	<i>Helicobacter himalayensis</i> sp. nov. isolated from gastric mucosa of <i>Marmota himalayana</i> . International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 1719-1725.	0.8	23
8	Genomic Portrait of the Evolution and Epidemic Spread of a Recently Emerged Multidrug-Resistant <i>Shigella flexneri</i> Clone in China. Journal of Clinical Microbiology, 2014, 52, 1119-1126.	1.8	21
9	Establishment and Application of Multiple Cross Displacement Amplification Coupled With Lateral Flow Biosensor (MCDA-LFB) for Visual and Rapid Detection of <i>Candida albicans</i> in Clinical Samples. Frontiers in Cellular and Infection Microbiology, 2019, 9, 102.	1.8	21
10	<i>Streptococcus himalayensis</i> sp. nov., isolated from the respiratory tract of <i>Marmota himalayana</i> . International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 256-261.	0.8	19
11	<i>Streptococcus halotolerans</i> sp. nov. isolated from the respiratory tract of <i>Marmota himalayana</i> in Qinghai-Tibet Plateau of China. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4211-4217.	0.8	16
12	Molecular biological characteristics of <i>Staphylococcus aureus</i> isolated from food. European Food Research and Technology, 2013, 236, 285-291.	1.6	15
13	<i>Streptococcus marmotae</i> sp. nov., isolated from the respiratory tract of <i>Marmota himalayana</i> . International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4315-4322.	0.8	15
14	Isolation and characterization of <i>Streptococcus respiraculi</i> sp. nov. from <i>Marmota himalayana</i> (Himalayan marmot) respiratory tract. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2082-2087.	0.8	13
15	<i>Neisseria meningitidis</i> Serogroup W135 Sequence Type 11, Anhui Province, China, 2011-2013. Emerging Infectious Diseases, 2014, 20, 1236-8.	2.0	11
16	Rapid and sensitive detection of <i>Pseudomonas aeruginosa</i> using multiple cross displacement amplification and gold nanoparticle-based lateral flow biosensor visualization. FEMS Microbiology Letters, 2018, 365, .	0.7	10
17	Endonuclease Restriction-Mediated Real-Time Polymerase Chain Reaction: A Novel Technique for Rapid, Sensitive and Quantitative Detection of Nucleic-Acid Sequence. Frontiers in Microbiology, 2016, 7, 1104.	1.5	9
18	Outbreak of carbapenemase-producing <i>Klebsiella pneumoniae</i> neurosurgical site infections associated with a contaminated shaving razor used for preoperative scalp shaving. American Journal of Infection Control, 2014, 42, 805-806.	1.1	8

#	ARTICLE	IF	CITATIONS
19	Pelistega ratti sp. nov. from Rattus norvegicus of Hainan island. International Journal of Systematic and Evolutionary Microbiology, 2019, 71, .	0.8	7
20	Genomic analysis of Helicobacter himalayensis sp. nov. isolated from Marmota himalayana. BMC Genomics, 2020, 21, 826.	1.2	4
21	Rapid, Sensitive Detection of Bartonella quintana by Loop-Mediated Isothermal Amplification of the groEL Gene. International Journal of Molecular Sciences, 2016, 17, 1902.	1.8	2
22	Simultaneous detection of <i>Streptococcus pneumoniae</i> and prevention of carryover contamination using multiple cross displacement amplification with Antarctic thermal sensitive uracil-DNA-glycosylase and a lateral flow biosensor. FEMS Microbiology Letters, 2021, 368, .	0.7	0
23	Ultra-efficient multiple cross displacement amplification-lateral flow biosensor (MCDA-LFB) for serogroup identification of prevalent Neisseria meningitidis. Analytical Biochemistry, 2022, , 114740.	1.1	0