Keisuke Miyazawa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6431855/publications.pdf

Version: 2024-02-01

60 papers 8,930 citations

393982 19 h-index 54 g-index

64 all docs

64 docs citations

64 times ranked 20804 citing authors

#	Article	IF	CITATIONS
1	Ricolinostat enhances adavosertibâ€ʻinduced mitotic catastrophe in TP53â€ʻmutated head and neck squamous cell carcinoma cells. International Journal of Oncology, 2022, 60, .	1.4	7
2	BRCA1 degradation in response to mitochondrial damage in breast cancer cells. Scientific Reports, 2021, 11, 8735.	1.6	10
3	Azithromycin enhances the cytotoxicity of DNAâ€damaging drugs via lysosomal membrane permeabilization in lung cancer cells. Cancer Science, 2021, 112, 3324-3337.	1.7	22
4	Induction of synergistic non‑apoptotic cell death by simultaneously targeting proteasomes with bortezomib and histone deacetylase 6 with ricolinostat in head and neck tumor cells. Oncology Letters, 2021, 22, 680.	0.8	8
5	Targeted disruption of GAK stagnates autophagic flux by disturbing lysosomal dynamics. International Journal of Molecular Medicine, 2021, 48, .	1.8	12
6	Lysosome‑targeted drug combination induces multiple organelle dysfunctions and non‑canonical death in pancreatic cancer cells. Oncology Reports, 2021, 47, .	1.2	4
7	Vitamin K2 induces non-apoptotic cell death along with autophagosome formation in breast cancer cell lines. Breast Cancer, 2020, 27, 225-235.	1.3	21
8	Sequestosome 1 (p62) accumulation in breast cancer cells suppresses progesterone receptor expression via argonaute 2. Biochemical and Biophysical Research Communications, 2020, 531, 256-263.	1.0	5
9	Comparison of autophagy inducibility in various tyrosine kinase inhibitors and their enhanced cytotoxicity via inhibition of autophagy in cancer cells in combined treatment with azithromycin. Biochemistry and Biophysics Reports, 2020, 22, 100750.	0.7	19
10	Association of BRCA Mutations and BRCAness Status With Anticancer Drug Sensitivities in Triple-Negative Breast Cancer Cell Lines. Journal of Surgical Research, 2020, 250, 200-208.	0.8	7
11	Abemaciclib induces atypical cell death in cancer cells characterized by formation of cytoplasmic vacuoles derived from lysosomes. Cancer Science, 2020, 111, 2132-2145.	1.7	46
12	Macrolide antibiotics enhance the antitumor effect of lansoprazole resulting in lysosomal membrane permeabilizationâ€'associated cell death. International Journal of Oncology, 2020, 57, 1280-1292.	1.4	13
13	Fingolimod sensitizes EGFR wild‑type non‒small cell lung cancer cells to lapatinib or sorafenib and induces cell cycle arrest. Oncology Reports, 2019, 42, 231-242.	1.2	8
14	Amino acid starvation culture condition sensitizes EGFR-expressing cancer cell lines to gefitinib-mediated cytotoxicity by inducing atypical necroptosis. International Journal of Oncology, 2018, 52, 1165-1177.	1.4	11
15	The cyclin-dependent kinase 4/6 inhibitor, abemaciclib, exerts dose-dependent cytostatic and cytocidal effects and induces autophagy in multiple myeloma cells. Leukemia and Lymphoma, 2018, 59, 1439-1450.	0.6	35
16	Designing an effective drug combination for ER stress loading in cancer therapy using a real-time monitoring system. Biochemical and Biophysical Research Communications, 2018, 501, 286-292.	1.0	4
17	A type 2 diabetes-associated SNP in KCNQ1 (rs163184) modulates the binding activity of the locus for Sp3 and Lsd1/Kdm1a, potentially affecting CDKN1C expression. International Journal of Molecular Medicine, 2017, 41, 717-728.	1.8	10
18	Macrolide Antibiotics Exhibit Cytotoxic Effect under Amino Acid-Depleted Culture Condition by Blocking Autophagy Flux in Head and Neck Squamous Cell Carcinoma Cell Lines. PLoS ONE, 2016, 11, e0164529.	1.1	14

#	Article	IF	CITATIONS
19	Macrolides sensitize EGFR-TKI-induced non-apoptotic cell death via blocking autophagy flux in pancreatic cancer cell lines. International Journal of Oncology, 2016, 48, 45-54.	1.4	38
20	Targeting bortezomib-induced aggresome formation using vinorelbine enhances the cytotoxic effect along with ER stress loading in breast cancer cell lines. International Journal of Oncology, 2016, 49, 1848-1858.	1.4	19
21	Specific autoantigens identified by sera obtained from mice that are immunized with testicular germ cells alone. Scientific Reports, 2016, 6, 35599.	1.6	13
22	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). Autophagy, 2016, 12, 1-222.	4.3	4,701
23	Targeting the integrated networks of aggresome formation, proteasome, and autophagy potentiates ER stress-mediated cell death in multiple myeloma cells. International Journal of Oncology, 2015, 46, 474-486.	1.4	39
24	Comparative analysis of type 2 diabetes-associated SNP alleles identifies allele-specific DNA-binding proteins for the KCNQ1 locus. International Journal of Molecular Medicine, 2015, 36, 222-230.	1.8	6
25	EGFR-independent autophagy induction with gefitinib and enhancement of its cytotoxic effect by targeting autophagy with clarithromycin in non-small cell lung cancer cells. Biochemical and Biophysical Research Communications, 2015, 461, 28-34.	1.0	54
26	Combined treatment with SAHA, bortezomib, and clarithromycin for concomitant targeting of aggresome formation and intracellular proteolytic pathways enhances ER stress-mediated cell death in breast cancer cells. Biochemical and Biophysical Research Communications, 2013, 437, 41-47.	1.0	40
27	Vitamin K2 Covalently Binds to Bak and Induces Bak-Mediated Apoptosis. Molecular Pharmacology, 2013, 83, 613-620.	1.0	39
28	Macrolide antibiotics block autophagy flux and sensitize to bortezomib via endoplasmic reticulum stress-mediated CHOP induction in myeloma cells. International Journal of Oncology, 2013, 42, 1541-1550.	1.4	87
29	Concomitant Targeting Aggresome Formation and Intracellar Proteolytic Pathways Enhances ER-Stress Mediated Cell Death In Myeloma Cells. Blood, 2013, 122, 4910-4910.	0.6	0
30	Clarithromycin enhances bortezomib-induced cytotoxicity via endoplasmic reticulum stress-mediated CHOP (GADD153) induction and autophagy in breast cancer cells. International Journal of Oncology, 2012, 40, 1029-1039.	1.4	39
31	Guidelines for the use and interpretation of assays for monitoring autophagy. Autophagy, 2012, 8, 445-544.	4.3	3,122
32	Macrolide Antibiotics Block Autophagy Flux and Sensitize to Bortezomib Via Endoplasmic Reticulum-Stress-Mediated CHOP Induction in Myeloma Cells. Blood, 2012, 120, 4992-4992.	0.6	7
33	Combined treatment with bortezomib plus bafilomycin A1 enhances the cytocidal effect and induces endoplasmic reticulum stress in U266 myeloma cells: Crosstalk among proteasome, autophagy-lysosome and ER stress. International Journal of Oncology, 2011, 38, 643-54.	1.4	63
34	Multicenter phase II trial of vitamin K2 monotherapy and vitamin K2 plus $1\hat{1}$ -hydroxyvitamin D3 combination therapy for low-risk myelodysplastic syndromes. Leukemia Research, 2010, 34, 1151-1157.	0.4	19
35	Cytoprotective effect of imatinib mesylate in non-BCR-ABL-expressing cells along with autophagosome formation. Biochemical and Biophysical Research Communications, 2010, 391, 310-315.	1.0	16
36	Cytoprotective Autophagy Induction by Imatinib Mesylate In Non-BCR-ABL Expressing Cells. Blood, 2010, 116, 4937-4937.	0.6	1

#	Article	IF	CITATIONS
37	Combined Treatment with Bortezomib Plus Bafilomycin A1 Enhances Cytocidal Effect along with Induction of ER Stress In Myeloma Cells: Crosstalk Among Proteasome, Autophagy-Lysosome, and ER Stress. Blood, 2010, 116, 4058-4058.	0.6	0
38	Growth inhibitory effects of vitamin K2 on colon cancer cell lines via different types of cell death including autophagy and apoptosis. International Journal of Molecular Medicine, 2009, 23, 709-16.	1.8	24
39	Clinical features of adult acute leukemia with 11q23 abnormalities in Japan: a co-operative multicenter study. International Journal of Hematology, 2008, 87, 195-202.	0.7	16
40	Leukocytosis is linked to thrombosis at diagnosis, while JAK2 V617F mutation is associated with thrombosis during the course of essential thrombocythemia. International Journal of Hematology, 2008, 87, 446-448.	0.7	8
41	A safety, pharmacokinetic and pharmacodynamic investigation of deferasirox (Exjade $\hat{A}^{@}$, ICL670) in patients with transfusion-dependent anemias and iron-overload: a Phase I study in Japan. International Journal of Hematology, 2008, 88, 73-81.	0.7	40
42	Vitamin K2 induces autophagy and apoptosis simultaneously in leukemia cells. Autophagy, 2008, 4, 629-640.	4.3	96
43	Clinical Features of Hypereosinophilic Syndrome: FIP1L1-PDGFRA Fusion Gene-Positive Disease is a Distinct Clinical Entity with Myeloproliferative Features and a Poor Response to Corticosteroid. International Journal of Hematology, 2007, 85, 5-10.	0.7	6
44	Autophagy and Apoptosis Are Induced Simultaneously in Leukemia Cells by Vitamin K2 Blood, 2006, 108, 4373-4373.	0.6	0
45	Clinical Analysis of Adult Acute Leukemia with Rearrangements of the 11q23/MLL: Multicenter Co-Operative Study Blood, 2006, 108, 2354-2354.	0.6	0
46	Vitamin K2-induced antitumor effects via cell-cycle arrest and apoptosis in gastric cancer cell lines. International Journal of Molecular Medicine, 2006, 17, 235-43.	1.8	25
47	Peripheral T-cell lymphoma together with myelofibrosis with elevated plasma transforming growth factor-Î ² 1. Leukemia and Lymphoma, 2005, 46, 599-602.	0.6	14
48	Vitamin K2 (VK2) Monotherapy and VK2 Plus D3 Combination Therapy in Low-Risk Myelodysplastic Syndrome: A Prospective Japanese Study Blood, 2005, 106, 2528-2528.	0.6	0
49	Myelodysplastic Syndromes with Myelofibrosis May Be a Target for the JAK2 V617F Tyrosine Kinase Mutation Blood, 2005, 106, 4895-4895.	0.6	0
50	Hemophagocytic Syndrome Associated with CD8 Positive T-cell Chronic Lymphocytic Leukemia. Leukemia and Lymphoma, 2004, 45, 193-198.	0.6	7
51	Thrombocytopenia Induced by Imatinib Mesylate (Glivec) in Patients with Chronic Myelogenous Leukemia: is 400 mg Daily of Imatinib Mesylate an Optimal Starting Dose for Japanese Patients?. International Journal of Hematology, 2003, 77, 93-95.	0.7	15
52	Apoptosis induction of vitamin K2 in lung carcinoma cell lines: the possibility of vitamin K2 therapy for lung cancer. International Journal of Oncology, 2003, 23, 627-32.	1.4	16
53	MALT Lymphoma Originating in Breast and Uvula. Leukemia and Lymphoma, 2001, 41, 461-463.	0.6	10
54	Myelodysplastic Syndrome Accompanied by Addison's Disease and Multiple Autoimmune Phenomena: Steroid Therapy Resolved Cytopenias and All Immune Disorders Internal Medicine, 2001, 40, 1041-1044.	0.3	13

#	Article	IF	CITATIONS
55	Successful treatment with cyclosporin A for myelodysplastic syndrome with erythroid hypoplasia associated with T-cell receptor gene rearrangements. British Journal of Haematology, 2001, 114, 358-361.	1.2	35
56	Anaplastic large-cell lymphoma which showed severe inflammatory status and myelodysplasia with increased VEGF and IL-6 serum levels after long-term immunosuppressive therapy. American Journal of Hematology, 2001, 66, 49-52.	2.0	11
57	IgALAMBDA./IgGKAPPA. Biclonal Myeloma in which Two Clones Proliferated in Individual Sites Internal Medicine, 2000, 39, 170-175.	0.3	4
58	Megakaryocytic Maturation is Regulated by Maintaining a Balance Against Cytokine Induced-cell Proliferation: Steel Factor Retards Thrombopoietin-induced Megakaryocytic Differentiation While Synergistically Stimulating Mitogenesis. Hematology, 2000, 5, 233-246.	0.7	2
59	Combination of Granulocyte Colony-Stimulating Factor and Low-Dose Cytosine Arabinoside Further Enhances Myeloid Differentiation in Leukemia Cells in Vitro. Leukemia and Lymphoma, 2000, 39, 173-184.	0.6	11
60	SDF-1 suppresses cytokine-induced adhesion of human haemopoietic progenitor cells to immobilized fibronectin. British Journal of Haematology, 1999, 106, 171-174.	1.2	18